

FSD2417

**Lisäntymisterveys Pietarissa: miehet
2003**

Koodikirja



TIETOARKISTO

Tämän koodikirjan viittaustiedot:

Lisääntymisterveys Pietarissa: miehet 2003 [koodikirja]. Yhteiskuntatieteellinen tietoaarkisto [tuottaja ja jakaja], 2018.

Koodikirja on luotu aineiston versiosta 3.0 (23.7.2018).

Yhteiskuntatieteellinen tietoaarkisto
33014 Tampereen yliopisto

Asiakaspalvelu:
asiakaspalvelu.fsd@uta.fi
040 190 1442

Palveluportaali Aila:
<https://services.fsd.uta.fi/>

Yhteiskuntatieteellinen tietoaarkisto
<http://www.fsd.uta.fi/>

Lukijalle

Tämä koodikirja on osa Tietoarkistoon arkistoitua tutkimusaineistoa FSD2417. Aineisto on kuvailtu mahdollisimman yksityiskohtaisesti suomeksi ja englanniksi. Datatiedostosta on tarkistettu muun muassa muuttujien jakaumat, puuttuvat tiedot, muuttujien selitteet ja arvojen selitteet. Tarvittaessa datatiedosto on anonymisoitu. Aineistoon ja sen tekijöihin tulee viitata asianmukaisesti kaikissa julkaisuissa ja esityksissä, joissa aineistoa käytetään. Tietoarkiston antaman malliviittaustiedon voi merkitä lähdeluetteloon sellaisenaan tai sitä voi muokata julkaisun käytäntöjen mukaisesti. Malliviittaus:

Fedorova, Natalia (Centre for Independent Social Research in St) & Haavio-Mannila, Elina (Helsingin yliopisto) & Hemminki, Elina (Sosiaali- ja terveystieteiden tutkimus- ja kehittämiskeskus (STAKES)) & Kesseli, Katja (Helsingin yliopisto) & Koponen, Päivikki (Terveyden ja hyvinvoinnin laitos) & Martikainen, Pekka (Helsingin yliopisto) & Nikula, Minna (Sosiaali- ja terveystieteiden tutkimus- ja kehittämiskeskus (STAKES)) & Pitkänen, Kari (Helsingin yliopisto) & Rotkirch, Anna (Helsingin yliopisto): Lisääntymisterveys Pietarissa: miehet 2003 [sähköinen tietoaaineisto]. Versio 3.0 (2018-07-23). Yhteiskuntatieteellinen tietoarkisto [jakaja]. <http://urn.fi/urn:nbn:fi:fsd:T-FSD2417>

Tietoarkistoon on lähetettävä viitetiedot kaikista julkaisuista, joissa käyttäjä hyödyntää aineistoa. Aineiston alkuperäiset tekijät ja tietoarkisto eivät ole vastuussa aineiston jatkokäytössä tuotetuista tuloksista ja tulkinnoista.

Koodikirjan alussa on tiedot aineiston sisällöstä, aineiston rakenteesta ja keruusta sekä luettelo tietoarkistoon ilmoitetuista julkaisuista, joissa aineistoa on hyödynnetty. Toinen osa sisältää tiedot muuttujista: muuttujien nimet, kysymystekstit ja suorat jakaumat. Kolmannesta osasta löytyvät hakemistot.

Tässä koodikirjassa esitetyt muuttujien jakaumat on tuotettu SPSS-tiedostoista. Jakaumataulukkoissa on esitetty muuttujan saamat arvot, vastaavat frekvenssit (n), frekvenssit prosentteina (%) ja validit prosentit (v. %), joissa on huomioitu puuttuvat arvot. Kaikki jakaumat ovat painottomia. Jos aineisto sisältää painomuuttujia ne löytyvät muuttujaluettelon lopusta. Joidenkin muuttujien osalta suorat jakaumat on korvattu kuvailevilla tunnusluvuilla. Avokysymyksistä luokiteltuja vaihtoehtoja ei ole yleensä otettu mukaan koodikirjaan.

Jakaumat saattavat sisältää puuttuvia tietoja. Merkintä "tieto puuttuu (SYSMIS)" viittaa puuttuvaan havaintoon. Merkintä "tieto puuttuu (User missing)" viittaa muuhun puuttuvaan tietoon, esimerkiksi arkistossa määritellyyn puuttuvaan tietoon (user missing). Useissa tapauksissa aineiston käyttäjän on harkittava myös muiden arvojen koodaamista puuttuvaksi tiedoksi (esim. 'en halua sanoa' tai 'en osaa sanoa').

Koodikirja voi sisältää myös erilaisia liitteitä. Tyypillisin liite on kyselylomake.

Sisältö

1	Aineiston kuvailu	1
1.1	Aineiston otsikot ja datan versio	1
1.2	Sisällön kuvaus	1
1.3	Aineiston rakenne ja keruu	3
1.4	Aineiston käyttö	3
2	Muuttujat	5
3	Hakemistot	85
3.1	Muuttujat esiintymisjärjestyksessä	85
3.2	Muuttujat aakkosjärjestyksessä	92
3.3	Muuttujaryhmät	99
A	Kyselylomake suomeksi	105
B	Kyselylomake venäjäksi	119

Luku 1

Aineiston kuvailu

1.1 Aineiston otsikot ja datan versio

Aineiston nimi: Lisääntymisterveys Pietarissa: miehet 2003

Aineiston nimi englanniksi: Reproductive Health in St. Petersburg: Men 2003

Koodikirja on luotu aineiston versiosta 3.0 (23.7.2018).

1.2 Sisällön kuvaus

Tekijät

Fedorova, Natalia (Centre for Independent Social Research in St. Petersburg)

Haavio-Mannila, Elina (Helsingin yliopisto. Sosiologian laitos)

Hemminki, Elina (Sosiaali- ja terveysalan tutkimus- ja kehittämiskeskus (STAKES))

Kesseli, Katja (Helsingin yliopisto. Sosiologian laitos)

Koponen, Päivikki (Terveyden ja hyvinvoinnin laitos)

Martikainen, Pekka (Helsingin yliopisto. Sosiologian laitos)

Nikula, Minna (Sosiaali- ja terveysalan tutkimus- ja kehittämiskeskus (STAKES))

Pitkänen, Kari (Helsingin yliopisto. Sosiologian laitos)

Rotkirch, Anna (Helsingin yliopisto. Sosiologian laitos)

Hakanen, Ulla (Sosiaali- ja terveysalan tutkimus- ja kehittämiskeskus (STAKES))

Svetlana, Kirichenko (Helsingin yliopisto. Sosiologian laitos)

Aineiston tekijänoikeudet

Tietoarkiston ja aineiston luovuttajan tekemän sopimuksen mukaisesti.

Aineiston luovuttaja

Hemminki, Elina (Terveyden ja hyvinvoinnin laitos)

Aineisto luovutettu arkistoon

3.4.2009

Asiasanat

lisääntymisterveys; miehet; perhesuunnittelu; Pietari; prostituutio; päihteet; raskauden ehkäisy; raskaus; seksuaalikasvatus; seksuaalinen käyttäytyminen; seksuaaliterveys; sukupuolitaudit; terveys; Venäjä

Tieteenala / Aihealue

OKM:n tieteenalaluokitus: lääke- ja terveystieteet

CESSDAn luokitus: perhesuunnittelu ja lisääntymisterveys; terveyskäyttäytyminen

Sarjakuvas

Tämä aineisto kuuluu sarjaan:

Aineistot, jotka eivät kuulu sarjaan

Yksittäiset aineistot, jotka eivät kuulu mihinkään sarjaan.

Sisällön kuvaus

Tutkimuksessa selvitettiin pietarilaisten nuorten miesten lisääntymisterveyteen liittyviä seikkoja. Aihepiireinä olivat ehkäisy ja abortit, parisuhteet, seksuaalisuus ja lastensaanti sekä seksuaali- ja yleinen terveydentila.

Aluksi vastaajilta tiedusteltiin taustatietoina ikää, asuinkumppaneita, koulutusta, sosioekonomista asemaa, ammattia, vanhempien ammatteja sekä perheen tulotasoja. Toisessa osiossa keskityttiin raskauden ehkäisyyn liittyviin kysymyksiin. Vastaajilta kysyttiin esimerkiksi, minkä ikäisenä tämä oli ensimmäisen kerran ollut sukupuoliyhteydessä ja kuinka vanha tämän kumppani oli ollut. Lisäksi tiedusteltiin käytettyjä ehkäisymenetelmiä, tyytyväisyyttä niihin sekä syitä menetelmien valitsemiseen. Seuraavaksi vastaajilta kysyttiin, olivatko he keskustelleet ehkäisymenetelmistä lääkärin tai puolisonsa kanssa, kummalla osapuolella hän näki ehkäisyvastuun olevan sekä tiedusteltiin sopivasta seksuaali- ja sukupuolikasvatuksen määrästä kotona ja koulussa. Osion päätteeksi kysyttiin vielä, oliko vastaajan kumppani tehnyt raskaudenkeskeytyksiä, ja jos oli, kysyttiin myös päätöksen syitä sekä vastaajan osuutta päätöksentekoon.

Kolmannessa kysymysosiossa keskityttiin parisuhteisiin, seksuaalisuuteen ja lastensaantiin. Vastaajilta kysyttiin esimerkiksi oliko heillä vastaushetkellä vakituinen seksuaalikumppani, montako seksikumppania tällä oli ollut sekä kauanko edellisestä sukupuoliyhteydestä oli aikaa ja kenen kanssa se oli tapahtunut. Lisäksi tiedusteltiin sukupuolisesta kiinnostuksesta samaan sukupuoleen, maksullisen seksin harrastamisesta sekä naisten seksuaalisista oikeuksista. Vastajat antoivat myös arvioita mielestään sopivista lapsiluvuista, niin omalleen kuin venäläisille

perheille yleensä, sekä ihanteellisesta lastenhankkimisistä. Seuraavaksi miehiltä tiedusteltiin omista lapsista sekä suunnitelmista hankkia niitä tulevaisuudessa.

Lopuksi kysyttiin yleiseen terveyteen liittyviä asioita, kuten oliko vastaajalla (ollut) pitkäaikaisia sairauksia tai sukupuolitauteja, oliko tämä käynyt HIV-testeissä, tupakoiko hän tai käyttääkö hän alkoholia tai muita päihteitä sekä sitä, kuinka hän huumeidenkäyttöön suhtautuu. Vastajilta kysyttiin vielä viimeaikaisista lääkärikäynneistään, keinoistaan terveytensä ylläpitämiseksi sekä heidän mittojaan.

Taustamuuttujina aineistossa ovat vastaajan ikä, koulutus ja ammattiasema. Tutkimus on osa tutkimusprojektia "Reproductive Health and Fertility Patterns in Russia - A Comparative Approach (REFER)".

1.3 Aineiston rakenne ja keruu

Maa: Venäjä

Kohdealue: Venäjä, Pietari

Havaintoyksikkötyyppi: Henkilö

Perusjoukko/otos: Kutsuntatarkastuksiin saapuneet 17-27 -vuotiaat miehet kahdessa Pietarin hallintopiirissä.

Aineistonkeruun ajankohta: huhtikuu 2003 – toukokuu 2003

Kerääjät: Fedorova, Natalia (Centre for Independent Social Research in St. Petersburg)

Keruumenetelmä: Itsetäytettävä lomake

Keruväline tai -ohje: Strukturoitu lomake

Aineiston ajallinen kattavuus: huhtikuu 2003 – toukokuu 2003

Tutkimuksen aikaulottuvuus: Poikkileikkausaineisto

Muuttujien ja havaintojen lukumäärä: Aineistossa on 173 muuttujaa ja 442 havaintoa.

Otantamenetelmä: Kokonaisaineisto

Aineisto kerättiin kutsuntojen yhteydessä kahdesta Pietarin hallintopiiristä. Kutsuntoihin kutsutaan kaikki hallintopiirin asevelvolliset kutsuntaikäiset eli 17-27 -vuotiaat miehet. Kysely jaettiin kaikille keruuajana kutsuntoihin osallistuville, jotka olivat halukkaita siihen vastaamaan. 550:stä jaetusta kyselylomakkeesta palautettiin 444.

Tarkempia tietoja aineistonkeruutilanteesta ja kutsuntajärjestelmästä saatavilla tutkimusraportista (ks. julkaisut).

1.4 Aineiston käyttö

Aineiston käytössä huomioitavaa

Aineisto ei sisällä kysymysten q3, q11, q12, q13, q16, q26, q45, q48, q49, q51, q53, q58 ja q62 venäjänkielisiä avovastauksia. Avokysymyksistä q6, q7_1 ja q7_2 ja aineistoon sisältyy

1. Aineiston kuvailu

tutkijoiden luokittelemat vastaukset sekä suomeksi käännetyt luokittelemattomat vastaukset. Kysymykseen 43 liittyvät muuttajat puuttuvat aineistosta.

Aineistosta ei ole tuotettu englanninkielistä kyselylomaketta. Englanninkielisen lomakkeen sijaan arkistoinnissa on hyödynnetty englanninkielistä kysymysluetteloa.

Julkaisut

Fedorova, Natalia & Kesseli, Katja & Haavio-Mannila, Elina: Reproductive Health and Sexuality in St.Petersburg: Report of a survey of Young Men in 2003 (2005). Helsinki: University of Helsinki & Helsinki: National Research and Development Centre for Welfare and Health (STAKES). urn:isbn:951-33-140-73.

Ajantasainen julkaisuluettelo aineiston kuvailun yhteydessä osoitteessa

<https://services.fsd.uta.fi/catalogue/FSD2417>

Liittyvät aineistot

FSD2418 Lisääntymisterveys Pietarissa: naiset 2004

Käytön ja kuvailun oheismateriaalit

Fedorova, Natalia & Kesseli, Katja & Haavio-Mannila, Elina: Reproductive Health and Sexuality in St.Petersburg: Report of a survey of Young Men in 2003 (2005). Helsinki: University of Helsinki & Helsinki: National Research and Development Centre for Welfare and Health (STAKES). urn:isbn:951-33-140-73.

Aineiston sijainti

Yhteiskuntatieteellinen tietoarkisto

Painokertoimet

Aineisto ei sisällä painomuuttujia.

Käyttöoikeudet

Aineisto on käytettävissä (C) vain tutkimukseen ja ylempiin opinnäytteisiin (esim. pro graduun, lisenssiaatin- ja väitöstutkimukseen).

Luku 2

Muuttujat

[FSD_NO] FSD study number

Kysymysteksti

FSD study number

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	442
minimi	2417.00
maksimi	2417.00
keskiarvo	2417.00
keskihajonta	0.00

[FSD_VR] FSD edition number

Kysymysteksti

FSD edition number

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	442
minimi	3.00
maksimi	3.00
keskiarvo	3.00
keskihajonta	0.00

[FSD_ID] FSD case id

Kysymysteksti

FSD case id

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	442
minimi	1.00
maksimi	442.00
keskiarvo	221.50
keskihajonta	127.74

[BV2] Study district

Kysymysteksti

Study district

Frekvenssit

selite	arvo	n	%	v. %
Primorsky	1	351	79.4	79.4
Kirovsky	2	91	20.6	20.6
		442	100.0	100.0

[BV3] Percentage of the questionnaire completed

Kysymysteksti

Percentage of the questionnaire completed

[Q1] The respondent's age

Kysymysteksti

How old are you?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	435
minimi	14.00
maksimi	31.00
keskiarvo	19.03
keskihajonta	2.48

[Q2] How many people are you living with (how many persons belong to the same household including yourself)?

Kysymysteksti

With how many people are you living together (how many persons belong to the same household including you yourself)?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	426
minimi	0.00
maksimi	10.00
keskiarvo	3.60
keskihajonta	1.36

[Q3_1] List the people with whom you live: Your wife

Kysymysryhmän esiteksti

Who are these people (circle those who belong to the household)?

Kysymysteksti

Your wife

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	417	94.3	98.1
Mentioned	1	8	1.8	1.9
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_2] List the people with whom you live: Cohabiting partner

Kysymysryhmän esiteksti

Who are these people (circle those who belong to the household)?

Kysymysteksti

Cohabiting partner

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	403	91.2	94.8
Mentioned	1	22	5.0	5.2
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_3] List the people with whom you live: Children (under 18)

Kysymysryhmän esiteksti

Who are these people (circle those who belong to the household)?

Kysymysteksti

Children (under 18)

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	413	93.4	97.2
Mentioned	1	12	2.7	2.8
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_4] List the people with whom you live: Your parents

Kysymysryhmän esiteksti

Who are these people (circle those who belong to the household)?

Kysymysteksti*Your parents***Frekvenssit**

selite	arvo	n	%	v. %
Not mentioned	0	56	12.7	13.2
Mentioned	1	369	83.5	86.8
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_5] List the people with whom you live: Your spouse's/partner's parents**Kysymysryhmän esiteksti***Who are these people (circle those who belong to the household)?***Kysymysteksti***Your spouse's/partner's parents***Frekvenssit**

selite	arvo	n	%	v. %
Not mentioned	0	401	90.7	94.4
Mentioned	1	24	5.4	5.6
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_6] List the people with whom you live: Brothers, sisters**Kysymysryhmän esiteksti***Who are these people (circle those who belong to the household)?***Kysymysteksti***Brothers, sisters***Frekvenssit**

2. Muuttujat

selite	arvo	n	%	v. %
Not mentioned	0	199	45.0	46.8
Mentioned	1	226	51.1	53.2
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_7] List the people with whom you live: Other relatives

Kysymysryhmän esiteksti

Who are these people (circle those who belong to the household)?

Kysymysteksti

Other relatives

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	382	86.4	89.9
Mentioned	1	43	9.7	10.1
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_8] List the people with whom you live: Friends

Kysymysryhmän esiteksti

Who are these people (circle those who belong to the household)?

Kysymysteksti

Friends

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	414	93.7	97.4
Mentioned	1	11	2.5	2.6
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_9] List the people with whom you live: Some other people**Kysymysryhmän esiteksi**

Who are these people (circle those who belong to the household)?

Kysymysteksti

Some other people

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	419	94.8	98.6
Mentioned	1	6	1.4	1.4
tieto puuttuu (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q4] The respondent's education**Kysymysteksti**

What is your education ?

Frekvenssit

selite	arvo	n	%	v. %
Primary school (1–3 classes, age 7–10 years)	1	0	0.0	0.0
Lower secondary school (4–8 classes, age 11–15 years)	2	54	12.2	13.2
Upper secondary school (9–10 classes, age 16–17 years)	3	72	16.3	17.6
Vocational school	4	79	17.9	19.4
Technical college	5	40	9.0	9.8
Incomplete higher education (studies approximately 3 years)	6	35	7.9	8.6
Student (in higher education)	7	108	24.4	26.5
Completed higher education	8	20	4.5	4.9
tieto puuttuu (SYSMIS)	.	34	7.7	–
		442	100.0	100.0

[Q5] The respondent's employment status**Kysymysteksti**

What are you mainly doing now?

Frekvenssit

selite	arvo	n	%	v. %
Working	1	140	31.7	34.3
Studying	2	240	54.3	58.8
Unemployed	3	28	6.3	6.9
tieto puuttuu (SYSMIS)	.	34	7.7	–
		442	100.0	100.0

[Q6_1] The respondent's primary occupation (if working)**Kysymysteksti**

This question is posed to persons who are working: Currently, what is your primary occupation (occupation that you consider as the main one, name of the workplace)?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	133
minimi	31.00
maksimi	54.00
keskiarvo	44.90
keskihajonta	8.69

[Q6_2] The respondent's occupation in Finnish (open-ended question)**Kysymysteksti**

This question is posed to persons who are working: Currently, what is your primary occupation (occupation that you consider as the main one, name of the workplace)? [in Finnish]

[Q7_1_1] Mother's occupation [categorised]**Kysymysryhmän esiteksti**

What are the occupations of your parents?

Kysymysteksti*The occupation of the mother***Frekvenssit**

selite	arvo	n	%	v. %
Engineers	1	38	8.6	10.8
Technicians	2	29	6.6	8.2
Professionals	3	50	11.3	14.2
Medical workers	4	2	0.5	0.6
Doctors, pharmacists	5	18	4.1	5.1
Nurses, teachers in kindergarten	6	21	4.8	6.0
Teachers (school)	7	19	4.3	5.4
University teachers	8	0	0.0	0.0
Teachers in vocational schools	9	0	0.0	0.0
Art, leisure, sports, media	10	6	1.4	1.7
Commercial employees	11	13	2.9	3.7
Office workers	12	14	3.2	4.0
Workers	13	0	0.0	0.0
Craftsmen	14	24	5.4	6.8
Workers (machines)	15	10	2.3	2.8
Workers (physical)	16	14	3.2	4.0
Traffic	17	6	1.4	1.7
Agriculture	18	0	0.0	0.0
Service sector	19	10	2.3	2.8
Administration (police, army...)	20	4	0.9	1.1
Managers, directors	21	24	5.4	6.8
Other social groups	22	2	0.5	0.6
Housewife/house husband, unemployed	23	32	7.2	9.1
Pensioner	24	8	1.8	2.3
Don't know	33	6	1.4	1.7
No mother/father tieto puuttuu (SYSMIS)	66	2	0.5	0.6
	.	90	20.4	—
		442	100.0	100.0

[Q7_1_2] Mother's economic activity [categorised]**Kysymysryhmän esiteksti***What are the occupations of your parents?***Kysymysteksti***The occupation of the mother*

Frekvenssit

selite	arvo	n	%	v. %
Don't know	0	6	1.4	1.7
Upper non-manual occupations	1	157	35.5	44.6
Lower non-manual occupations	2	66	14.9	18.8
Manual work occupations	3	81	18.3	23.0
Housewife/house husband, unemployed	4	32	7.2	9.1
Pensioner	5	8	1.8	2.3
No mother/father	6	2	0.5	0.6
tieto puuttuu (SYSMIS)	.	90	20.4	—
		442	100.0	100.0

[Q7_1_3] Mother's occupation in Finnish (open-ended question)**Kysymysryhmän esiteksti**

What are the occupations of your parents?

Kysymysteksti

The occupation of the mother [in Finnish]

[Q7_2_1] Father's occupation [categorised]**Kysymysryhmän esiteksti**

What are the occupations of your parents?

Kysymysteksti

The occupation of the father

Frekvenssit

selite	arvo	n	%	v. %
Engineers	1	40	9.0	12.9
Technicians	2	4	0.9	1.3
Professionals	3	21	4.8	6.8
Medical workers	4	0	0.0	0.0
Doctors, pharmacists	5	5	1.1	1.6
Nurses, teachers in kindergarten	6	2	0.5	0.6

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
Teachers (school)	7	2	0.5	0.6
University teachers	8	1	0.2	0.3
Teachers in vocational schools	9	0	0.0	0.0
Art, leisure, sports, media	10	6	1.4	1.9
Commercial employees	11	1	0.2	0.3
Office workers	12	3	0.7	1.0
Workers	13	1	0.2	0.3
Craftsmen	14	57	12.9	18.4
Workers (machines)	15	8	1.8	2.6
Workers (physical)	16	25	5.7	8.1
Traffic	17	45	10.2	14.5
Agriculture	18	0	0.0	0.0
Service sector	19	6	1.4	1.9
Administration (police, army...)	20	20	4.5	6.5
Managers, directors	21	35	7.9	11.3
Other social groups	22	7	1.6	2.3
Housewife/house husband, unemployed	23	1	0.2	0.3
Pensioner	24	14	3.2	4.5
Don't know	33	3	0.7	1.0
No mother/father tieto puuttuu (SYSMIS)	66	3	0.7	1.0
	.	132	29.9	–
		442	100.0	100.0

[Q7_2_2] Father's economic activity [categorised]

Kysymysryhmän esiteksti

What are the occupations of your parents?

Kysymysteksti

The occupation of the father

Frekvenssit

selite	arvo	n	%	v. %
Don't know	0	6	1.4	1.9
Upper non-manual occupations	1	112	25.3	36.1
Lower non-manual occupations	2	32	7.2	10.3
Manual work occupations	3	142	32.1	45.8
Housewife/house husband, unemployed	4	1	0.2	0.3

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
Pensioner	5	14	3.2	4.5
No mother/father tieto puuttuu (SYSMIS)	6	3	0.7	1.0
	.	132	29.9	–
		442	100.0	100.0

[Q7_2_3] Father's occupation in Finnish (open-ended question)

Kysymysryhmän esiteksti

What are the occupations of your parents?

Kysymysteksti

The occupation of the father [in Finnish]

[Q8] In your opinion, is your family

Kysymysteksti

In your opinion, is your family [economically]

Frekvenssit

selite	arvo	n	%	v. %
Poor	1	13	2.9	3.0
Rather poor	2	54	12.2	12.6
Do not know	3	100	22.6	23.4
Average	4	196	44.3	45.9
Wealthy	5	64	14.5	15.0
tieto puuttuu (SYSMIS)	.	15	3.4	–
		442	100.0	100.0

[Q9_1] How old were you when you first had sexual intercourse?

Kysymysteksti

How old were you when you first had sexual intercourse?

Frekvenssit

selite	arvo	n	%	v. %
Have never had intercourse	1	54	12.2	13.1
Has had intercourse	2	357	80.8	86.9
tieto puuttuu (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

Kysymyksen jälkiteksti

If you answered no, move on to question 19

[Q9_2] How old were you when you first had sexual intercourse? Has had intercourse

Kysymysteksti

How old were you when you first had sexual intercourse?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	357
minimi	10.00
maksimi	40.00
keskiarvo	15.74
keskihajonta	2.06

[Q10] How old was your first partner?

Kysymysteksti

How old was your first partner?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	351
minimi	10.00
maksimi	34.00
keskiarvo	17.08
keskihajonta	2.69

[Q11] Did you use any contraception method to prevent pregnancy during your first act of intercourse?

Kysymysteksti

Did you use any contraception method to prevent pregnancy during your first act of intercourse?

Frekvenssit

selite	arvo	n	%	v. %
None	1	122	27.6	35.0
Coitus interruptus	2	13	2.9	3.7
Condom	3	193	43.7	55.3
Contraceptive pill	4	4	0.9	1.1
Other methods	5	4	0.9	1.1
Can't remember tieto puuttuu (SYSMIS)	6	13	2.9	3.7
	.	93	21.0	–
		442	100.0	100.0

[Q12_1] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception

Kysymysryhmän esiteksti

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

I/we do not use/need any contraception

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	283	64.0	80.2
Mentioned	1	70	15.8	19.8
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_2] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills

Kysymysryhmän esiteksti

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Contraceptive pills

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	310	70.1	87.8
Mentioned	1	43	9.7	12.2
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_3] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD)

Kysymysryhmän esiteksti

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Intrauterine device (IUD)

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	347	78.5	98.3
Mentioned	1	6	1.4	1.7
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_4] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom

Kysymysryhmän esiteksi

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Condom

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	91	20.6	25.8
Mentioned	1	262	59.3	74.2
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_5] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Diaphragm

Kysymysryhmän esiteksi

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Diaphragm

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	352	79.6	99.7
Mentioned	1	1	0.2	0.3
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_6] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule

Kysymysryhmän esiteksti

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Contraceptive capsule

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	352	79.6	99.7
Mentioned	1	1	0.2	0.3
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_7] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days)

Kysymysryhmän esiteksti

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Rhythm method (calculating safe days)

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	336	76.0	95.2
Mentioned	1	17	3.8	4.8
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_8] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus

Kysymysryhmän esiteksi

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Coitus interruptus

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	316	71.5	89.5
Mentioned	1	37	8.4	10.5
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_9] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing

Kysymysryhmän esiteksi

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Rinsing

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	340	76.9	96.3
Mentioned	1	13	2.9	3.7
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_10] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills'

Kysymysryhmän esiteksti

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

'Morning after pills'

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	350	79.2	99.2
Mentioned	1	3	0.7	0.8
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_11] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what?

Kysymysryhmän esiteksti

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Kysymysteksti

Other, what?

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	347	78.5	98.3
Suppository	1	6	1.4	1.7
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q13] Who decided on using contraception when you last had intercourse?**Kysymysteksti**

Who decided on using contraception in your latest intercourse?

Frekvenssit

selite	arvo	n	%	v. %
I did	1	102	23.1	30.1
The partner did	2	34	7.7	10.0
Decided together	3	158	35.7	46.6
Someone else	4	3	0.7	0.9
Can't remember	5	42	9.5	12.4
tieto puuttuu (SYSMIS)	.	103	23.3	—
		442	100.0	100.0

[Q14] How satisfied are you with the contraceptive method you are currently using?**Kysymysteksti**

How satisfied are you with the current method of contraception?

Frekvenssit

selite	arvo	n	%	v. %
Very satisfied	1	133	30.1	38.7
Fairly satisfied	2	126	28.5	36.6
Fairly dissatisfied	3	50	11.3	14.5
Very dissatisfied	4	13	2.9	3.8
I don't currently use contraception	5	22	5.0	6.4
tieto puuttuu (SYSMIS)	.	98	22.2	—
		442	100.0	100.0

[Q15_1] Why did you use a condom when you last had intercourse? My partner wanted to**Kysymysryhmän esiteksti**

Why did you use condom in latest intercourse? (several reasons are possible)

Kysymysteksti*My partner wanted to***Frekvenssit**

selite	arvo	n	%	v. %
Not mentioned	0	288	65.2	82.8
Mentioned	1	60	13.6	17.2
tieto puuttuu (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_2] Why did you use a condom when you last had intercourse? Out of curiosity**Kysymysryhmän esiteksti***Why did you use condom in latest intercourse? (several reasons are possible)***Kysymysteksti***Out of curiosity***Frekvenssit**

selite	arvo	n	%	v. %
Not mentioned	0	330	74.7	94.8
Mentioned	1	18	4.1	5.2
tieto puuttuu (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_3] Why did you use a condom when you last had intercourse? My friends use condoms as well**Kysymysryhmän esiteksti***Why did you use condom in latest intercourse? (several reasons are possible)***Kysymysteksti***My friends use condoms as well***Frekvenssit**

2. Muuttujat

selite	arvo	n	%	v. %
Not mentioned	0	344	77.8	98.9
Mentioned	1	4	0.9	1.1
tieto puuttuu (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_4] Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs

Kysymysryhmän esiteksti

Why did you use condom in latest intercourse? (several reasons are possible)

Kysymysteksti

I have heard that a condom protects against STDs

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	203	45.9	58.3
Mentioned	1	145	32.8	41.7
tieto puuttuu (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_5] Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy

Kysymysryhmän esiteksti

Why did you use condom in latest intercourse? (several reasons are possible)

Kysymysteksti

I wanted to prevent unwanted pregnancy

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	170	38.5	48.9
Mentioned	1	178	40.3	51.1

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_6] Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well

Kysymysryhmän esiteksti

Why did you use condom in latest intercourse? (several reasons are possible)

Kysymysteksti

I wanted to protect myself because I did not know my partner well

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	289	65.4	83.0
Mentioned	1	59	13.3	17.0
tieto puuttuu (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_7] Why did you use a condom when you last had intercourse? I did not use a condom

Kysymysryhmän esiteksti

Why did you use condom in latest intercourse? (several reasons are possible)

Kysymysteksti

I did not use a condom

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	310	70.1	89.1
Mentioned	1	38	8.6	10.9

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q16_1] If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

I don't have information about contraceptive methods

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	182	41.2	86.3
Mentioned	1	29	6.6	13.7
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_2] If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

Price of contraceptives or other difficulties in obtaining them

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	198	44.8	93.8
Mentioned	1	13	2.9	6.2
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_3] If you did not use any contraception when you last had intercourse, why not? My own preference

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

My own preference

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	110	24.9	52.1
Mentioned	1	101	22.9	47.9
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_4] If you did not use any contraception when you last had intercourse, why not? My partner's preference

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

My partner's preference

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Not mentioned	0	158	35.7	74.9
Mentioned	1	53	12.0	25.1
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_5] If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

We wouldn't mind if my partner got pregnant

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	192	43.4	91.0
Mentioned	1	19	4.3	9.0
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_6] If you did not use any contraception when you last had intercourse, why not? Religious reasons

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

Religious reasons

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	207	46.8	98.1
Mentioned	1	4	0.9	1.9
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_7] If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

My spouse/partner is pregnant or breast-feeding

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	205	46.4	97.2
Mentioned	1	6	1.4	2.8
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_8] If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

No need, because I/my partner cannot have children

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Not mentioned	0	208	47.1	98.6
Mentioned	1	3	0.7	1.4
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_9] If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse

Kysymysryhmän esiteksti

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Kysymysteksti

No need, because there has been no intercourse

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	177	40.0	83.9
Mentioned	1	34	7.7	16.1
tieto puuttuu (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q17] Have you ever consulted a physician or nurse in issues related to contraception?

Kysymysteksti

Have you ever consulted a physician or nurse in issues related to contraception?

Frekvenssit

selite	arvo	n	%	v. %
No	1	298	67.4	84.2
Yes	2	44	10.0	12.4
Can't say, can't remember	3	12	2.7	3.4
tieto puuttuu (SYSMIS)	.	88	19.9	–
		442	100.0	100.0

[Q18] Have you discussed contraceptive methods and the use of contraception with your spouse/partner in the last year?

Kysymysteksti

Have you discussed with your partner the use and means of contraception during last year?

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	142	32.1	40.8
No	2	164	37.1	47.1
Can't remember	3	37	8.4	10.6
I haven't had a spouse/partner tieto puuttuu (SYSMIS)	4	5	1.1	1.4
	.	94	21.3	–
		442	100.0	100.0

Kysymyksen jälkiteksti

The following questions are intended for all the respondents

[Q19] In your opinion, who is responsible for contraception?

Kysymysteksti

In your opinion, who is responsible for contraception?

Frekvenssit

selite	arvo	n	%	v. %
Mainly women	1	41	9.3	9.7
Men and women equally	2	273	61.8	64.5
Mainly men	3	71	16.1	16.8
Can't say	4	38	8.6	9.0
tieto puuttuu (SYSMIS)	.	19	4.3	–
		442	100.0	100.0

[Q20] Would you like to take part in contraceptive decision making

Kysymysteksti

Would you like to take part in decision making about the use of contraceptive methods?

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
More than now	1	36	8.1	8.5
I'm taking part enough at the moment	2	174	39.4	41.2
Less than now	3	22	5.0	5.2
I have never taken part and the idea of doing so seems strange	4	44	10.0	10.4
Can't say	5	146	33.0	34.6
tieto puuttuu (SYSMIS)	.	20	4.5	–
		442	100.0	100.0

[Q21] What do you think about the advice given by parents or other older relatives when you are planning to have children? Is this advice

Kysymysteksti

What do you think about the advice from parents or other older relatives while planning having children? Are these advices ?

Frekvenssit

selite	arvo	n	%	v. %
Always desirable	1	149	33.7	34.8
Sometimes desirable	2	185	41.9	43.2
Harmful	3	6	1.4	1.4
Unnecessary	4	50	11.3	11.7
Can't say	5	38	8.6	8.9
tieto puuttuu (SYSMIS)	.	14	3.2	–
		442	100.0	100.0

[Q22] Did you receive sex education in your childhood home?

Kysymysteksti

Did you receive sex education in your family?

Frekvenssit

selite	arvo	n	%	v. %
Yes, too much	1	9	2.0	2.1
Yes, sufficiently	2	122	27.6	28.5
Yes, but too little	3	58	13.1	13.6
No, but I would have wanted to	4	29	6.6	6.8

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
No, and would not have wanted to tieto puuttuu (SYSMIS)	5	210	47.5	49.1
	.	14	3.2	–
		442	100.0	100.0

[Q23] Did you receive sex education in school?

Kysymysteksti

Have you received sex education at school?

Frekvenssit

selite	arvo	n	%	v. %
Yes, too much	1	14	3.2	3.3
Yes, sufficiently	2	112	25.3	26.2
Yes, but too little	3	102	23.1	23.9
No, but I would have wanted to	4	103	23.3	24.1
No, and would not have wanted to tieto puuttuu (SYSMIS)	5	96	21.7	22.5
	.	15	3.4	–
		442	100.0	100.0

[Q24] Have you been afraid that your steady or casual partner got unexpectedly pregnant?

Kysymysteksti

Have you been afraid that your partner would get pregnant unplanned?

Frekvenssit

selite	arvo	n	%	v. %
No	1	183	41.4	44.0
Yes	2	192	43.4	46.2
Can't remember	3	41	9.3	9.9
tieto puuttuu (SYSMIS)	.	26	5.9	–
		442	100.0	100.0

[Q25] Has your wife or partner ever had an abortion resulting from sexual intercourse with you?

Kysymysteksti

Has your wife or partner ever had an abortion resulting from sexual intercourse with you?

Frekvenssit

selite	arvo	n	%	v. %
No	1	344	77.8	85.1
Yes	2	36	8.1	8.9
Not sure, don't know	3	24	5.4	5.9
tieto puuttuu (SYSMIS)	.	38	8.6	–
		442	100.0	100.0

Kysymyksen jälkiteksti

If you answered no or not sure, move on to question 28

**[Q26_1] If your partner has had an abortion, what were the reasons for it?
We were not ready to take responsibility for raising a small child**

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

We were not ready to take responsibility for raising a small child

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	19	4.3	57.6
Mentioned	1	14	3.2	42.4
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_2] If your partner has had an abortion, what were the reasons for it?
Unstable or problematic couple relationship**

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

Unstable or problematic couple relationship

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	28	6.3	84.8
Mentioned	1	5	1.1	15.2
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_3] If your partner has had an abortion, what were the reasons for it?
Pressure from parents or partner's parents**

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

Pressure from parents or partner's parents

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	31	7.0	93.9
Mentioned	1	2	0.5	6.1
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_4] If your partner has had an abortion, what were the reasons for it?
Financial reasons**

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

Financial reasons

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	27	6.1	81.8
Mentioned	1	6	1.4	18.2
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_5] If your partner has had an abortion, what were the reasons for it?
Unfinished studies**

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

Unfinished studies

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	26	5.9	78.8
Mentioned	1	7	1.6	21.2
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_6] If your partner has had an abortion, what were the reasons for it?
Work situation**

Kysymysryhmän esiteksi

What were the reasons for making of abortion?

Kysymysteksti

Work situation

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	32	7.2	97.0
Mentioned	1	1	0.2	3.0
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_7] If your partner has had an abortion, what were the reasons for it?
We were too young**

Kysymysryhmän esiteksi

What were the reasons for making of abortion?

Kysymysteksti

We were too young

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	25	5.7	75.8
Mentioned	1	8	1.8	24.2
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_8] If your partner has had an abortion, what were the reasons for it?
There was no one who could have helped us with child care**

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

There was no one who could have helped us with child care

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	33	7.5	100.0
Mentioned	1	0	0.0	0.0
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_9] If your partner has had an abortion, what were the reasons for it?
I didn't have time to take care of a child**

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

I didn't have time to take care of a child

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	32	7.2	97.0
Mentioned	1	1	0.2	3.0
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_10] If your partner has had an abortion, what were the reasons for it? My partner decided on the issue

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

My partner decided on the issue

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	26	5.9	78.8
Mentioned	1	7	1.6	21.2
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_11] If your partner has had an abortion, what were the reasons for it? Other reasons

Kysymysryhmän esiteksti

What were the reasons for making of abortion?

Kysymysteksti

Other reasons

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	32	7.2	97.0
Mentioned	1	1	0.2	3.0
tieto puuttuu (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q27] If your partner has had an abortion, did you discuss it with your partner?**Kysymysteksti**

Did you discuss the abortion decision with your partner?

Frekvenssit

selite	arvo	n	%	v. %
She told me about the abortion before it was done	1	7	1.6	21.2
She told me about the abortion after it was done	2	5	1.1	15.2
I heard about the abortion from someone else	3	4	0.9	12.1
We decided on the abortion together	4	8	1.8	24.2
The abortion was done largely because I wanted to	5	6	1.4	18.2
Other, what? We did not discuss the abortion at all tieto puuttuu (SYSMIS)	6	3	0.7	9.1
	.	409	92.5	–
		442	100.0	100.0

Kysymyksen jälkiteksti

The following questions are intended for all the respondents

[Q28] Do you currently have a steady female sexual partner?**Kysymysteksti**

Do you have a stable sexual partner now?

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	195	44.1	46.2
No	2	227	51.4	53.8
tieto puuttuu (SYSMIS)	.	20	4.5	–
		442	100.0	100.0

[Q29_1] How old were you when you first had a steady relationship?**Kysymysteksti**

How old were you, when you first started dating? (If you cannot remember exactly, please give your best estimate)

Frekvenssit

selite	arvo	n	%	v. %
__ years old	1	352	79.6	88.4
Have never been in a steady relationship tieto puuttuu (SYSMIS)	2	46	10.4	11.6
	.	44	10.0	–
		442	100.0	100.0

[Q29_2] How old were you when you first had a steady relationship? Age, years**Kysymysteksti**

How old were you, when you first started dating? (If you cannot remember exactly, please give your best estimate) Age, years

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	374
minimi	1.00
maksimi	40.00
keskiarvo	15.66
keskihajonta	2.91

[Q30_1] Altogether, with how many partners have you had sexual intercourse in your life so far?**Kysymysteksti**

Altogether, with how many partners have you had sexual intercourse in your life so far?

Frekvenssit

selite	arvo	n	%	v. %
Has had intercourse	1	318	71.9	80.3
Has never had intercourse	2	54	12.2	13.6
Can't remember, can't say tieto puuttuu (SYSMIS)	3	24	5.4	6.1
	.	46	10.4	–
		442	100.0	100.0

Kysymyksen jälkiteksti

If you have never had intercourse, move on to question 35

[Q30_2] Altogether, with how many partners have you had sexual intercourse in your life so far? Has had intercourse

Kysymysteksti

Altogether, with how many partners have you had sexual intercourse in your lifetime? Has had intercourse

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	357
minimi	1.00
maksimi	100.00
keskiarvo	8.14
keskihajonta	13.02

[Q31] Altogether, with how many partners did you have sexual intercourse last year?

Kysymysteksti

Altogether, in the last year, with how many partners have you had sexual intercourse?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	295
minimi	0.00
maksimi	100.00
keskiarvo	4.64
keskihajonta	8.96

[Q32] When did you last have sexual intercourse?

Kysymysteksti

When was the last time when you had sexual intercourse?

Frekvenssit

selite	arvo	n	%	v. %
In the last 24 hours	1	50	11.3	14.5
1-2 days ago	2	53	12.0	15.4
3-4 days ago	3	45	10.2	13.1
5-7 days ago	4	24	5.4	7.0
1-2 weeks ago	5	41	9.3	11.9
3-4 weeks ago	6	27	6.1	7.8
1-3 months ago	7	58	13.1	16.9
4-12 months ago	8	33	7.5	9.6
1-2 years ago	9	13	2.9	3.8
Over 3 years ago	10	0	0.0	0.0
tieto puuttuu (SYSMIS)	.	98	22.2	—
		442	100.0	100.0

[Q33] Who was your last sexual partner?

Kysymysteksti

Who was your latest sexual partner?

Frekvenssit

selite	arvo	n	%	v. %
Own spouse or steady partner	1	132	29.9	38.3
Spouse or partner of someone else	2	12	2.7	3.5
Acquaintance who was not in a relationship	3	133	30.1	38.6
Stranger who was not in a relationship	4	35	7.9	10.1
Prostitute or other paid partner	5	5	1.1	1.4
Someone else	6	20	4.5	5.8
Can't say	7	8	1.8	2.3
tieto puuttuu (SYSMIS)	.	97	21.9	—
		442	100.0	100.0

[Q34] Did you consume any alcohol before you last had intercourse?

Kysymysteksti

Had you consumed any alcohol before your latest intercourse? (% of people who have had sexual intercourse)

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Not at all	1	151	34.2	43.6
Yes, a little	2	124	28.1	35.8
Yes, moderately	3	37	8.4	10.7
Yes, a lot	4	14	3.2	4.0
Can't remember tieto puuttuu (SYSMIS)	5	20	4.5	5.8
	.	96	21.7	—
		442	100.0	100.0

Kysymyksen jälkiteksti

The following questions are intended for all the respondents

[Q35] Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested

Kysymysteksti

Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested in [gender]

Frekvenssit

selite	arvo	n	%	v. %
Exclusively in the male sex	1	13	2.9	3.1
Mainly in the male sex	2	7	1.6	1.7
In both sexes equally	3	2	0.5	0.5
Mainly in the female sex	4	29	6.6	7.0
Exclusively in the female sex	5	362	81.9	87.7
tieto puuttuu (SYSMIS)	.	29	6.6	—
		442	100.0	100.0

[Q36] Have you ever been propositioned to have intercourse with someone by offering money or other rewards of similar types?

Kysymysteksti

Have you ever been propositioned to intercourse by offering money or similar economic advantages?

Frekvenssit

selite	arvo	n	%	v. %
No	1	364	82.4	87.9
Yes, but I said no	2	40	9.0	9.7
Yes, and I consented once	3	6	1.4	1.4
Yes, and I have consented several times	4	4	0.9	1.0
tieto puuttuu (SYSMIS)	.	28	6.3	–
		442	100.0	100.0

[Q37] Have you ever propositioned someone to have intercourse with you by offering them money or other rewards of similar types?

Kysymysteksti

Have you ever propositioned money or similar economic advantages to somebody on purpose to have intercourse?

Frekvenssit

selite	arvo	n	%	v. %
No	1	372	84.2	90.1
Yes, but they refused	2	6	1.4	1.5
Yes, and one person consented	3	16	3.6	3.9
Yes, and several people have consented	4	19	4.3	4.6
tieto puuttuu (SYSMIS)	.	29	6.6	–
		442	100.0	100.0

[Q38_1] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently

Kysymysryhmän esiteksti

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Kysymysteksti

She has recently given birth

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Yes	1	253	57.2	73.5
No	2	23	5.2	6.7
I don't know	3	68	15.4	19.8
tieto puuttuu (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q38_2] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS)

Kysymysryhmän esiteksti

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Kysymysteksti

She knows or suspects that her partner/husband has a STI including HIV/AIDS

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	310	70.1	90.1
No	2	15	3.4	4.4
I don't know	3	19	4.3	5.5
tieto puuttuu (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q38_3] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her

Kysymysryhmän esiteksti

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Kysymysteksti

Partner/husband beats her

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	278	62.9	82.0
No	2	23	5.2	6.8
I don't know	3	38	8.6	11.2
tieto puuttuu (SYSMIS)	.	103	23.3	–
		442	100.0	100.0

[Q38_4] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk

Kysymysryhmän esiteksti

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Kysymysteksti

Partner/husband is drunk

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	234	52.9	68.8
No	2	46	10.4	13.5
I don't know	3	60	13.6	17.6
tieto puuttuu (SYSMIS)	.	102	23.1	–
		442	100.0	100.0

[Q38_5] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person

Kysymysryhmän esiteksti

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Kysymysteksti

Partner has a sexual relationship with another person

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Yes	1	209	47.3	63.0
No	2	52	11.8	15.7
I don't know	3	71	16.1	21.4
tieto puuttuu (SYSMIS)	.	110	24.9	–
		442	100.0	100.0

[Q38_6] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse

Kysymysryhmän esiteksti

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Kysymysteksti

She is tired and does not want to have sex

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	244	55.2	70.9
No	2	51	11.5	14.8
I don't know	3	49	11.1	14.2
tieto puuttuu (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q38_7] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception

Kysymysryhmän esiteksti

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Kysymysteksti

Partner/husband does not want to use contraception

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	190	43.0	57.6
No	2	75	17.0	22.7
I don't know	3	65	14.7	19.7
tieto puuttuu (SYSMIS)	.	112	25.3	–
		442	100.0	100.0

[Q39] In many countries, there is no free abortion available like there is in Russia. Do you agree that a woman should not have an abortion for free?

Kysymysteksti

In many countries, unlike in Russia, there is no free abortion (termination of pregnancy) available. Do you agree that a woman should not have an abortion for free?

Frekvenssit

selite	arvo	n	%	v. %
Strongly agree	1	72	16.3	17.5
Agree to some extent	2	55	12.4	13.4
Can't say	3	144	32.6	35.0
Disagree to some extent	4	30	6.8	7.3
Strongly disagree	5	110	24.9	26.8
tieto puuttuu (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

[Q40_1] If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family?

Kysymysryhmän esiteksti

If you don't think about your own situation but the situation in general:

Kysymysteksti

What do you consider as the ideal number of children in Russian families in general?

[Q40_2] If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years)

Kysymysryhmän esiteksti

If you don't think about your own situation but the situation in general:

Kysymysteksti

What do you consider to be the ideal interval (years) between childbearing?

[Q40_3A] If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child?

Kysymysryhmän esiteksti

If you don't think about your own situation but the situation in general:

Kysymysteksti

What is the ideal age for a woman of having the first child?

[Q40_3B] If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child?

Kysymysryhmän esiteksti

If you don't think about your own situation but the situation in general:

Kysymysteksti

What is the ideal age for a man of having the first child?

[Q41] In your opinion, what is the most suitable number of children for your family?

Kysymysteksti

What would be the most suitable number of children for you?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	403
minimi	0.00
maksimi	25.00
keskiarvo	1.89
keskihajonta	1.33

[Q42] Do you have children?**Kysymysteksti***Have you got own children?***Frekvenssit**

selite	arvo	n	%	v. %
No children	1	365	82.6	94.6
Has one child	2	11	2.5	2.8
More than one children	3	10	2.3	2.6
tieto puuttuu (SYSMIS)	.	56	12.7	–
		442	100.0	100.0

[Q44] If your partner gave birth to a child now, would you like to be present at birth?**Kysymysteksti***If your partner would give birth to a child now, would you like to be present at birth?***Frekvenssit**

selite	arvo	n	%	v. %
No	1	110	24.9	26.7
Yes	2	158	35.7	38.3
Can't say	3	144	32.6	35.0
tieto puuttuu (SYSMIS)	.	30	6.8	–
		442	100.0	100.0

[Q45] When you were a small child, who mainly took care of you during the day?**Kysymysteksti***Who mainly took care of you during the daytime when you were a small child?***Frekvenssit**

selite	arvo	n	%	v. %
Mother at home	1	191	43.2	46.4

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
Father at home	2	10	2.3	2.4
Grandparents	3	73	16.5	17.7
Other relatives	4	10	2.3	2.4
State nursery	5	122	27.6	29.6
Other	6	3	0.7	0.7
Don't remember	7	3	0.7	0.7
tieto puuttuu (SYSMIS)	.	30	6.8	—
		442	100.0	100.0

[Q46] How would you rate your quality of life?

Kysymysteksti

How would you rate the quality of your life?

Frekvenssit

selite	arvo	n	%	v. %
Very good	1	55	12.4	13.3
Good	2	167	37.8	40.4
Average	3	161	36.4	39.0
Bad	4	24	5.4	5.8
Very bad	5	6	1.4	1.5
tieto puuttuu (SYSMIS)	.	29	6.6	—
		442	100.0	100.0

[Q47] How satisfied are you with your health?

Kysymysteksti

How satisfied are you with your health condition?

Frekvenssit

selite	arvo	n	%	v. %
Very satisfied	1	111	25.1	26.9
Fairly satisfied	2	166	37.6	40.2
Neither satisfied nor unsatisfied	3	78	17.6	18.9
Fairly dissatisfied	4	45	10.2	10.9
Very dissatisfied	5	13	2.9	3.1

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	29	6.6	–
		442	100.0	100.0

[Q48] Do you have a chronic disease for which you regularly use prescribed medication?

Kysymysteksti

Do you have any chronic illnesses for which you need continued medication?

Frekvenssit

selite	arvo	n	%	v. %
No	1	325	73.5	83.5
Yes	2	64	14.5	16.5
tieto puuttuu (SYSMIS)	.	53	12.0	–
		442	100.0	100.0

[Q49] Do you have any permanent or chronic illness or any defect, trouble or injury, which reduces your working capacity or functional ability?

Kysymysteksti

Do you have any chronic disease, pain or trauma reducing your capacity for work in general?

Frekvenssit

selite	arvo	n	%	v. %
No	1	235	53.2	79.4
Yes	2	61	13.8	20.6
tieto puuttuu (SYSMIS)	.	146	33.0	–
		442	100.0	100.0

[Q50_1] Have you had any of the following infections? Genital herpes

Kysymysryhmän esiteksti

Have you had any of the following infections?

2. Muuttujat

Kysymysteksti

Genital herpes

Frekvenssit

selite	arvo	n	%	v. %
No	1	344	77.8	96.4
Yes	2	5	1.1	1.4
Don't know	3	8	1.8	2.2
tieto puuttuu (SYSMIS)	.	85	19.2	–
		442	100.0	100.0

[Q50_2] Have you had any of the following infections? Condyloma

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Condyloma

Frekvenssit

selite	arvo	n	%	v. %
No	1	339	76.7	95.5
Yes	2	7	1.6	2.0
Don't know	3	9	2.0	2.5
tieto puuttuu (SYSMIS)	.	87	19.7	–
		442	100.0	100.0

[Q50_3] Have you had any of the following infections? Chlamydia

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Chlamydia

Frekvenssit

selite	arvo	n	%	v. %
No	1	337	76.2	93.9
Yes	2	11	2.5	3.1
Don't know	3	11	2.5	3.1
tieto puuttuu (SYSMIS)	.	83	18.8	–
		442	100.0	100.0

[Q50_4] Have you had any of the following infections? Yeast infection in the genital area

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Yeast infection in genital area

Frekvenssit

selite	arvo	n	%	v. %
No	1	341	77.1	96.6
Yes	2	3	0.7	0.8
Don't know	3	9	2.0	2.5
tieto puuttuu (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q50_5] Have you had any of the following infections? Gonorrhoea

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Gonorrhoea

Frekvenssit

selite	arvo	n	%	v. %
No	1	343	77.6	94.5

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
Yes	2	12	2.7	3.3
Don't know	3	8	1.8	2.2
tieto puuttuu (SYSMIS)	.	79	17.9	–
		442	100.0	100.0

[Q50_6] Have you had any of the following infections? Syphilis

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Syphilis

Frekvenssit

selite	arvo	n	%	v. %
No	1	348	78.7	98.0
Yes	2	3	0.7	0.8
Don't know	3	4	0.9	1.1
tieto puuttuu (SYSMIS)	.	87	19.7	–
		442	100.0	100.0

[Q50_7] Have you had any of the following infections? HIV/AIDS

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

HIV/AIDS

Frekvenssit

selite	arvo	n	%	v. %
No	1	348	78.7	98.3

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
Yes	2	1	0.2	0.3
Don't know	3	5	1.1	1.4
tieto puuttuu (SYSMIS)	.	88	19.9	–
		442	100.0	100.0

[Q50_8] Have you had any of the following infections? Inflammation of the prostate (prostatitis)

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Prostata inflammation

Frekvenssit

selite	arvo	n	%	v. %
No	1	346	78.3	97.5
Yes	2	2	0.5	0.6
Don't know	3	7	1.6	2.0
tieto puuttuu (SYSMIS)	.	87	19.7	–
		442	100.0	100.0

[Q50_9] Have you had any of the following infections? Inflammation of the testicles (orchitis)

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Testicular inflammation

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
No	1	341	77.1	96.9
Yes	2	1	0.2	0.3
Don't know	3	10	2.3	2.8
tieto puuttuu (SYSMIS)	.	90	20.4	–
		442	100.0	100.0

[Q50_10] Have you had any of the following infections? Some other infection

Kysymysryhmän esiteksti

Have you had any of the following infections?

Kysymysteksti

Some other infection

Frekvenssit

selite	arvo	n	%	v. %
No	1	313	70.8	94.8
Yes	2	8	1.8	2.4
Don't know	3	9	2.0	2.7
tieto puuttuu (SYSMIS)	.	112	25.3	–
		442	100.0	100.0

[Q51_1] If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Wait and hope that everything turns out all right

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	361	81.7	95.3
Mentioned	1	18	4.1	4.7
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_2] If you suspected that you have contracted an STD, what would you do? Try self treatment

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Try self treatment

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	370	83.7	97.6
Mentioned	1	9	2.0	2.4
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_3] If you suspected that you have contracted an STD, what would you do? Ask friends for advice

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Ask friends for advice

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	365	82.6	96.3
Mentioned	1	14	3.2	3.7

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_4] If you suspected that you have contracted an STD, what would you do? Ask parents for advice

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Ask parents for advice

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	346	78.3	91.3
Mentioned	1	33	7.5	8.7
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_5] If you suspected that you have contracted an STD, what would you do? Visit a private physician/clinic

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Visit a private physician/clinic

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	294	66.5	77.6
Mentioned	1	85	19.2	22.4

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_6] If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Visit a specialized sexual health clinic

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	259	58.6	68.3
Mentioned	1	120	27.1	31.7
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_7] If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Visit a clinic specializing in dermatology and venereology

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	237	53.6	62.5
Mentioned	1	142	32.1	37.5

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_8] If you suspected that you have contracted an STD, what would you do? Visit a public health centre

Kysymysryhmän esiteksti

What action would you take if you would suspect that you have a sexually transmitted infection?

Kysymysteksti

Visit a public health centre

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	371	83.9	97.9
Mentioned	1	8	1.8	2.1
tieto puuttuu (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q52] Have you ever been tested for HIV on your own initiative?

Kysymysteksti

Have you ever had an HIV-test on your own initiative?

Frekvenssit

selite	arvo	n	%	v. %
Never	1	310	70.1	75.6
Yes, once	2	68	15.4	16.6
Yes, several times	3	32	7.2	7.8
tieto puuttuu (SYSMIS)	.	32	7.2	–
		442	100.0	100.0

[Q53] If you wanted to have an HIV-test, where would you go?**Kysymysteksti**

If you would like to take an HIV-test, where would you go?

Frekvenssit

selite	arvo	n	%	v. %
Public health centre	1	126	28.5	32.9
Private health centre	2	94	21.3	24.5
AIDS/HIV clinic	3	110	24.9	28.7
Somewhere else	4	6	1.4	1.6
I don't know where I would go	5	47	10.6	12.3
Specialized health centre	6	0	0.0	0.0
tieto puuttuu (SYSMIS)	.	59	13.3	—
		442	100.0	100.0

[Q54] Would you get tested even if it wasn't anonymous?**Kysymysteksti**

Would you take this HIV-test even if it would not be anonymous?

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	288	65.2	70.8
No	2	41	9.3	10.1
I don't know	3	78	17.6	19.2
tieto puuttuu (SYSMIS)	.	35	7.9	—
		442	100.0	100.0

[Q55] Have you ever smoked regularly, i.e. smoked at least one cigarette, cigar or pipeful a day for at least one year?**Kysymysteksti**

Have you smoked during your lifetime? Do you smoke constantly? Have you ever smoked a cigarette every day of the year?

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Never	1	97	21.9	23.7
I used to smoke, but I don't anymore	2	48	10.9	11.7
I smoke daily	3	217	49.1	53.1
I smoke occasionally	4	47	10.6	11.5
tieto puuttuu (SYSMIS)	.	33	7.5	–
		442	100.0	100.0

[Q56] Overall, how often do you use alcohol? (Take also into account those times when you only use very small amounts, for instance half a bottle of beer or a drop of wine)

Kysymysteksti

How often do you consume alcohol?

Frekvenssit

selite	arvo	n	%	v. %
Daily	1	21	4.8	5.1
A couple of times a week	2	123	27.8	29.9
Once a week	3	90	20.4	21.8
A couple of times a month	4	75	17.0	18.2
About once a month	5	31	7.0	7.5
About once every two months	6	27	6.1	6.6
3-4 times a year	7	11	2.5	2.7
Once a year or less frequently	8	14	3.2	3.4
Never	9	20	4.5	4.9
tieto puuttuu (SYSMIS)	.	30	6.8	–
		442	100.0	100.0

[Q57] Have you ever taken any drugs (including marijuana)?

Kysymysteksti

Have you ever taken any drugs (including marijuana)?

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	192	43.4	46.7
No	2	219	49.5	53.3

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

[Q58_1] Have you ever tried the following substances? Hasish or marijuana

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Hasish or marijuana

Frekvenssit

selite	arvo	n	%	v. %
Never	1	209	47.3	54.9
Yes, 1-2 times	2	73	16.5	19.2
Yes, but less than 6 times	3	25	5.7	6.6
Yes, more than 6 times	4	74	16.7	19.4
tieto puuttuu (SYSMIS)	.	61	13.8	–
		442	100.0	100.0

[Q58_2] Have you ever tried the following substances? Ecstasy

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Ecstasy

Frekvenssit

selite	arvo	n	%	v. %
Never	1	305	69.0	89.4
Yes, 1-2 times	2	13	2.9	3.8

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
Yes, but less than 6 times	3	9	2.0	2.6
Yes, more than 6 times	4	14	3.2	4.1
tieto puuttuu (SYSMIS)	.	101	22.9	–
		442	100.0	100.0

[Q58_3] Have you ever tried the following substances? Amphetamine or metamphetamine

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Amphetamine or metamphetamine

Frekvenssit

selite	arvo	n	%	v. %
Never	1	307	69.5	91.1
Yes, 1-2 times	2	12	2.7	3.6
Yes, but less than 6 times	3	6	1.4	1.8
Yes, more than 6 times	4	12	2.7	3.6
tieto puuttuu (SYSMIS)	.	105	23.8	–
		442	100.0	100.0

[Q58_4] Have you ever tried the following substances? Cocaine, crack

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Cocaine, crack

Frekvenssit

selite	arvo	n	%	v. %
Never	1	313	70.8	94.3
Yes, 1-2 times	2	8	1.8	2.4
Yes, but less than 6 times	3	2	0.5	0.6
Yes, more than 6 times	4	9	2.0	2.7
tieto puuttuu (SYSMIS)	.	110	24.9	–
		442	100.0	100.0

[Q58_5] Have you ever tried the following substances? Heroin or morphine

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Heroin or morphine

Frekvenssit

selite	arvo	n	%	v. %
Never	1	307	69.5	92.2
Yes, 1-2 times	2	7	1.6	2.1
Yes, but less than 6 times	3	2	0.5	0.6
Yes, more than 6 times	4	17	3.8	5.1
tieto puuttuu (SYSMIS)	.	109	24.7	–
		442	100.0	100.0

[Q58_6] Have you ever tried the following substances? LSD or other hallucinogens

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

LSD or other hallucinogens

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Never	1	286	64.7	83.4
Yes, 1-2 times	2	31	7.0	9.0
Yes, but less than 6 times	3	8	1.8	2.3
Yes, more than 6 times	4	18	4.1	5.2
tieto puuttuu (SYSMIS)	.	99	22.4	–
		442	100.0	100.0

[Q58_7] Have you ever tried the following substances? Psychedelic mushrooms

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Intoxicating mushrooms

Frekvenssit

selite	arvo	n	%	v. %
Never	1	275	62.2	81.4
Yes, 1-2 times	2	36	8.1	10.7
Yes, but less than 6 times	3	6	1.4	1.8
Yes, more than 6 times	4	21	4.8	6.2
tieto puuttuu (SYSMIS)	.	104	23.5	–
		442	100.0	100.0

[Q58_8] Have you ever tried the following substances? Medicine and pills

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Medicine and pills

Frekvenssit

selite	arvo	n	%	v. %
Never	1	292	66.1	87.7
Yes, 1-2 times	2	18	4.1	5.4
Yes, but less than 6 times	3	7	1.6	2.1
Yes, more than 6 times	4	16	3.6	4.8
tieto puuttuu (SYSMIS)	.	109	24.7	–
		442	100.0	100.0

[Q58_9] Have you ever tried the following substances? Thinner, glue, other solvents

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Thinner, glue and other technical solutions

Frekvenssit

selite	arvo	n	%	v. %
Never	1	317	71.7	95.8
Yes, 1-2 times	2	4	0.9	1.2
Yes, but less than 6 times	3	3	0.7	0.9
Yes, more than 6 times	4	7	1.6	2.1
tieto puuttuu (SYSMIS)	.	111	25.1	–
		442	100.0	100.0

[Q58_10] Have you ever tried the following substances? Other unknown substance

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Other substance not known to me

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Never	1	313	70.8	95.4
Yes, 1-2 times	2	6	1.4	1.8
Yes, but less than 6 times	3	1	0.2	0.3
Yes, more than 6 times	4	8	1.8	2.4
tieto puuttuu (SYSMIS)	.	114	25.8	–
		442	100.0	100.0

[Q58_11] Have you ever tried the following substances? Some substances intravenously

Kysymysryhmän esiteksti

Have you ever tried the following substances?

Kysymysteksti

Some substances intravenously

Frekvenssit

selite	arvo	n	%	v. %
Never	1	315	71.3	94.6
Yes, 1-2 times	2	3	0.7	0.9
Yes, but less than 6 times	3	3	0.7	0.9
Yes, more than 6 times	4	12	2.7	3.6
tieto puuttuu (SYSMIS)	.	109	24.7	–
		442	100.0	100.0

[Q59_1] For what reason do you think you could try drugs? Because of loneliness

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

Because of loneliness

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	331	74.9	92.5
Mentioned	1	27	6.1	7.5
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_2] For what reason do you think you could try drugs? Because they are easy to get

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

Because they are easy to get

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	347	78.5	96.9
Mentioned	1	11	2.5	3.1
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_3] For what reason do you think you could try drugs? To show courage

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

To show courage

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	355	80.3	99.2
Mentioned	1	3	0.7	0.8

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_4] For what reason do you think you could try drugs? Because of problems or difficulties, to relax

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

Because of problems or difficulties, to relax

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	274	62.0	76.5
Mentioned	1	84	19.0	23.5
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_5] For what reason do you think you could try drugs? It is fashionable

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

It is fashionable

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	350	79.2	97.8
Mentioned	1	8	1.8	2.2
tieto puuttuu (SYSMIS)	.	84	19.0	–

(taulukko jatkuu seur. sivulla)

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
		442	100.0	100.0

[Q59_6] For what reason do you think you could try drugs? To get new experiences, information, sensations

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

To get new experiences, information, sensations

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	265	60.0	74.0
Mentioned	1	93	21.0	26.0
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_7] For what reason do you think you could try drugs? To be like my friends

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

To be like my friends

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	355	80.3	99.2
Mentioned	1	3	0.7	0.8
tieto puuttuu (SYSMIS)	.	84	19.0	–

(taulukko jatkuu seur. sivulla)

2. Muuttujat

(taulukko jatkuu ed. sivulta)

selite	arvo	n	%	v. %
		442	100.0	100.0

[Q59_8] For what reason do you think you could try drugs? Out of curiosity

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

Out of curiosity

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	256	57.9	71.5
Mentioned	1	102	23.1	28.5
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_9] For what reason do you think you could try drugs? As a sign of protest

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

As a sign of protest

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	343	77.6	95.8
Mentioned	1	15	3.4	4.2
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_10] For what reason do you think you could try drugs? Because of problems in the family or with parents

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

Because of problems in the family or with parents

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	336	76.0	93.9
Mentioned	1	22	5.0	6.1
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_11] For what reason do you think you could try drugs? Other reason

Kysymysryhmän esiteksti

For what reasons could you try drugs?

Kysymysteksti

Other reason

Frekvenssit

selite	arvo	n	%	v. %
Not mentioned	0	280	63.3	78.2
Mentioned	1	78	17.6	21.8
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_12] For what reason do you think you could try drugs? Other reason, what?

Kysymysryhmän esiteksti

For what reasons could you try drugs?

2. Muuttujat

Kysymysteksti

Other reason, what?

Frekvenssit

selite	arvo	n	%	v. %
No reason available	1	30	6.8	38.5
Never will try	2	27	6.1	34.6
Relax	3	4	0.9	5.1
Family drug addiction	4	1	0.2	1.3
Idleness	5	1	0.2	1.3
Fun	6	8	1.8	10.3
Do not know	8	1	0.2	1.3
Suicide	9	2	0.5	2.6
Dope for creation	10	1	0.2	1.3
Force	11	1	0.2	1.3
Accidentally/idleness tieto puuttuu (SYSMIS)	12	2	0.5	2.6
	.	364	82.4	–
		442	100.0	100.0

[Q60] Do you have friends or acquaintances that take drugs?

Kysymysteksti

Have you friends or acquaintances that have taken drugs?

Frekvenssit

selite	arvo	n	%	v. %
Yes	1	216	48.9	52.6
No	2	134	30.3	32.6
Can't say	3	61	13.8	14.8
tieto puuttuu (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

[Q61] Would your attitude towards an acquaintance change, if you learnt that he/she takes drugs?

Kysymysteksti

Will your attitude to an acquaintance change if you learn that he/she takes drugs?

Frekvenssit

selite	arvo	n	%	v. %
Would not change at all	1	74	16.7	18.2
Would probably not change	2	86	19.5	21.1
Would probably change	3	111	25.1	27.3
Would definitely change	4	92	20.8	22.6
Can't say	5	44	10.0	10.8
tieto puuttuu (SYSMIS)	.	35	7.9	—
		442	100.0	100.0

[Q62_1] If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change?

Kysymysteksti

If your attitude changes, how will it change?

Frekvenssit

selite	arvo	n	%	v. %
I would cut all contact with him/her	1	19	4.3	5.7
I would keep contact with him/her to a minimum	2	98	22.2	29.5
I would try to help	3	188	42.5	56.6
Other	4	27	6.1	8.1
tieto puuttuu (SYSMIS)	.	110	24.9	—
		442	100.0	100.0

[Q62_2] If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? Other

Kysymysteksti

If your attitude changes, how will it change? Other

Frekvenssit

selite	arvo	n	%	v. %
Would not change	1	18	4.1	66.7
I would start taking drugs with him/her	2	3	0.7	11.1
Don't know	3	5	1.1	18.5
Depends on the drug he/she is using	4	1	0.2	3.7
tieto puuttuu (SYSMIS)	.	415	93.9	—
		442	100.0	100.0

**[Q63] How many times you have visited a physician in the last 12 months?
Please include all visits to a physician (illness, medical examination etc.)**

Kysymysteksti

How many times have you visited a physician during the past 12 months? Please, include all visits to physicians (illness, medical examination, etc).

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	385
minimi	0.00
maksimi	100.00
keskiarvo	4.35
keskihajonta	8.08

**[Q64] How many times in the last 12 months have you been as an inpatient
in a hospital?**

Kysymysteksti

How many times have you been treated in a hospital during the past 12 months?

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	377
minimi	0.00
maksimi	9.00
keskiarvo	0.32
keskihajonta	0.75

[Q65_1] Are you doing something to maintain your health? I'm on a diet

Kysymysryhmän esiteksti

Are you doing something to support your health?

Kysymysteksti

Following diet

Frekvenssit

selite	arvo	n	%	v. %
Yes, regularly	1	28	6.3	10.4
Yes, from time to time	2	32	7.2	11.9
No	3	208	47.1	77.6
tieto puuttuu (SYSMIS)	.	174	39.4	–
		442	100.0	100.0

[Q65_2] Are you doing something to maintain your health? I exercise/do sport**Kysymysryhmän esiteksti**

Are you doing something to support your health?

Kysymysteksti

Fitness exercises and sport

Frekvenssit

selite	arvo	n	%	v. %
Yes, regularly	1	163	36.9	45.5
Yes, from time to time	2	135	30.5	37.7
No	3	60	13.6	16.8
tieto puuttuu (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q65_3] Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns**Kysymysryhmän esiteksti**

Are you doing something to support your health?

Kysymysteksti

Taking care of getting enough rest and sleep

Frekvenssit

2. Muuttujat

selite	arvo	n	%	v. %
Yes, regularly	1	48	10.9	16.8
Yes, from time to time	2	89	20.1	31.2
No	3	148	33.5	51.9
tieto puuttuu (SYSMIS)	.	157	35.5	–
		442	100.0	100.0

[Q65_4] Are you doing something to maintain your health? I avoid unhealthy habits

Kysymysryhmän esiteksti

Are you doing something to support your health?

Kysymysteksti

Avoiding unhealthy habits

Frekvenssit

selite	arvo	n	%	v. %
Yes, regularly	1	91	20.6	30.4
Yes, from time to time	2	84	19.0	28.1
No	3	124	28.1	41.5
tieto puuttuu (SYSMIS)	.	143	32.4	–
		442	100.0	100.0

[Q65_5] Are you doing something to maintain your health? I visit a physician as a preventive measure

Kysymysryhmän esiteksti

Are you doing something to support your health?

Kysymysteksti

Visiting physicians as a preventive measure

Frekvenssit

selite	arvo	n	%	v. %
Yes, regularly	1	23	5.2	8.3
Yes, from time to time	2	64	14.5	23.2
No	3	189	42.8	68.5
tieto puuttuu (SYSMIS)	.	166	37.6	–
		442	100.0	100.0

[Q66] How tall are you? (cm)

Kysymysteksti

How tall are you? (cm)

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	385
minimi	108.00
maksimi	200.00
keskiarvo	178.54
keskihajonta	8.91

[Q67] How much do you weigh? (kg)

Kysymysteksti

How much do you weigh? (kg)

Kuvailevat tunnusluvut

tunnusluku	arvo
kelvollisten havaintojen lkm	382
minimi	23.00
maksimi	112.00
keskiarvo	70.12
keskihajonta	10.49

Luku 3

Hakemistot

3.1 Muuttujat esiintymisjärjestyksessä

FSD study number [FSD_NO]	5
FSD edition number [FSD_VR]	5
FSD case id [FSD_ID]	6
Study district [BV2]	6
Percentage of the questionnaire completed [BV3]	6
The respondent's age [Q1]	6
How many people are you living with (how many persons belong to the same household including yourself)? [Q2]	7
List the people with whom you live: Your wife [Q3_1]	7
List the people with whom you live: Cohabiting partner [Q3_2]	8
List the people with whom you live: Children (under 18) [Q3_3]	8
List the people with whom you live: Your parents [Q3_4]	8
List the people with whom you live: Your spouse's/partner's parents [Q3_5]	9
List the people with whom you live: Brothers, sisters [Q3_6]	9
List the people with whom you live: Other relatives [Q3_7]	10
List the people with whom you live: Friends [Q3_8]	10
List the people with whom you live: Some other people [Q3_9]	11
The respondent's education [Q4]	11
The respondent's employment status [Q5]	12
The respondent's primary occupation (if working) [Q6_1]	12
The respondent's occupation in Finnish (open-ended question) [Q6_2]	12
Mother's occupation [categorised] [Q7_1_1]	12
Mother's economic activity [categorised] [Q7_1_2]	13

3. Hakemistot

Mother's occupation in Finnish (open-ended question) [Q7_1_3]	14
Father's occupation [categorised] [Q7_2_1]	14
Father's economic activity [categorised] [Q7_2_2]	15
Father's occupation in Finnish (open-ended question) [Q7_2_3]	16
In your opinion, is your family [Q8]	16
How old were you when you first had sexual intercourse? [Q9_1]	16
How old were you when you first had sexual intercourse? Has had intercourse [Q9_2]	17
How old was your first partner? [Q10]	17
Did you use any contraception method to prevent pregnancy during your first act of intercourse? [Q11]	18
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception [Q12_1]	18
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills [Q12_2]	19
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD) [Q12_3]	19
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom [Q12_4]	20
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Diaphragm [Q12_5]	20
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule [Q12_6]	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days) [Q12_7]	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus [Q12_8]	22
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing [Q12_9]	22
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills' [Q12_10]	23
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what? [Q12_11]	23
Who decided on using contraception when you last had intercourse? [Q13]	24
How satisfied are you with the contraceptive method you are currently using? [Q14]	24
Why did you use a condom when you last had intercourse? My partner wanted to [Q15_1] ..	24
Why did you use a condom when you last had intercourse? Out of curiosity [Q15_2]	25
Why did you use a condom when you last had intercourse? My friends use condoms as well [Q15_3]	25

Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs [Q15_4]	26
Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy [Q15_5]	26
Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well [Q15_6]	27
Why did you use a condom when you last had intercourse? I did not use a condom [Q15_7]	27
If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods [Q16_1]	28
If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them [Q16_2]	28
If you did not use any contraception when you last had intercourse, why not? My own preference [Q16_3]	29
If you did not use any contraception when you last had intercourse, why not? My partner's preference [Q16_4]	29
If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant [Q16_5]	30
If you did not use any contraception when you last had intercourse, why not? Religious reasons [Q16_6]	30
If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding [Q16_7]	31
If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children [Q16_8]	31
If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse [Q16_9]	32
Have you ever consulted a physician or nurse in issues related to contraception? [Q17]	32
Have you discussed contraceptive methods and the use of contraception with your spouse/partner in the last year? [Q18]	33
In your opinion, who is responsible for contraception? [Q19]	33
Would you like to take part in contraceptive decision making [Q20]	33
What do you think about the advice given by parents or other older relatives when you are planning to have children? Is this advice [Q21]	34
Did you receive sex education in your childhood home? [Q22]	34
Did you receive sex education in school? [Q23]	35
Have you been afraid that your steady or casual partner got unexpectedly pregnant? [Q24] .	35
Has your wife or partner ever had an abortion resulting from sexual intercourse with you? [Q25]	36
If your partner has had an abortion, what were the reasons for it? We were not ready to take responsibility for raising a small child [Q26_1]	36

3. Hakemistot

If your partner has had an abortion, what were the reasons for it? Unstable or problematic couple relationship [Q26_2]	37
If your partner has had an abortion, what were the reasons for it? Pressure from parents or partner's parents [Q26_3]	37
If your partner has had an abortion, what were the reasons for it? Financial reasons [Q26_4]	38
If your partner has had an abortion, what were the reasons for it? Unfinished studies [Q26_5]	38
If your partner has had an abortion, what were the reasons for it? Work situation [Q26_6] ..	39
If your partner has had an abortion, what were the reasons for it? We were too young [Q26_7]	39
If your partner has had an abortion, what were the reasons for it? There was no one who could have helped us with child care [Q26_8]	40
If your partner has had an abortion, what were the reasons for it? I didn't have time to take care of a child [Q26_9]	40
If your partner has had an abortion, what were the reasons for it? My partner decided on the issue [Q26_10]	41
If your partner has had an abortion, what were the reasons for it? Other reasons [Q26_11] .	41
If your partner has had an abortion, did you discuss it with your partner? [Q27]	42
Do you currently have a steady female sexual partner? [Q28]	42
How old were you when you first had a steady relationship? [Q29_1]	42
How old were you when you first had a steady relationship? Age, years [Q29_2]	43
Altogether, with how many partners have you had sexual intercourse in your life so far? [Q30_1]	43
Altogether, with how many partners have you had sexual intercourse in your life so far? Has had intercourse [Q30_2]	44
Altogether, with how many partners did you have sexual intercourse last year? [Q31]	44
When did you last have sexual intercourse? [Q32]	44
Who was your last sexual partner? [Q33]	45
Did you consume any alcohol before you last had intercourse? [Q34]	45
Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested [Q35]	46
Have you ever been propositioned to have intercourse with someone by offering money or other rewards of similar types? [Q36]	46
Have you ever propositioned someone to have intercourse with you by offering them money or other rewards of similar types? [Q37]	47
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently [Q38_1]	47
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the	

following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS) [Q38_2]	48
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her [Q38_3]	48
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk [Q38_4]	49
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person [Q38_5]	49
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse [Q38_6]	50
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception [Q38_7]	50
In many countries, there is no free abortion available like there is in Russia. Do you agree that a woman should not have an abortion for free? [Q39]	51
If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family? [Q40_1]	51
If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years) [Q40_2]	51
If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child? [Q40_3A]	52
If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child? [Q40_3B]	52
In your opinion, what is the most suitable number of children for your family? [Q41]	52
Do you have children? [Q42]	53
If your partner gave birth to a child now, would you like to be present at birth? [Q44]	53
When you were a small child, who mainly took care of you during the day? [Q45]	53
How would you rate your quality of life? [Q46]	54
How satisfied are you with your health? [Q47]	54
Do you have a chronic disease for which you regularly use prescribed medication? [Q48] ..	55
Do you have any permanent or chronic illness or any defect, trouble or injury, which reduces your working capacity or functional ability? [Q49]	55
Have you had any of the following infections? Genital herpes [Q50_1]	55
Have you had any of the following infections? Condyloma [Q50_2]	56
Have you had any of the following infections? Chlamydia [Q50_3]	56
Have you had any of the following infections? Yeast infection in the genital area [Q50_4] ..	57
Have you had any of the following infections? Gonorrhea [Q50_5]	57
Have you had any of the following infections? Syphilis [Q50_6]	58

3. Hakemistot

Have you had any of the following infections? HIV/AIDS [Q50_7]	58
Have you had any of the following infections? Inflammation of the prostate (prostatitis) [Q50_8] 59	
Have you had any of the following infections? Inflammation of the testicles (orchitis) [Q50_9] 59	
Have you had any of the following infections? Some other infection [Q50_10]	60
If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right [Q51_1]	60
If you suspected that you have contracted an STD, what would you do? Try self treatment [Q51_2]	61
If you suspected that you have contracted an STD, what would you do? Ask friends for advice [Q51_3]	61
If you suspected that you have contracted an STD, what would you do? Ask parents for advice [Q51_4]	62
If you suspected that you have contracted an STD, what would you do? Visit a private physician/ clinic [Q51_5]	62
If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic [Q51_6]	63
If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology [Q51_7]	63
If you suspected that you have contracted an STD, what would you do? Visit a public health centre [Q51_8]	64
Have you ever been tested for HIV on your own initiative? [Q52]	64
If you wanted to have an HIV-test, where would you go? [Q53]	65
Would you get tested even if it wasn't anonymous? [Q54]	65
Have you ever smoked regularly, i.e. smoked at least one cigarette, cigar or pipeful a day for at least one year? [Q55]	65
Overall, how often do you use alcohol? (Take also into account those times when you only use very small amounts, for instance half a bottle of beer or a drop of wine) [Q56]	66
Have you ever taken any drugs (including marijuana)? [Q57]	66
Have you ever tried the following substances? Hasish or marijuana [Q58_1]	67
Have you ever tried the following substances? Ecstasy [Q58_2]	67
Have you ever tried the following substances? Amphetamine or metamphetamine [Q58_3] .	68
Have you ever tried the following substances? Cocaine, crack [Q58_4]	68
Have you ever tried the following substances? Heroin or morphine [Q58_5]	69
Have you ever tried the following substances? LSD or other hallucinogens [Q58_6]	69
Have you ever tried the following substances? Psychedelic mushrooms [Q58_7]	70
Have you ever tried the following substances? Medicine and pills [Q58_8]	70

Have you ever tried the following substances? Thinner, glue, other solvents [Q58_9]	71
Have you ever tried the following substances? Other unknown substance [Q58_10]	71
Have you ever tried the following substances? Some substances intravenously [Q58_11] ...	72
For what reason do you think you could try drugs? Because of loneliness [Q59_1]	72
For what reason do you think you could try drugs? Because they are easy to get [Q59_2] ..	73
For what reason do you think you could try drugs? To show courage [Q59_3]	73
For what reason do you think you could try drugs? Because of problems or difficulties, to relax [Q59_4]	74
For what reason do you think you could try drugs? It is fashionable [Q59_5]	74
For what reason do you think you could try drugs? To get new experiences, information, sensations [Q59_6]	75
For what reason do you think you could try drugs? To be like my friends [Q59_7]	75
For what reason do you think you could try drugs? Out of curiosity [Q59_8]	76
For what reason do you think you could try drugs? As a sign of protest [Q59_9]	76
For what reason do you think you could try drugs? Because of problems in the family or with parents [Q59_10]	77
For what reason do you think you could try drugs? Other reason [Q59_11]	77
For what reason do you think you could try drugs? Other reason, what? [Q59_12]	77
Do you have friends or acquaintances that take drugs? [Q60]	78
Would your attitude towards an acquaintance change, if you learnt that he/she takes drugs? [Q61]	78
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? [Q62_1]	79
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? Other [Q62_2]	79
How many times you have visited a physician in the last 12 months? Please include all visits to a physician (illness, medical examination etc.) [Q63]	80
How many times in the last 12 months have you been as an inpatient in a hospital? [Q64] ..	80
Are you doing something to maintain your health? I'm on a diet [Q65_1]	80
Are you doing something to maintain your health? I exercise/do sport [Q65_2]	81
Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns [Q65_3]	81
Are you doing something to maintain your health? I avoid unhealthy habits [Q65_4]	82
Are you doing something to maintain your health? I visit a physician as a preventive measure [Q65_5]	82
How tall are you? (cm) [Q66]	83
How much do you weigh? (kg) [Q67]	83

3.2 Muuttujat aakkosjärjestyksessä

Altogether, with how many partners did you have sexual intercourse last year?	44
Altogether, with how many partners have you had sexual intercourse in your life so far? ...	43
Altogether, with how many partners have you had sexual intercourse in your life so far? Has had intercourse	44
Are you doing something to maintain your health? I avoid unhealthy habits	82
Are you doing something to maintain your health? I exercise/do sport	81
Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns	81
Are you doing something to maintain your health? I visit a physician as a preventive measure	82
Are you doing something to maintain your health? I'm on a diet	80
Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested	46
Did you consume any alcohol before you last had intercourse?	45
Did you receive sex education in school?	35
Did you receive sex education in your childhood home?	34
Did you use any contraception method to prevent pregnancy during your first act of intercourse?	18
Do you currently have a steady female sexual partner?	42
Do you have a chronic disease for which you regularly use prescribed medication?	55
Do you have any permanent or chronic illness or any defect, trouble or injury, which reduces your working capacity or functional ability?	55
Do you have children?	53
Do you have friends or acquaintances that take drugs?	78
Father's economic activity [categorised]	15
Father's occupation [categorised]	14
Father's occupation in Finnish (open-ended question)	16
For what reason do you think you could try drugs? As a sign of protest	76
For what reason do you think you could try drugs? Because of loneliness	72
For what reason do you think you could try drugs? Because of problems in the family or with parents	77
For what reason do you think you could try drugs? Because of problems or difficulties, to relax	74
For what reason do you think you could try drugs? Because they are easy to get	73
For what reason do you think you could try drugs? It is fashionable	74

For what reason do you think you could try drugs? Other reason	77
For what reason do you think you could try drugs? Other reason, what?	77
For what reason do you think you could try drugs? Out of curiosity	76
For what reason do you think you could try drugs? To be like my friends	75
For what reason do you think you could try drugs? To get new experiences, information, sensations	75
For what reason do you think you could try drugs? To show courage	73
FSD case id	6
FSD edition number	5
FSD study number	5
Has your wife or partner ever had an abortion resulting from sexual intercourse with you? .	36
Have you been afraid that your steady or casual partner got unexpectedly pregnant?	35
Have you discussed contraceptive methods and the use of contraception with your spouse/partner in the last year?	33
Have you ever been propositioned to have intercourse with someone by offering money or other rewards of similar types?	46
Have you ever been tested for HIV on your own initiative?	64
Have you ever consulted a physician or nurse in issues related to contraception?	32
Have you ever propositioned someone to have intercourse with you by offering them money or other rewards of similar types?	47
Have you ever smoked regularly, i.e. smoked at least one cigarette, cigar or pipeful a day for at least one year?	65
Have you ever taken any drugs (including marijuana)?	66
Have you ever tried the following substances? Amphetamine or metamphetamine	68
Have you ever tried the following substances? Cocaine, crack	68
Have you ever tried the following substances? Ecstasy	67
Have you ever tried the following substances? Hashish or marijuana	67
Have you ever tried the following substances? Heroin or morphine	69
Have you ever tried the following substances? LSD or other hallucinogens	69
Have you ever tried the following substances? Medicine and pills	70
Have you ever tried the following substances? Other unknown substance	71
Have you ever tried the following substances? Psychedelic mushrooms	70
Have you ever tried the following substances? Some substances intravenously	72
Have you ever tried the following substances? Thinner, glue, other solvents	71
Have you had any of the following infections? Chlamydia	56
Have you had any of the following infections? Condyloma	56

3. Hakemistot

Have you had any of the following infections? Genital herpes	55
Have you had any of the following infections? Gonorrhea	57
Have you had any of the following infections? HIV/AIDS	58
Have you had any of the following infections? Inflammation of the prostate (prostatitis) ...	59
Have you had any of the following infections? Inflammation of the testicles (orchitis)	59
Have you had any of the following infections? Some other infection	60
Have you had any of the following infections? Syphilis	58
Have you had any of the following infections? Yeast infection in the genital area	57
How many people are you living with (how many persons belong to the same household including yourself)?	7
How many times in the last 12 months have you been as an inpatient in a hospital?	80
How many times you have visited a physician in the last 12 months? Please include all visits to a physician (illness, medical examination etc.)	80
How much do you weigh? (kg)	83
How old was your first partner?	17
How old were you when you first had a steady relationship?	42
How old were you when you first had a steady relationship? Age, years	43
How old were you when you first had sexual intercourse?	16
How old were you when you first had sexual intercourse? Has had intercourse	17
How satisfied are you with the contraceptive method you are currently using?	24
How satisfied are you with your health?	54
How tall are you? (cm)	83
How would you rate your quality of life?	54
If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods	28
If you did not use any contraception when you last had intercourse, why not? My own preference	29
If you did not use any contraception when you last had intercourse, why not? My partner's preference	29
If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding	31
If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children	31
If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse	32
If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them	28

If you did not use any contraception when you last had intercourse, why not? Religious reasons	30
If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant	30
If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years)	51
If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child?	52
If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child?	52
If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family?	51
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change?	79
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? Other	79
If you suspected that you have contracted an STD, what would you do? Ask friends for advice	61
If you suspected that you have contracted an STD, what would you do? Ask parents for advice	62
If you suspected that you have contracted an STD, what would you do? Try self treatment	61
If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology	63
If you suspected that you have contracted an STD, what would you do? Visit a private physician/clinic	62
If you suspected that you have contracted an STD, what would you do? Visit a public health centre	64
If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic	63
If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right	60
If you wanted to have an HIV-test, where would you go?	65
If your partner gave birth to a child now, would you like to be present at birth?	53
If your partner has had an abortion, did you discuss it with your partner?	42
If your partner has had an abortion, what were the reasons for it? Financial reasons	38
If your partner has had an abortion, what were the reasons for it? I didn't have time to take care of a child	40
If your partner has had an abortion, what were the reasons for it? My partner decided on the issue	41

3. Hakemistot

If your partner has had an abortion, what were the reasons for it? Other reasons	41
If your partner has had an abortion, what were the reasons for it? Pressure from parents or partner's parents	37
If your partner has had an abortion, what were the reasons for it? There was no one who could have helped us with child care	40
If your partner has had an abortion, what were the reasons for it? Unfinished studies	38
If your partner has had an abortion, what were the reasons for it? Unstable or problematic couple relationship	37
If your partner has had an abortion, what were the reasons for it? We were not ready to take responsibility for raising a small child	36
If your partner has had an abortion, what were the reasons for it? We were too young	39
If your partner has had an abortion, what were the reasons for it? Work situation	39
In many countries, there is no free abortion available like there is in Russia. Do you agree that a woman should not have an abortion for free?	51
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently	47
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse	50
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS)	48
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her	48
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person	49
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk	49
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception	50
In your opinion, is your family	16
In your opinion, what is the most suitable number of children for your family?	52
In your opinion, who is responsible for contraception?	33
List the people with whom you live: Brothers, sisters	9
List the people with whom you live: Children (under 18)	8
List the people with whom you live: Cohabiting partner	8
List the people with whom you live: Friends	10
List the people with whom you live: Other relatives	10
List the people with whom you live: Some other people	11

List the people with whom you live: Your spouse's/partner's parents	9
List the people with whom you live: Your wife	7
Mother's economic activity [categorised]	13
Mother's occupation [categorised]	12
Mother's occupation in Finnish (open-ended question)	14
Overall, how often do you use alcohol? (Take also into account those times when you only use very small amounts, for instance half a bottle of beer or a drop of wine)	66
Percentage of the questionnaire completed	6
Study district	6
The respondent's age	6
The respondent's education	11
The respondent's employment status	12
The respondent's occupation in Finnish (open-ended question)	12
The respondent's primary occupation (if working)	12
What do you think about the advice given by parents or other older relatives when you are planning to have children? Is this advice	34
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus	22
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom	20
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills	19
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Diaphragm	20
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD)	19
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception	18
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills'	23
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what?	23
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days)	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing	22

3. Hakemistot

When did you last have sexual intercourse?	44
When you were a small child, who mainly took care of you during the day?	53
Who decided on using contraception when you last had intercourse?	24
Who was your last sexual partner?	45
Why did you use a condom when you last had intercourse? I did not use a condom	27
Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs	26
Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy	26
Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well	27
Why did you use a condom when you last had intercourse? My friends use condoms as well	25
Why did you use a condom when you last had intercourse? My partner wanted to	24
Why did you use a condom when you last had intercourse? Out of curiosity	25
Would you get tested even if it wasn't anonymous?	65
Would you like to take part in contraceptive decision making	33
Would your attitude towards an acquaintance change, if you learnt that he/she takes drugs?	78
List the people with whom you live: Your parents	8

3.3 Muuttujaryhmät

Muuttujaryhmä

Who are these people (circle those who belong to the household)?

[Q3_1] List the people with whom you live: Your wife	7
[Q3_2] List the people with whom you live: Cohabiting partner	8
[Q3_3] List the people with whom you live: Children (under 18)	8
[Q3_4] List the people with whom you live: Your parents	8
[Q3_5] List the people with whom you live: Your spouse's/partner's parents	9
[Q3_6] List the people with whom you live: Brothers, sisters	9
[Q3_7] List the people with whom you live: Other relatives	10
[Q3_8] List the people with whom you live: Friends	10
[Q3_9] List the people with whom you live: Some other people	11

Muuttujaryhmä

What are the occupations of your parents?

[Q7_1_1] Mother's occupation [categorised]	12
[Q7_1_2] Mother's economic activity [categorised]	13
[Q7_1_3] Mother's occupation in Finnish (open-ended question)	14
[Q7_2_1] Father's occupation [categorised]	14
[Q7_2_2] Father's economic activity [categorised]	15
[Q7_2_3] Father's occupation in Finnish (open-ended question)	16

Muuttujaryhmä

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

[Q12_1] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception	18
[Q12_2] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills	19
[Q12_3] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD)	19
[Q12_4] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom	20
[Q12_5] What methods are you currently using or have lately used with your spouse/partner to	

prevent pregnancy? Diaphragm	20
[Q12_6] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule	21
[Q12_7] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days)	21
[Q12_8] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus	22
[Q12_9] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing	22
[Q12_10] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills'	23
[Q12_11] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what?	23

Muuttujaryhmä

Why did you use condom in latest intercourse? (several reasons are possible)

[Q15_1] Why did you use a condom when you last had intercourse? My partner wanted to ..	24
[Q15_2] Why did you use a condom when you last had intercourse? Out of curiosity	25
[Q15_3] Why did you use a condom when you last had intercourse? My friends use condoms as well	25
[Q15_4] Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs	26
[Q15_5] Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy	26
[Q15_6] Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well	27
[Q15_7] Why did you use a condom when you last had intercourse? I did not use a condom	27

Muuttujaryhmä

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

[Q16_1] If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods	28
[Q16_2] If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them	28
[Q16_3] If you did not use any contraception when you last had intercourse, why not? My own preference	29
[Q16_4] If you did not use any contraception when you last had intercourse, why not? My	

partner's preference	29
[Q16_5] If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant	30
[Q16_6] If you did not use any contraception when you last had intercourse, why not? Religious reasons	30
[Q16_7] If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding	31
[Q16_8] If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children	31
[Q16_9] If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse	32

Muuttujaryhmä

What were the reasons for making of abortion?

[Q26_1] If your partner has had an abortion, what were the reasons for it? We were not ready to take responsibility for raising a small child	36
[Q26_2] If your partner has had an abortion, what were the reasons for it? Unstable or problematic couple relationship	37
[Q26_3] If your partner has had an abortion, what were the reasons for it? Pressure from parents or partner's parents	37
[Q26_4] If your partner has had an abortion, what were the reasons for it? Financial reasons	38
[Q26_5] If your partner has had an abortion, what were the reasons for it? Unfinished studies	38
[Q26_6] If your partner has had an abortion, what were the reasons for it? Work situation ..	39
[Q26_7] If your partner has had an abortion, what were the reasons for it? We were too young	39
[Q26_8] If your partner has had an abortion, what were the reasons for it? There was no one who could have helped us with child care	40
[Q26_9] If your partner has had an abortion, what were the reasons for it? I didn't have time to take care of a child	40
[Q26_10] If your partner has had an abortion, what were the reasons for it? My partner decided on the issue	41
[Q26_11] If your partner has had an abortion, what were the reasons for it? Other reasons ..	41

Muuttujaryhmä

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

[Q38_1] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently	47
--	----

[Q38_2] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS)	48
[Q38_3] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her	48
[Q38_4] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk	49
[Q38_5] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person	49
[Q38_6] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse	50
[Q38_7] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception	50

Muuttujaryhmä

If you don't think about your own situation but the situation in general:

[Q40_1] If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family?	51
[Q40_2] If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years)	51
[Q40_3A] If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child?	52
[Q40_3B] If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child?	52

Muuttujaryhmä

Have you had any of the following infections?

[Q50_1] Have you had any of the following infections? Genital herpes	55
[Q50_2] Have you had any of the following infections? Condyloma	56
[Q50_3] Have you had any of the following infections? Chlamydia	56
[Q50_4] Have you had any of the following infections? Yeast infection in the genital area ..	57
[Q50_5] Have you had any of the following infections? Gonorrhoea	57
[Q50_6] Have you had any of the following infections? Syphilis	58
[Q50_7] Have you had any of the following infections? HIV/AIDS	58
[Q50_8] Have you had any of the following infections? Inflammation of the prostate (prostatitis)	59
[Q50_9] Have you had any of the following infections? Inflammation of the testicles (orchitis)	

59

[Q50_10] Have you had any of the following infections? Some other infection 60

Muuttujaryhmä

What action would you take if you would suspect that you have a sexually transmitted infection?

[Q51_1] If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right. 60

[Q51_2] If you suspected that you have contracted an STD, what would you do? Try self treatment. 61

[Q51_3] If you suspected that you have contracted an STD, what would you do? Ask friends for advice 61

[Q51_4] If you suspected that you have contracted an STD, what would you do? Ask parents for advice 62

[Q51_5] If you suspected that you have contracted an STD, what would you do? Visit a private physician/clinic 62

[Q51_6] If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic 63

[Q51_7] If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology 63

[Q51_8] If you suspected that you have contracted an STD, what would you do? Visit a public health centre 64

Muuttujaryhmä

Have you ever tried the following substances?

[Q58_1] Have you ever tried the following substances? Hashish or marijuana 67

[Q58_2] Have you ever tried the following substances? Ecstasy 67

[Q58_3] Have you ever tried the following substances? Amphetamine or metamphetamine . 68

[Q58_4] Have you ever tried the following substances? Cocaine, crack 68

[Q58_5] Have you ever tried the following substances? Heroin or morphine 69

[Q58_6] Have you ever tried the following substances? LSD or other hallucinogens 69

[Q58_7] Have you ever tried the following substances? Psychedelic mushrooms 70

[Q58_8] Have you ever tried the following substances? Medicine and pills 70

[Q58_9] Have you ever tried the following substances? Thinner, glue, other solvents 71

[Q58_10] Have you ever tried the following substances? Other unknown substance 71

[Q58_11] Have you ever tried the following substances? Some substances intravenously ... 72

Muuttujaryhmä

For what reasons could you try drugs?

[Q59_1] For what reason do you think you could try drugs? Because of loneliness	72
[Q59_2] For what reason do you think you could try drugs? Because they are easy to get . . .	73
[Q59_3] For what reason do you think you could try drugs? To show courage	73
[Q59_4] For what reason do you think you could try drugs? Because of problems or difficulties, to relax	74
[Q59_5] For what reason do you think you could try drugs? It is fashionable	74
[Q59_6] For what reason do you think you could try drugs? To get new experiences, information, sensations	75
[Q59_7] For what reason do you think you could try drugs? To be like my friends	75
[Q59_8] For what reason do you think you could try drugs? Out of curiosity	76
[Q59_9] For what reason do you think you could try drugs? As a sign of protest	76
[Q59_10] For what reason do you think you could try drugs? Because of problems in the family or with parents	77
[Q59_11] For what reason do you think you could try drugs? Other reason	77
[Q59_12] For what reason do you think you could try drugs? Other reason, what?	77

Muuttujaryhmä

Are you doing something to support your health?

[Q65_1] Are you doing something to maintain your health? I'm on a diet	80
[Q65_2] Are you doing something to maintain your health? I exercise/do sport	81
[Q65_3] Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns	81
[Q65_4] Are you doing something to maintain your health? I avoid unhealthy habits	82
[Q65_5] Are you doing something to maintain your health? I visit a physician as a preventive measure	82

Liite A

Kyselylomake suomeksi

KYSELYLOMAKE

Tämä kyselylomake on osa Yhteiskuntatieteelliseen tietoaarkistoon arkistoitua tutkimusaineistoa

FSD2417 Lisääntymisterveys Pietarissa : miehet 2003

Kyselylomaketta hyödyntävien tulee viitata siihen asianmukaisesti lähdeviitteellä.

Lisätiedot: <http://www.fsd.uta.fi/>

QUESTIONNAIRE

This questionnaire is part of the following dataset, archived at the Finnish Social Science Data Archive:

FSD2417 Reproductive Health in St. Petersburg : Men 2003

If this questionnaire is used or referred to in any publication, the source must be acknowledged by means of an appropriate bibliographic citation.

More information: <http://www.fsd.uta.fi/>

1. Taustatiedot

1. Kuinka vanha olette?

_____ vuotta

2. Kuinka monen henkilön kanssa asutte (kuinka monta henkilöä kuuluu samaan talouteen, mukaan lukien Te itse)?

3. Keitä nämä henkilöt ovat (ympyröikää ne, joita kuuluu talouteen)?

1. aviopuoliso

2. avopuoliso

3. lapsia (alle 18-vuotiaita)

4. omat vanhemmat

5. puolison vanhemmat

6. sisaruksia

7. muita sukulaisia

8. ystäviä, tuttavvia

9. muita, ketä? _____

4. Koulutuksenne

1. perus

2. keskeneräinen keskiasteen

3. keskiasteen yleinen (lukio)

4. ammattikoulu

5. tekninen oppilaitos

6. keskeneräinen korkeakoulututkinto

7. korkeakouluopiskelija

8. korkeakoulu

5. Oletteko tällä hetkellä

1. työssä

2. opiskelette

3. työtön

6. Kysytään työssä käyviltä: Mikä on tällä hetkellä varsinainen ammattinne (ammatti, jota pidätte pääasiallisena, työpaikan nimi)?

7. Mitkä ovat vanhempienne ammatit?

äidin ammatti _____

isän ammatti _____

8. Onko perheenne mielestänne

1. hyvin köyhä

2. heikompiosainen

3. en osaa sanoa

4. keskituloinen

5. hyvin toimeentuleva

2. Raskauden ehkäisyyn liittyvät kysymykset

9. Minkä ikäisenä olitte sukupuoliyhdyntässä ensimmäisen kerran?

1. en ole koskaan ollut yhdynnässä. → **siirtykää kysymykseen 19**

2. _____-vuotiaana

10. Minkä ikäinen oli partnerinne?

_____ -vuotias

11. Käyttittekö ensimmäisessä yhdynnässänne mitään ehkäisymenetelmää raskauden estämiseksi?

1. ei käytetty mitään

2. keskeytettyä yhdyntää

3. kondomia

4. ehkäisypillereitä

5. käytettiin muuta menetelmää, mitä? _____

6. en muista

12. Mitä menetelmää käytätte nykyisin tai olette käyttäneet viime aikoina puolisonne/kumppaninne kanssa raskauden ehkäisyyn (voi valita useita vaihtoehtoja)?

1. en/emme käytä/tarvitse mitään ehkäisyä

2. ehkäisypillerit

3. kierukka

4. kondomi

5. pessaari

6. ehkäisykapseli

7. rytmimenetelmä (varmojen päivien laskeminen)

8. keskeytetty yhdyntä

9. huuhtelu

10. jälkiehkäisy ("katumuspillerit")

11 jokin muu, mikä? _____

13. Kuka viimeisessä yhdynnässänne päätti ehkäisyvälineiden käytöstä?

1. sinä

2. kumppanisi

3. molemmat yhdessä

4. joku muu, kuka? _____

5. en osaa sanoa, en muista

14. Oletteko tällä hetkellä käyttämäänne ehkäisymenetelmään

1. erittäin tyytyväinen

2. melko tyytyväinen

3. melko tyytymätön

4. erittäin tyytymätön

5. en käytä ehkäisyä tällä hetkellä

15. Miksi käytitte kondomia yhdynnässä? (Useat vastaukset mahdollisia)

1. partnerini halusi
2. uteliaisuudesta
3. koska kaverinikin käyttävät
4. koska olen kuullut, että kondomi suojaa sukupuolitauteja/seksitauteja vastaan
5. halusin estää ei-toivotun raskauden
6. halusin suojella itseäni, koska en tuntenut partneriani niin hyvin
7. en käyttänyt kondomia

16. Mikäli ette viimeisessä yhdynnässä käyttäneet mitään ehkäisymenetelmää, niin mistä syystä? (voi valita korkeintaan kolme vaihtoehtoa)

1. minulla ei ole tietoa ehkäisymenetelmistä
2. ehkäisyvälineiden hinta tai muut vaikeudet hankkia niitä
3. omasta mieltymyksestäni
4. partnerini mieltymyksestä
5. raskaus voi puolestamme alkaa milloin vain
6. emme käytä raskauden ehkäisyä uskonnollisista syistä
7. puolisoni/kumppanini on raskaana tai imettää
8. en tarvitse, koska en voi / puolisoni ei voi saada lapsia
9. en tarvitse, koska ei ole sukupuoliyhdyntöjä

17. Oletteko koskaan käynyt lääkärin tai terveydenhoitajan luona raskauden ehkäisyyn liittyvien kysymysten takia?

1. en
2. kyllä
3. en osaa sanoa, en muista

18. Oletteko viimeisen vuoden aikana keskustellut partnerisi/puolisoasi kanssa ehkäisyn käytöstä ja ehkäisymenetelmistä?

1. kyllä
2. en
3. en muista
4. minulla ei ollut puolisoa/partneria

Seuraavat kysymykset esitetään kaikille

19. Kenelle mielestänne vastuu raskauden ehkäisystä kuuluu?

1. pääasiassa naiselle
2. tasaveroisesti miehelle ja naiselle
3. pääasiassa miehelle
4. en osaa sanoa

20. Haluaisitteko osallistua raskauden ehkäisyä koskeviin päätöksiin

1. nykyistä enemmän
2. osallistun nyt sopivasti
3. nykyistä vähemmän
4. en ole koskaan osallistunut ehkäisyä koskeviin päätöksiin ja ajatus osallistumiselta tuntuu vieraalta
5. en osaa sanoa

21. Entä mitä mieltä olette vanhempien tai muiden vanhempien sukulaisten antamista neuvoista harkittaessa lasten saantia? Ovatko ne

1. aina toivottavia
2. joskus toivottavia
3. haitallisia
4. mielestäni niitä ei tarvitse
5. en osaa sanoa

22. Saitteko lapsuudenkodissanne tietoja sukupuolielämään liittyvistä asioista?

1. kyllä, liikaakin
2. kyllä, riittävästi
3. kyllä, mutta liian vähän
4. en, mutta olisin halunnut
5. en, enkä olisi halunnutkaan

23. Oletteko saanut sukupuolikasvatusta koulussa?

1. kyllä, liikaakin
2. kyllä, riittävästi
3. kyllä, mutta liian vähän
4. en, mutta olisin halunnut
5. en, enkä olisi halunnutkaan

24. Oletteko pelännyt, että vakituinen tai satunnainen kumppaninne tulisi suunnittelematta raskaaksi?

1. en
2. kyllä
3. en muista

25. Onko puolisolenne tai muulle kumppanillenne koskaan tehty raskauden keskeytystä eli aborttia?

1. ei → **siirtykää kysymykseen 28**
2. kyllä
3. en ole varma, en tiedä → **siirtykää kysymykseen 28**

26. Jos kumppanillenne on tehty raskauden keskeytys: mitkä seuraavista vaihtoehdoista sopivat kuvaamaan niitä syitä, joiden vuoksi päädyitte raskauden keskeytykseen? (voi valita korkeintaan kolme vaihtoehtoa)

1. emme olleet valmiita vastaamaan pienen lapsen kasvatuksesta
2. epävarma parisuhde tai ongelmat parisuhteessa
3. vanhempien tai kumppanin vanhempien painostus
4. taloudelliset syyt
5. opiskelut kesken
6. työtilanteen takia
7. olimme liian nuoria
8. ei ollut ketään, joka olisi voinut auttaa meitä lapsen hoidossa
9. minulla ei ollut aikaa huolehtia lapsesta
10. kumppanini päätti asiasta
11. muut syyt, mitkä ? _____

27. Keskustelitteko kumppaninne kanssa abortista?
1. hän kertoi minulle abortista ennen sen tekemistä
 2. hän kertoi minulle abortista vasta jälkeenpäin
 3. kuulin abortista joltain muulta
 4. päätimme yhdessä abortista
 5. abortti tehtiin ensi sijassa minun tahdostani
 6. muuta, mitä? _____

3. Parisuhteet, seksuaalisuus ja lastensaanti

Seuraavat kysymykset esitetään kaikille

28. Onko teillä tällä hetkellä vakituinen seksuaalikumppani (femin.)?

1. kyllä
2. ei

29. Minkä ikäinen olitte, kun ensimmäisen kerran seurustelitte vakituisesti?

(Ellette muista tarkkaan, ilmoittakaa arvio.)

1. Olin ____-vuotias
2. en ole koskaan seurustellut vakituisesti

30. Kuinka monen henkilön kanssa olette olleet sukupuoliyhteydessä elämänne aikana?(vaikkakin vain kerran)

1. _____
2. en ole koskaan ollut sukupuoliyhteydessä → **siirtykää kysymykseen 35**

31. Kuinka monen henkilön kanssa olette olleet sukupuoliyhteydessä (sukupuolihdyntä, oraaliseksi, anaalihdyntä, kumppanin kiihottaminen käsin) viimeisen vuoden aikana? (vaikkakin vain kerran)

_____ henkilön kanssa

32. Milloin viimeksi olitte sukupuoliyhdyntässä

1. viimeksi kuluneen vuorokauden aikana
2. 1-2 vrk sitten
3. 3-4 vrk sitten
4. 5-7 vrk sitten
5. 1-2 viikkoa sitten
6. 3-4 viikkoa sitten
7. 1-3 kk sitten
8. 4-12 kk sitten
9. 1-2 vuotta sitten
10. yli 3 vuotta sitten

33. Oliko viimeisin yhdyntäkumppaninne

1. oma puoliso tai vakituinen kumppani
2. jonkun toisen puoliso tai vakituinen kumppani
3. vapaa (naimaton, eronnut), ennestään tuttu henkilö
4. vapaa (naimaton, eronnut), ennestään tuntematon henkilö
5. prostituoitu tai muu maksullinen kumppani
6. joku muu
7. en osaa sanoa

34. Olitteko nauttinut alkoholia ennen viimeistä yhdyntäänne?

1. en lainkaan
2. kyllä, hiukan
3. kyllä, kohtalaisesti
4. kyllä, runsaasti
5. en muista

Seuraavat kysymykset esitetään kaikille

35. Ihmiset tuntevat joskus sukupuolista kiinnostusta paitsi toiseen, myös omaan sukupuoleensa. Kohdistuuko sukupuolinen kiinnostuksenne tällä hetkellä

1. yksinomaan miessukupuoleen
2. voittopuoleisesti miessukupuoleen
3. yhtä paljon molempiin sukupuoliin
4. voittopuolisesti naissukupuoleen
5. yksinomaan naissukupuoleen

36. Onko Teitä joskus suostuteltu sukupuoliyhteyteen tarjoamalla rahaa tai vastaavia taloudellisia etuuksia?

1. ei
2. kyllä, mutta olen kieltäytynyt
3. kyllä, ja olen suostunut kerran
4. kyllä, ja olen suostunut useampia kertoja

37. Oletteko joskus itse tarjonnut rahaa tai vastaavia taloudellisia etuuksia sukupuoliyhteydestä?

1. en
2. kyllä, mutta kohteet (tai kohde) eivät suostuneet
3. kyllä, ja yksi kohde on suostunut
4. kyllä, ja useampi kohde on suostunut

38. Voiko nainen mielestänne kieltäytyä sukupuoliyhteydestä puolisonsa/partnerinsa kanssa seuraavissa tilanteissa:

	kyllä	ei	en tiedä
1. nainen on hiljattain synnyttänyt	1	2	3
2. epäilee tai tietää, että puoliso/partnerilla on sukupuolitauti tai AIDS	1	2	3
3. puoliso/partneri lyö häntä	1	2	3
4. puoliso/partneri on humalassa	1	2	3
5. puoliso/partnerilla on sukupuolisuhte toisen henkilön kanssa	1	2	3
6. on väsynyt eikä ole haluja sukupuoliyhteyteen	1	2	3
7. puoliso/partneri ei ole halukas käyttämään ehkäisyä	1	2	3

39. Monissa maissa aborttia ei voi tehdä yhtä vapaasti kuin Venäjällä. Oletteko sitä mieltä, että nainen ei saisi vapaasti tehdä aborttia?

1. täysin samaa mieltä
2. melko samaa mieltä
3. en osaa sanoa
4. melko eri mieltä
5. täysin eri mieltä

40. Kun etäännytte omasta tilanteestanne, ja ajattelette asiaa yleisellä tasolla

1. Mikä on mielestänne nykyisin ihanteellinen lapsiluku venäläisessä perheessä? _____ lasta
2. Kuinka monta vuotta on mielestänne sopiva lasten syntymäväli? _____ vuotta
3. Minkä ikäisenä mielestänne naisen/miehen on ihanteellista hankkia ensimmäinen lapsensa?
 - a. Naisen olisi mielestäni ihanteellisinta hankkia ensimmäinen lapsensa _____ -vuotiaana
 - b. Miehen olisi mielestäni ihanteellisinta hankkia ensimmäinen lapsensa _____ -vuotiaana

41. Mikä olisi mielestänne Teille sopivin lasten lukumäärä? _____

42. Onko Teillä lapsia?

1. ei
2. kyllä, _____ lasta

43. Aiotteko hankkia lapsen tulevaisuudessa?

1. En
2. En tiedä, en ole varma
3. Kyllä; aion hankkia vielä _____ lasta.
4. Kumppanini on raskaana; sen jälkeen aion hankkia vielä _____ lasta

44. Jos kumppaninne synnyttäisi nyt, haluaisitteko olla mukana synnytyksessä?

1. en
2. kyllä
3. en osaa sanoa

45. Kuka pääasiallisesti hoiti Teitä työaikana kun olitte pieni?

1. äiti hoiti kotona
2. isä hoiti kotona
3. isovanhemmat
4. muut sukulaiset
5. valtion lastentarhassa
6. muu vaihtoehto, mikä? _____

4. Kysymyksiä yleisestä terveydentilastanne

46. Millainen on elämänlaatunne?

1. erittäin hyvä
2. hyvä
3. kohtalainen
4. huono
5. erittäin huono

47. Miten tyytyväinen olette terveyteenne?

1. erittäin tyytyväinen
2. tyytyväinen
3. en tyytyväinen enkä tyytymätön
4. tyytymätön
5. erittäin tyytymätön

48. Onko Teillä joitain kroonisia sairauksia, joihin tarvitsette jatkuvan lääkityksen?

1. ei
 2. kyllä, mitä?
-

49. Onko Teillä jokin pysyvä tai pitkäaikainen sairaus, tai jokin vika, vaiva tai vamma, joka vähentää työ- tai toimintakykyänne?

1. ei
 2. kyllä → Mikä tai millainen tämä sairaus tai vamma on?
-

50. Onko Teillä ollut seuraavia infektioitauteja?

	ei	kyllä	en tiedä
1. herpesvirus sukupuolielinten alueella	1	2	3
2. visvasyyvät eli kondyloomat	1	2	3
3. klamydia	1	2	3
4. hiivatulehdus sukupuolielinten alueella	1	2	3
5. tippuri	1	2	3
6. syfilis	1	2	3
7. HIV/AIDS	1	2	3
8. eturauhastulehdus	1	2	3
9. kivistulehdus	1	2	3
10. muu mikä _____			

51. Kuvitelkaa käytöstänne, jos heräisi epäily, että olette saanut sukupuolitaudin. Mihin toimenpiteisiin ryhtyisitte?

1. Annan ajan kuluu toivoen, että kaikki menee ohi.
2. Hoidan itse itseäni.
3. Kysyn neuvoa ystäviltä.
4. Kysyn neuvoa vanhemmiltani.
5. Menen yksityiselle lääkärille tai yksityiseen (ei valtion) hoitolaitokseen.
6. Menen sukupuolitautilien yksilölliseen ehkäisykseen.
7. Menen iho- ja sukupuolitautilien hoitoyksikköön.
8. Menen muuhun valtion hoitolaitokseen, mihin? _____

52. Oletteko joskus käynyt omasta aloitteestanne HIV-testissä?

1. en koskaan
2. kyllä, kerran
3. kyllä, useampia kertoja

53. Jos haluaisitte käydä HIV-testissä, minne menisitte?

1. julkiseen terveyskeskukseen
2. yksityiselle lääkäriasemalle
3. AIDS-keskukseen
4. muualle, minne? _____
5. en tiedä minne menisin

54. Menisittekö testiin myös jos sitä ei tehtäisi anonymisti?

1. kyllä
2. en
3. en tiedä

55. Oletteko koskaan tupakoinut säännöllisesti, eli polttanut ainakin yhden savukkeen, sikarin tai piipullisen päivässä vuoden ajan?

1. en koskaan
2. aikaisemmin, mutta en nykyisin
3. tupakoin nykyisin päivittäin
4. tupakoin nykyisin satunnaisesti

56. Kuinka usein kaiken kaikkiaan käytätte alkoholia? (Valitkaa lähinnä oikea vaihtoehto. Koettakaa ottaa mukaan nekin kerrat, jolloin nautitte hyvin pieniä määriä alkoholia, vaikkapa vain puoli pulloa keskiolutta tai tilkan viiniä.)

1. päivittäin
2. pari kertaa viikossa
3. kerran viikossa
4. pari kertaa kuukaudessa
5. noin kerran kuukaudessa
6. noin kerran kahdessa kuukaudessa
7. 3-4 kertaa vuodessa
8. kerran vuodessa tai harvemmin
9. en lainkaan

57. Oletteko itse koskaan elämäenne aikana kokeillut tai käyttänyt jotakin huumetta (esimerkiksi marihuanaa)?

1 kyllä

2 ei →

58. Oletteko kokeillut tai käyttänyt seuraavia aineita koskaan elämäenne aikana?

en koskaan	kyllä, yhteensä 1-2 kertaa	kyllä, vähemmän kuin 6 kertaa	kyllä, enemmän kuin 6 kertaa
------------	-------------------------------	----------------------------------	---------------------------------

1. hasis tai marihuana
2. ekstaasi
3. amfetamiini tai metafetamiini
4. kokaiini, crack
5. heroiini tai morfiini
6. LSD tai muu harha-
aistimuksia aiheuttava aine
7. huumaavat sienet
8. lääkaineet ja pillerit
9. tinneri, liima ym. tekniset liuottimet
10. jotain minulle tuntematonta ainetta
11. jotain ainetta ruiskun avulla

59. Mistä syystä voisitte kokeilla huumeita (valitkaa vain yksi)?

1. yksinäisyydestä
2. koska niitä on helppo saada
3. näyttääkseni rohkeuteni
4. ongelmien, vaikeuksien, ahdistuksen takia
5. se muodissa
6. saadakseni uusia kokemuksia, tietoa
7. ollakseni samanlainen kuin ystäväni
8. uteliaisuudesta
9. protestin merkinä
10. perheongelmien tai ongelmien vanhempien kanssa takia
11. muu syy, mikä? _____

60. Onko Teillä ystäviä tai tuttavvia, jotka käyttävät huumeita?

1. kyllä
2. ei
3. en osaa sanoa

61. Muuttuuko asenteenne tuttavaa kohtaan, jos saatte kuulla tämän käyttävän huumeita?

1. Ei muutu mitenkään
2. Todennäköisesti ei muutu
3. Todennäköisesti muuttuu
4. Kyllä, aivan varmasti muuttuu
5. en osaa sanoa

62. Jos asenteenne muuttuu, niin miten?

1. Katkaisen kaikki suhteet häneen
2. Pysin olemaan hänen kanssaan tekemisissä mahdollisimman vähän
3. Yritän auttaa häntä
4. Jotenkin muuten, miten? _____

63. Kuinka monta kertaa olette viimeisen 12 kuukauden aikana käynyt lääkärintarkastuksessa?
(Ottakaa mukaan kaikki lääkärissä käynnit: sairauden vuoksi, terveystarkastuksessa jne.)

_____ kertaa

64. Kuinka monta kertaa olette olleet hoidettavana vuodepotilaana (sairaalassa) viimeisen 12 kuukauden aikana?

_____ kertaa

65. Harrastatteko jotakin terveyttenne ylläpitämiseksi?

	kyllä, säännöllisesti	kyllä, silloin tällöin	ei
1. Noudatan erityisruokavaliota	1	2	3
2. Harrastan urheilua	1	2	3
3. Huolehdin riittävästä unesta ja levosta	1	2	3
4. Vältän haitallisia tottumuksia	1	2	3
5. Käyn lääkärissä ennaltaehkäisyn takia	1	2	3

66. Mikä on pituutenne?

_____ cm

67. Mikä on painonne?

_____ kg

Liite B

Kyselylomake venäjäksi

KYSELYLOMAKE

Tämä kyselylomake on osa Yhteiskuntatieteelliseen tietoaarkistoon arkistoitua tutkimusaineistoa

FSD2417 Lisääntymisterveys Pietarissa: miehet 2003

Kyselylomaketta hyödyntävien tulee viitata siihen asianmukaisesti lähdeviitteellä.

Lisätiedot: <http://www.fsd.uta.fi/>

QUESTIONNAIRE

This questionnaire is part of the following dataset, archived at the Finnish Social Science Data Archive:

FSD2417 Reproductive health in St. Petersburg: Men 2003

If this questionnaire is used or referred to in any publication, the source must be acknowledged by means of an appropriate bibliographic citation.

More information: <http://www.fsd.uta.fi/>

Анкета:

**Репродуктивное здоровье молодежи
и отношения между полами.**

ДОРОГОЙ ДРУГ!

Эта анкета составлена для того, чтобы узнать непосредственные мнения молодежи о сексуальном поведении и репродуктивном здоровье. Информация, которую Вы нам предоставите, будет очень полезна для планирования просветительской работы с молодым поколением, касающейся здорового стиля жизни и профилактики ВИЧ-инфекции.

Эта анкета является абсолютно анонимной. Имя заполнявшего анкету останется неизвестным. Это сделано для того, чтобы помочь Вам свободно выражать Ваше мнение.

На эти вопросы нет "правильных" или "неправильных" ответов. Отвечая на вопросы, просто напишите, что Вы сами думаете или считаете правильным.

Пожалуйста, уделите время заполнению анкеты и заполните ее как можно более тщательно. В случаях, когда мы просим Вас дать подробный ответ, пожалуйста, постарайтесь предоставить максимально полную информацию.

Пожалуйста, обведите в кружок выбранный вариант ответа или напишите ответы в отведенных местах

Пожалуйста, записывайте ответы печатными буквами!

Если после какого-либо вопроса написано, что можно пропустить определенные вопросы, то Вам не нужно отвечать на эти вопросы, а сразу перейти к тому, на который указывает стрелочка.

Заполнение анкеты займет у Вас около 30 минут.

Спасибо за помощь.

1. ОБЩИЕ СВЕДЕНИЯ

1. **Сколько Вам лет?**

_____ лет

2. **Сколько человек проживает вместе с Вами?** (число лиц, ведущих общее хозяйство, включая Вас)

_____ человек

3. **Кем приходится Вам проживающие вместе с Вами?** (отметьте тех, кто имеется)

1. жена по зарегистрированному браку
2. жена по фактическому (гражданскому) браку
3. дети (до 18 лет)
4. мои родители
5. родители супруги
6. сестры, братья
7. другие родственники
8. друзья, знакомые
9. другие, кто? _____

4. **Какое у Вас образование?**

1. начальное
2. неполное среднее
3. общее среднее
4. ПТУ, училище
5. техникум
6. неоконченное высшее
7. студент
8. высшее

5. **Чем Вы сейчас, в основном, занимаетесь?**

1. работаю
2. учусь
3. безработный
4. другое _____

6. **Вопрос для работающих: Кем Вы сейчас фактически работаете?** (профессия, которую считаете основной, название рабочего места)

7. Укажите, пожалуйста, профессию Ваших родителей

профессия матери _____

профессия отца _____

8. На Ваш взгляд, Ваша семья

1. определенно бедная
2. скорее, малообеспеченная
3. трудно сказать
4. относится к среднеобеспеченным семьям
5. обеспеченная

2. ПРОБЛЕМЫ ПРЕДОХРАНЕНИЯ ОТ БЕРЕМЕННОСТИ

9. В каком возрасте у Вас был первый сексуальный контакт?

1. У меня никогда не было половых отношений [™] **перейдите к вопросу 19**
2. В возрасте _____ лет

10. Сколько лет было тогда Вашей партнерше/Вашему партнеру?

_____ лет

11. Использовали ли Вы какие-либо противозачаточные средства во время Вашего первого сексуального контакта?

1. не использовали ничего
2. прерванное сношение
3. презерватив
4. таблетки
5. иное средство, какое? _____
6. не помню

12. Какие противозачаточные средства Вы со своей подругой/супругой/партнершей используете или использовали последнее время, чтобы предохраняться от беременности? (Можно выбрать несколько вариантов ответа)

1. не использовал/и / не нужно ничего
2. таблетки
3. спираль
4. презерватив
5. диафрагма
6. подкожный имплантант
7. календарный метод
8. прерванное сношение
9. душ
10. гормональная таблетка после полового акта
11. иное, какое? _____

13. Кто при последнем половом контакте принимал решение об использовании/не использовании противозачаточных средств?

1. Вы
2. Ваша подруга/партнерша
3. Вы вместе с Вашей партнершей
4. Кто-то другой, кто? _____
5. Не знаю, не помню

14. Насколько Вы удовлетворены использованным методом?

1. совершенно удовлетворен
2. скорее удовлетворен
3. скорее не удовлетворен
4. совершенно не удовлетворен
5. я не пользуюсь противозачаточными средствами

15. Почему Вы пользовались презервативом? (Можно выбрать несколько вариантов ответа)

1. моя партнерша хотела
2. из-за любопытства
3. потому что мои друзья пользуются им
4. потому что я слышал, что презерватив предохраняет от заболеваний, передающихся половым путем
5. я хотел предохраниться от нежелательной беременности
6. я хотел предохранить себя, так как я не знал хорошо свою партнершу
7. я не пользовался презервативом

16. Если Вы во время последнего сексуального контакта не пользовались никакими противозачаточными средствами, то почему? (Можно выбрать не более 3-х вариантов ответа)

1. у меня нет информации о противозачаточных средствах
2. противозачаточные средства слишком дорогие, или есть иные трудности приобрести их
3. я не желаю
4. моя партнерша не желает
5. мы не против забеременеть
6. мы не пользуемся противозачаточными средствами из-за религиозных причин
7. моя супруга/партнерша беременна или кормит грудью
8. нам не нужно, так как я или моя партнерша не можем иметь детей
9. они не нужны мне, так как у меня нет сейчас половых контактов

17. Посещали ли Вы когда-нибудь врача (медицинского работника или медсестру) для консультации по поводу контрацепции?

1. нет
2. да
3. не знаю, не помню

18. В течение последнего года, обсуждали ли Вы со своей подругой/супругой/партнершей использование и методы контрацепции?

1. да
2. нет
3. не помню
4. у меня не было супруги / партнерши

Далее вопросы для всех

19. Кто, по Вашему мнению, несет ответственность за использование противозачаточных средств?

1. в основном, женщина
2. женщина и мужчина вместе
3. в основном, мужчина
4. не знаю

20. Хотели ли бы Вы участвовать в принятии решений об использовании противозачаточных средств?

1. да, больше, чем сейчас
2. я участвую в этом вопросе и так достаточно
3. меньше, чем сейчас
4. я никогда не участвовал в принятии решений об использовании противозачаточных средств, и все это кажется мне странным
5. затрудняюсь ответить

21. Как Вы считаете, стоит ли прислушиваться к советам родителей или других старших родственников, когда речь идет о планировании рождения ребенка? Эти советы:

1. всегда желательны
2. иногда желательны
3. вредны
4. не нужны
5. не знаю

22. Получали ли Вы какие-то сведения о сексуальной жизни в своей родительской семье?

1. да, даже слишком много
2. да, достаточно
3. да, но слишком мало
4. нет, но я хотел бы
5. нет, и не хотел бы

23. Получили ли Вы сведения о сексуальной жизни (половое воспитание) в системе школьного образования?

1. да, даже слишком много
2. да, достаточно
3. да, но слишком мало
4. нет, но я хотел бы
5. нет, и не хотел бы

24. Испытывали ли Вы когда-нибудь страх из-за того, что Ваша постоянная или случайная партнерша забеременеет непреднамеренно?

1. нет
2. да
3. не помню

25. Делала ли Ваша партнерша когда-либо аборт (прерывала ли когда-либо беременность, которая началась от Вашего сексуального контакта)?

1. нет [™] **перейдите к вопросу 28**
2. да
3. я не уверен, не знаю
[™] **перейдите к вопросу 28**

26. В случае, если у Вашей партнерши был опыт аборта: какие из перечисленных ниже причин повлияли на решение делать аборт (Можно выбрать не более 3-х вариантов ответа)

1. мы были не готовы принять на себя ответственность за воспитание маленького ребенка
2. нестабильные и проблематичные отношения между нами
3. давление родителей (ее или моих)
4. материальные затруднения
5. нам было необходимо закончить обучение
6. ситуация с работой не позволяла
7. мы еще слишком молоды
8. нет никого, кто бы мог помочь нам в уходе за ребенком
9. у меня не было времени заниматься ребенком
10. моя партнерша приняла такое решение самостоятельно
11. другие причины, какие? _____

27. Обсуждали ли Вы со своей партнершей решение об аборте?

1. она рассказала мне об аборте до того, как сделала его
2. она рассказала мне об аборте после того, как сделала его
3. я узнал об аборте от кого-то другого
4. мы приняли решение об аборте вместе
5. аборт сделали, в основном, потому, что я хотел так
6. иное, что? _____

3. ОТНОШЕНИЯ МЕЖДУ ПОЛАМИ, СЕКСУАЛЬНАЯ ЖИЗНЬ И РЕПРОДУКТИВНЫЕ УСТАНОВКИ

Далее вопросы для всех

28. **У Вас есть сейчас постоянная сексуальная партнерша?**

1. да
2. нет

29. **Сколько Вам было лет, когда Вы начали с кем-то регулярно встречаться?** (Если точно не помните, то скажите примерно.)

1. Мне было _____ лет
2. Я никогда ни с кем не встречался

30. **С каким количеством людей у Вас были сексуальные отношения в течение жизни?** (хотя бы один раз)

1. _____ (человек)
2. у меня никогда не было сексуальных отношений [™] **перейдите к вопросу 35**

31. **С каким количеством людей у Вас был сексуальный контакт** (сексуальный контакт в виде: половое сношение, оральный секс, анальное сношение, возбуждение партнерши/партнера руками) **во время последнего года?** (хотя бы один раз)

_____ (раз)

32. **Когда у Вас был сексуальный контакт последний раз?**

1. в течение последних суток
2. 1-2 дня назад
3. 3-4 дня назад
4. 5-7 суток назад
5. 1-2 недели назад
6. 3-4 недели назад
7. 1-3 месяца назад
8. 4-12 месяца назад
9. 1-2 года назад
10. более 3-х лет назад

33. В Вашем последнем половом контакте Ваша партнерша была

1. Ваша супруга или постоянная партнерша
2. супруга или постоянная партнерша кого-нибудь другого
3. свободная (не замужем, разведена), заранее Вам знакомая
4. свободная (не замужем, разведена), заранее Вам не знакома
5. проститутка или иная партнерша, которой Вы заплатили за половое сношение
6. кто-нибудь другой
7. не знаю

34. Принимали ли Вы алкоголь перед последним сексуальным контактом?

1. совсем нет
2. да, немного
3. да, достаточно
4. да, много
5. не помню

Далее вопросы для всех

35. Люди иногда чувствуют, что кроме представителей противоположного пола, их сексуально привлекают и представители своего пола. Привлекают ли Вас сейчас:

1. исключительно представители мужского пола
2. в основном, представители мужского пола
3. лица и мужского, и женского пола в равной мере
4. в основном, женщины
5. исключительно женщины

36. Предлагали ли Вам когда-либо деньги или другое материальное вознаграждение за сексуальный контакт?

1. нет
2. да, но я отказался
3. да, и я однажды согласился
4. да, и я несколько раз согласился

37. Предлагали ли Вы когда-либо деньги или другое материальное вознаграждение за половое сношение?

1. нет
2. да, но он/она/они отказались
3. да, и один/одна согласился/согласилась
4. да, и многие согласились

38. По Вашему мнению, может ли женщина отказаться от полового контакта со своим супругом/партнером в следующих ситуациях?

	да	нет	не знаю
1. она недавно родила	1	2	3
2. она подозревает или знает, что у него есть заболевание, передающееся половым путем или СПИД	1	2	3
3. он бьет ее	1	2	3
4. он пьян	1	2	3
5. у него есть сексуальная связь с другим человеком	1	2	3
6. она устала и не хочет полового сношения	1	2	3
7. он не хочет употреблять противозачаточные средства	1	2	3

39. В многих странах нельзя свободно делать аборты, как в России. Согласны ли Вы с тем, что женщина не может свободно делать аборты?

1. полностью согласен
2. согласен в значительной степени
3. трудно сказать
4. согласен в незначительной степени
5. абсолютно не согласен

40. Если Вы отвлечетесь от своей личной ситуации и попытаете посмотреть на ситуацию в целом в обществе,

1. какое по Вашему мнению идеальное количество детей в русской семье?

_____ ребенка

2. какой по Вашему мнению подходящий интервал между рождением детей?

_____ года/лет

3. в каком возрасте Вы считаете идеально мужчинам и женщинам иметь первого ребенка?
- идеальный возраст женщины для рождения первого ребенка _____ лет
 - идеальный возраст мужчины при рождении первого ребенка _____ лет

41. **Какое количество детей Вы считаете наиболее подходящим для себя?**

_____ ребенка

42. **Есть ли у Вас дети?**

- нет
- да, _____ детей

43. **Вы планируете иметь ребенка в будущем?**

- нет
- не знаю, не уверен
- да; планирую иметь еще

_____ ребенка/детей.

- Моя супруга/партнерша беременна; после этого планирую иметь еще

_____ ребенка/детей.

44. **Если бы Ваша супруга/партнерша родила ребенка, хотели бы Вы присутствовать при родах?**

- нет
- да
- затрудняюсь ответить

45. **Кто, в основном, ухаживал за Вами в дневное время, когда Вы были маленьким?**

- мама дома
- папа дома
- бабушка или дедушка
- иные родственники
- в государственном детском саду
- другое, что именно? _____

4. ВОПРОСЫ О СОСТОЯНИИ ВАШЕГО ЗДОРОВЬЯ

46. **Как Вы оцениваете качество своей жизни?**

1. очень хорошее
2. хорошее
3. среднее
4. плохое
5. очень плохое

47. **Насколько Вы удовлетворены состоянием своего здоровья?**

1. совершенно удовлетворен
2. скорее удовлетворен
3. не то, ни се
4. скорее не удовлетворен
5. совершенно не удовлетворен

48. **Есть ли у Вас хронические заболевания, по поводу которых Вы постоянно лечитесь?**

1. нет
 2. да, какие?
-

49. **Есть ли у Вас какое-нибудь хроническое или долговременное заболевание, или какой-нибудь физический недостаток, боль или травма, который снижает Вашу общую работоспособность?**

1. нет
 2. да TM Каким или какого характера является это заболевание или травма?
-

50. **Были ли у Вас какие-нибудь из следующих инфекций?**

	нет	да	не знаю
1. генитальный герпес	1	2	3
2. кондилома	1	2	3
3. хламидиоз	1	2	3
4. генитальный кандидоз	1	2	3
5. гоноррея	1	2	3
6. сифилис	1	2	3
7. ВИЧ/СПИД	1	2	3
8. простатит	1	2	3
9. орхит	1	2	3
10. иное, _____	1	2	3

51. Представьте, что бы Вы стали делать, если у Вас вдруг возникли опасения относительно заражения заболеванием, передающимся половым путем. Укажите, что бы Вы предприняли?

1. выжду, надеясь что "все обойдется"
 2. начну лечиться самостоятельно
 3. обращусь за советом к друзьям
 4. обращусь за советом к родителям
 5. обращусь к частнопрактикующему врачу или в частное (негосударственное) лечебное учреждение
 6. обращусь в пункт индивидуальной профилактики заболеваний, передающихся половым путем
 7. обращусь в кожно-венерологический диспансер
 8. обращусь в другое государственное лечебное учреждение, какое?
-

52. Обращались ли Вы когда-либо самостоятельно в лечебное учреждение для анализа на ВИЧ-инфекцию?

1. никогда
2. да, один раз
3. да, несколько раз

53. Если Вы хотели бы сделать анализы на ВИЧ, куда Вы обращались бы?

1. в государственное лечебное учреждение
2. в частное лечебное учреждение
3. центр СПИДа
4. какое-нибудь другое место, какое? _____
5. не знаю куда обращаться

54. Сделали ли бы Вы анализы и в том случае, если их не делают анонимно?

1. да
2. нет
3. не знаю

55. Курили ли Вы когда-нибудь регулярно, то есть, курили хотя бы одну сигарету, сигару или трубку в день в течение одного года?

1. никогда не курил
2. раньше курил, но теперь уже нет
3. курю ежедневно
4. курю иногда

56. **Как часто Вы употребляете алкогольные напитки?** (Выберите наиболее подходящий ответ, при этом включая и случаи употребления маленького объема алкоголя, например пол-бутылки пива или немножко вина.)

1. ежедневно
2. несколько раз в неделю
3. раз в неделю
4. несколько раз в месяц
5. приблизительно один раз в месяц
6. приблизительно один раз в два месяца
7. 3-4 раза в год
8. один раз в год или реже
9. никогда

57. **Пробовали ли Вы когда-нибудь какие-нибудь наркотики (например, марихуану)?**

1. да
2. нет

58. **Пробовали ли Вы во время своей жизни следующие наркотические средства?**

	никогда	да, 1-2 раза	да, но менее 6 раз	да, более 6 раз
1. гашиш или марихуана	1	2	3	4
2. экстази	1	2	3	4
3. амфетамин или метафетамин	1	2	3	4
4. кокаин, крэк	1	2	3	4
5. героин, морфин	1	2	3	4
6. ЛСД, иные галлюциногены	1	2	3	4
7. грибы, действующие наркотически	1	2	3	4
8. лекарства	1	2	3	4
9. разбавитель, иные технические растворители	1	2	3	4
10. какое-нибудь незнакомое средство	1	2	3	4
11. какое-нибудь средство при помощи иголки	1	2	3	4

59. **По какой причине Вы могли бы попробовать наркотики?** (отметьте только одну-две причины)

1. от одиночества
2. потому, что их легко достать
3. чтобы продемонстрировать свою смелость,
4. из-за проблем, трудностей, чтобы снять внутреннее напряжение
5. это модно
6. чтобы получить новый опыт, знания, ощущения
7. чтобы не отставать от друзей
8. от любопытства
9. чтобы выразить протест
10. из-за проблем в семье, с родителями
11. другое, что именно? _____

60. **Есть ли у Вас друзья или знакомые, употребляющие наркотики?**

1. Да
2. Нет
3. Трудно сказать

61. **Изменится ли Ваше отношение к знакомому, если Вы узнаете, что он употребляет наркотики?**

1. Нет, абсолютно не изменится
2. Скорее не изменится
3. Скорее изменится
4. Да, совершенно точно изменится,
5. Трудно сказать

62. **Если Ваше отношение изменится, то каким образом?**

1. Прерву с ним всякие отношения
2. Постараюсь свести общение до минимума
3. Постараюсь ему помочь
4. Другое, что именно? _____

63. **Сколько примерно раз Вы были у врача в течение последних 12 месяцев?** (Включите все посещения врача: из-за болезни, медицинские осмотры и.т.д.)

_____ раз

64. Сколько раз Вы находились на лечении в стационаре (больнице) в течение последних 12 месяцев?

_____ раз

65. Делаете ли Вы что-либо для поддержания Вашего здоровья ?

	Да, регулярно	Да, время от времени	Нет
1. Придерживаюсь диеты	1	2	3
2. Занимаюсь спортом	1	2	3
3. Забочусь о режиме сна и отдыха	1	2	3
4. Избегаю вредных привычек	1	2	3
5. Посещаю врача с профилактической целью	1	2	3

66. Какой у Вас рост?

_____ см

67. Какой у Вас вес?

_____ кг

Спасибо за Участие!!!