

FSD2417

**Reproductive Health in St. Petersburg:
Men 2003**

Codebook



FINNISH SOCIAL SCIENCE DATA ARCHIVE

The bibliographic citation for this codebook:

Reproductive Health in St. Petersburg: Men 2003 [codebook]. Finnish Social Science Data Archive [producer and distributor], 2018.

This codebook has been generated from the version 3.0 (23.7.2018) of the data.

Finnish Social Science Data Archive
FIN-33014 University of Tampere

FSD User Services:
asiakaspalvelu.fsd@uta.fi
+358 40 190 1442

Aila Data Service Portal:
<https://services.fsd.uta.fi/>

Finnish Social Science Data Archive
<http://www.fsd.uta.fi/en/>

To the reader

This codebook is part of the data FSD2417 archived at the FSD (Finnish Social Science Data Archive). The dataset has been described in as much detail as possible in Finnish and English. Variable frequencies, variable and value labels, and missing values have been checked. If necessary, the data have been anonymised. The data and its creators shall be cited in all publications and presentations for which the data have been used. The bibliographic citation may be in the form suggested by the archive or in the form required by the publication. The bibliographic citation suggested by the archive:

Fedorova, Natalia (Centre for Independent Social Research in St) & Haavio-Mannila, Elina (University of Helsinki) & Hemminki, Elina (National Research and Development Centre for Welfare and Health (STAKES)) & Kesseli, Katja (University of Helsinki) & Koponen, Päivikki (National Institute for Health and Welfare) & Martikainen, Pekka (University of Helsinki) & Nikula, Minna (National Research and Development Centre for Welfare and Health (STAKES)) & Pitkänen, Kari (University of Helsinki) & Rotkirch, Anna (University of Helsinki): Reproductive Health in St. Petersburg: Men 2003 [dataset]. Version 3.0 (2018-07-23). Finnish Social Science Data Archive [distributor]. <http://urn.fi/urn:nbn:fi:fsd:T-FSD2417>

The user shall notify the archive of all publications where she or he has used the data. The original data creators and the archive bear no responsibility for any results or interpretations arising from the reuse of the data.

The codebook contains information on data content, structure and data collection, and includes a list of publications wholly or in part based on the data, according to publication information received by the FSD. The second part of the codebook contains information on variables: question texts, response options, and frequencies. The third part contains indexes.

Variable distributions presented in this codebook have been generated from the SPSS files. Distribution tables present variable values, frequencies (n), frequency percentages (%), and valid percentages (v. %) which take into account missing data. All distributions are unweighted. If the data contain weight variables, these will be found at the end of the variables list. In some cases frequency distributions have been substituted by descriptive statistics. Categorised responses to open-ended questions are not always included in the codebook. Distributions may contain missing data. The note "System missing (SYSMIS)" refers to missing observations (e.g. a respondent has not answered all questions) whereas "Missing (User missing)" refers to data the user has defined as missing. For example, the user may decide to code answer alternatives 'don't want to say' or 'can't say' as missing data.

The codebook may contain attached files, the most common one being the questionnaire.

Contents

1	Study description	1
1.1	Titles	1
1.2	Subject description	1
1.3	Structure and collection of the data	3
1.4	Use of data	4
2	Variables	7
3	Indexes	87
3.1	Variables in the order of occurrence	87
3.2	Variables in alphabetical order	94
3.3	Variable groups	101
A	Questionnaire in Finnish	107
B	Questionnaire in Russian	121

Chapter 1

Study description

1.1 Titles

Titles and data version: Reproductive Health in St. Petersburg: Men 2003

Titles and data version in Finnish: Lisääntymisterveys Pietarissa: miehet 2003

This codebook has been generated from the version 3.0 (23.7.2018) of the data.

1.2 Subject description

Authoring entity

Fedorova, Natalia (Centre for Independent Social Research in St. Petersburg)

Haavio-Mannila, Elina (University of Helsinki. Department of Sociology)

Hemminki, Elina (National Research and Development Centre for Welfare and Health (STAKES))

Kesseli, Katja (University of Helsinki. Department of Sociology)

Koponen, Päivikki (National Institute for Health and Welfare)

Martikainen, Pekka (University of Helsinki. Department of Sociology)

Nikula, Minna (National Research and Development Centre for Welfare and Health (STAKES))

Pitkänen, Kari (University of Helsinki. Department of Sociology)

Rotkirch, Anna (University of Helsinki. Department of Sociology)

Hakanen, Ulla (National Research and Development Centre for Welfare and Health (STAKES))

Svetlana, Kirichenko (University of Helsinki. Department of Sociology)

Copyright statement for the data

According to the agreement between FSD and the depositor.

Depositor

Hemminki, Elina (National Institute for Health and Welfare)

Date of deposit

3.4.2009

Keywords

birth control methods; family planning; health; illegal drugs; men; pregnancy; prostitution; Russia; sexual behaviour; sexual health; sexually transmitted diseases; St. Petersburg

Topic Classification

Fields of Science Classification: medical and health sciences

CESSDA Classification: health behaviour; reproductive health

Series description

The data belong to the series:

Individual datasets

Individual datasets that do not belong to any series.

Abstract

The survey charted the reproductive health of men living in St. Petersburg, Russia. Topics included contraception and abortion, couple relationships, sexuality and childbearing, and general and sexual health.

The use of contraceptives and problems related to them were charted. The respondents were asked which contraceptive method they had used in their first sexual intercourse, who had made the decision to use contraception, whether they had been satisfied with the contraceptive used, what was the reason for the use/non-use of condom, and whether they had received advice on the use of contraceptives. Another set of questions explored whether the respondents had received sex education at home or at school, whether they had been afraid of unwanted pregnancy, and whether their wife or partner had ever had an abortion.

Sexual behaviour and couple relationships were probed by asking whether the respondents had a steady relationship at the moment of the survey, when had they last had a steady relationship, how many sexual partners they had had in their life, when they had last had sexual intercourse and with whom, whether they were sexually interested in the same sex, and whether they had received money or paid for sex.

Views on childbearing were charted. Opinions were surveyed on the ideal age for having children, the ideal interval between children, and the ideal number of children for a Russian family. The respondents were also asked whether they planned to have children, and what they thought about abortion.

Health status was surveyed. Questions charted the respondents' chronic illnesses and venereal diseases, self-perceived quality of life, and satisfaction with their health. The respondents were asked what they would do if they contracted an STD, whether they had been tested for HIV out of their own volition, and where they would go if they wanted to have an HIV test. Smoking and alcohol use was charted as well as own and friends' drug use. The respondents were also asked how many times they had visited a physician during the past 12 months and whether they took certain measures to maintain their health.

The survey is part of the research project "Reproductive Health and Fertility Patterns in Russia - A Comparative Approach (REFER)". The researchers have provided English translations of the original Russian data.

Background variables included the respondent's age, education and occupation.

1.3 Structure and collection of the data

Country: Russia

Geographic coverage: Russia, St. Petersburg

Analysis or observation unit type: Individual

Universe: Men aged 17-27 participating in medical examinations for conscription in two St. Petersburg districts.

Collection date: April 2003 – May 2003

Data collector(s): Fedorova, Natalia (Centre for Independent Social Research in St. Petersburg)

Mode of data collection: Self-administered questionnaire

Type of research instrument: Structured questionnaire

Time period covered: April 2003 – May 2003

Time method of the data collection: Cross-section

Number of variables and cases: The data contain 173 variables and 442 cases.

Sampling procedure: Total universe/Complete enumeration

The sample consisted of men participating in medical examinations for conscription in two St. Petersburg districts. All conscripts in a district, i.e. men between 17 and 27 years of age, are required to attend the medical examinations. The questionnaires were delivered to those conscripts who had their medical examinations during the sampling period and who were willing to respond to the survey. Altogether 550 questionnaires were delivered, and 444 of them were returned.

More information on conscription and the sampling procedure is available in the report of the survey (see Related publications).

1.4 Use of data

Data appraisal

The dataset does not contain the responses to the open-ended questions q3, q11, q12, q13, q16, q26, q45, q48, q49, q51, q53, q58 and q62. However, the open-ended responses given to q6, q7_1 and q7_2 have been categorised by the researchers and are thus included. The variables relating to question 43 are missing from the data.

There is no English questionnaire available. Instead, a list provided by the researchers containing the questions in English was used during the archiving process.

Related publications

Fedorova, Natalia & Kesseli, Katja & Haavio-Mannila, Elina: Reproductive Health and Sexuality in St.Petersburg: Report of a survey of Young Men in 2003 (2005). Helsinki: University of Helsinki & Helsinki: National Research and Development Centre for Welfare and Health (STAKES). urn:isbn:951-33-140-73.

Updated list of publications in the study description at

https://services.fsd.uta.fi/catalogue/FSD2417?lang=en&study_language=en

Related studies

FSD2418 Reproductive Health in St. Petersburg: Women 2004

Related material

Fedorova, Natalia & Kesseli, Katja & Haavio-Mannila, Elina: Reproductive Health and Sexuality in St.Petersburg: Report of a survey of Young Men in 2003 (2005). Helsinki: University of Helsinki & Helsinki: National Research and Development Centre for Welfare and Health (STAKES). urn:isbn:951-33-140-73.

Location of the data collection

Finnish Social Science Data Archive

Weighting

There are no weight variables in the data.

Restrictions

The dataset is (C) available for research only (including e.g. Master's, licentiate and doctoral theses).

Chapter 2

Variables

[FSD_NO] FSD study number

Question

FSD study number

Descriptive statistics

statistic	value
number of valid cases	442
minimum	2417.00
maximum	2417.00
mean	2417.00
standard deviation	0.00

[FSD_VR] FSD edition number

Question

FSD edition number

Descriptive statistics

statistic	value
number of valid cases	442
minimum	3.00
maximum	3.00
mean	3.00
standard deviation	0.00

[FSD_ID] FSD case id

Question

FSD case id

Descriptive statistics

statistic	value
number of valid cases	442
minimum	1.00
maximum	442.00
mean	221.50
standard deviation	127.74

[BV2] Study district

Question

Study district

Frequencies

label	value	n	%	v. %
Primorsky	1	351	79.4	79.4
Kirovsky	2	91	20.6	20.6
		442	100.0	100.0

[BV3] Percentage of the questionnaire completed

Question

Percentage of the questionnaire completed

[Q1] The respondent's age

Question

How old are you?

Descriptive statistics

statistic	value
number of valid cases	435
minimum	14.00
maximum	31.00
mean	19.03
standard deviation	2.48

[Q2] How many people are you living with (how many persons belong to the same household including yourself)?

Question

With how many people are you living together (how many persons belong to the same household including you yourself)?

Descriptive statistics

statistic	value
number of valid cases	426
minimum	0.00
maximum	10.00
mean	3.60
standard deviation	1.36

[Q3_1] List the people with whom you live: Your wife

Variable group pre-text

Who are these people (circle those who belong to the household)?

Question

Your wife

Frequencies

label	value	n	%	v. %
Not mentioned	0	417	94.3	98.1
Mentioned	1	8	1.8	1.9
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_2] List the people with whom you live: Cohabiting partner**Variable group pre-text**

Who are these people (circle those who belong to the household)?

Question

Cohabiting partner

Frequencies

label	value	n	%	v. %
Not mentioned	0	403	91.2	94.8
Mentioned	1	22	5.0	5.2
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_3] List the people with whom you live: Children (under 18)**Variable group pre-text**

Who are these people (circle those who belong to the household)?

Question

Children (under 18)

Frequencies

label	value	n	%	v. %
Not mentioned	0	413	93.4	97.2
Mentioned	1	12	2.7	2.8
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_4] List the people with whom you live: Your parents**Variable group pre-text**

Who are these people (circle those who belong to the household)?

Question*Your parents***Frequencies**

label	value	n	%	v. %
Not mentioned	0	56	12.7	13.2
Mentioned	1	369	83.5	86.8
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_5] List the people with whom you live: Your spouse's/partner's parents**Variable group pre-text***Who are these people (circle those who belong to the household)?***Question***Your spouse's/partner's parents***Frequencies**

label	value	n	%	v. %
Not mentioned	0	401	90.7	94.4
Mentioned	1	24	5.4	5.6
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_6] List the people with whom you live: Brothers, sisters**Variable group pre-text***Who are these people (circle those who belong to the household)?***Question***Brothers, sisters***Frequencies**

2. Variables

label	value	n	%	v. %
Not mentioned	0	199	45.0	46.8
Mentioned	1	226	51.1	53.2
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_7] List the people with whom you live: Other relatives

Variable group pre-text

Who are these people (circle those who belong to the household)?

Question

Other relatives

Frequencies

label	value	n	%	v. %
Not mentioned	0	382	86.4	89.9
Mentioned	1	43	9.7	10.1
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_8] List the people with whom you live: Friends

Variable group pre-text

Who are these people (circle those who belong to the household)?

Question

Friends

Frequencies

label	value	n	%	v. %
Not mentioned	0	414	93.7	97.4
Mentioned	1	11	2.5	2.6
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q3_9] List the people with whom you live: Some other people**Variable group pre-text**

Who are these people (circle those who belong to the household)?

Question

Some other people

Frequencies

label	value	n	%	v. %
Not mentioned	0	419	94.8	98.6
Mentioned	1	6	1.4	1.4
System missing (SYSMIS)	.	17	3.8	–
		442	100.0	100.0

[Q4] The respondent's education**Question**

What is your education ?

Frequencies

label	value	n	%	v. %
Primary school (1–3 classes, age 7–10 years)	1	0	0.0	0.0
Lower secondary school (4–8 classes, age 11–15 years)	2	54	12.2	13.2
Upper secondary school (9–10 classes, age 16–17 years)	3	72	16.3	17.6
Vocational school	4	79	17.9	19.4
Technical college	5	40	9.0	9.8
Incomplete higher education (studies approximately 3 years)	6	35	7.9	8.6
Student (in higher education)	7	108	24.4	26.5
Completed higher education	8	20	4.5	4.9
System missing (SYSMIS)	.	34	7.7	–
		442	100.0	100.0

[Q5] The respondent's employment status**Question**

What are you mainly doing now?

Frequencies

label	value	n	%	v. %
Working	1	140	31.7	34.3
Studying	2	240	54.3	58.8
Unemployed	3	28	6.3	6.9
System missing (SYSMIS)	.	34	7.7	–
		442	100.0	100.0

[Q6_1] The respondent's primary occupation (if working)**Question**

This question is posed to persons who are working: Currently, what is your primary occupation (occupation that you consider as the main one, name of the workplace)?

Descriptive statistics

statistic	value
number of valid cases	133
minimum	31.00
maximum	54.00
mean	44.90
standard deviation	8.69

[Q6_2] The respondent's occupation in Finnish (open-ended question)**Question**

This question is posed to persons who are working: Currently, what is your primary occupation (occupation that you consider as the main one, name of the workplace)? [in Finnish]

[Q7_1_1] Mother's occupation [categorised]**Variable group pre-text**

What are the occupations of your parents?

Question*The occupation of the mother***Frequencies**

label	value	n	%	v. %
Engineers	1	38	8.6	10.8
Technicians	2	29	6.6	8.2
Professionals	3	50	11.3	14.2
Medical workers	4	2	0.5	0.6
Doctors, pharmacists	5	18	4.1	5.1
Nurses, teachers in kindergarten	6	21	4.8	6.0
Teachers (school)	7	19	4.3	5.4
University teachers	8	0	0.0	0.0
Teachers in vocational schools	9	0	0.0	0.0
Art, leisure, sports, media	10	6	1.4	1.7
Commercial employees	11	13	2.9	3.7
Office workers	12	14	3.2	4.0
Workers	13	0	0.0	0.0
Craftsmen	14	24	5.4	6.8
Workers (machines)	15	10	2.3	2.8
Workers (physical)	16	14	3.2	4.0
Traffic	17	6	1.4	1.7
Agriculture	18	0	0.0	0.0
Service sector	19	10	2.3	2.8
Administration (police, army...)	20	4	0.9	1.1
Managers, directors	21	24	5.4	6.8
Other social groups	22	2	0.5	0.6
Housewife/house husband, unemployed	23	32	7.2	9.1
Pensioner	24	8	1.8	2.3
Don't know	33	6	1.4	1.7
No mother/father	66	2	0.5	0.6
System missing (SYSMIS)	.	90	20.4	—
		442	100.0	100.0

[Q7_1_2] Mother's economic activity [categorised]**Variable group pre-text***What are the occupations of your parents?***Question***The occupation of the mother*

2. Variables

Frequencies

label	value	n	%	v. %
Don't know	0	6	1.4	1.7
Upper non-manual occupations	1	157	35.5	44.6
Lower non-manual occupations	2	66	14.9	18.8
Manual work occupations	3	81	18.3	23.0
Housewife/house husband, unemployed	4	32	7.2	9.1
Pensioner	5	8	1.8	2.3
No mother/father	6	2	0.5	0.6
System missing (SYSMIS)	.	90	20.4	–
		442	100.0	100.0

[Q7_1_3] Mother's occupation in Finnish (open-ended question)

Variable group pre-text

What are the occupations of your parents?

Question

The occupation of the mother [in Finnish]

[Q7_2_1] Father's occupation [categorised]

Variable group pre-text

What are the occupations of your parents?

Question

The occupation of the father

Frequencies

label	value	n	%	v. %
Engineers	1	40	9.0	12.9
Technicians	2	4	0.9	1.3
Professionals	3	21	4.8	6.8
Medical workers	4	0	0.0	0.0
Doctors, pharmacists	5	5	1.1	1.6

(continued on next page)

(cont. from previous page)

label	value	n	%	v. %
Nurses, teachers in kindergarten	6	2	0.5	0.6
Teachers (school)	7	2	0.5	0.6
University teachers	8	1	0.2	0.3
Teachers in vocational schools	9	0	0.0	0.0
Art, leisure, sports, media	10	6	1.4	1.9
Commercial employees	11	1	0.2	0.3
Office workers	12	3	0.7	1.0
Workers	13	1	0.2	0.3
Craftsmen	14	57	12.9	18.4
Workers (machines)	15	8	1.8	2.6
Workers (physical)	16	25	5.7	8.1
Traffic	17	45	10.2	14.5
Agriculture	18	0	0.0	0.0
Service sector	19	6	1.4	1.9
Administration (police, army...)	20	20	4.5	6.5
Managers, directors	21	35	7.9	11.3
Other social groups	22	7	1.6	2.3
Housewife/house husband, unemployed	23	1	0.2	0.3
Pensioner	24	14	3.2	4.5
Don't know	33	3	0.7	1.0
No mother/father	66	3	0.7	1.0
System missing (SYSMIS)	.	132	29.9	–
		442	100.0	100.0

[Q7_2_2] Father's economic activity [categorised]

Variable group pre-text

What are the occupations of your parents?

Question

The occupation of the father

Frequencies

label	value	n	%	v. %
Don't know	0	6	1.4	1.9
Upper non-manual occupations	1	112	25.3	36.1
Lower non-manual occupations	2	32	7.2	10.3
Manual work occupations	3	142	32.1	45.8

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
Housewife/house husband, unemployed	4	1	0.2	0.3
Pensioner	5	14	3.2	4.5
No mother/father	6	3	0.7	1.0
System missing (SYSMIS)	.	132	29.9	–
		442	100.0	100.0

[Q7_2_3] Father's occupation in Finnish (open-ended question)

Variable group pre-text

What are the occupations of your parents?

Question

The occupation of the father [in Finnish]

[Q8] In your opinion, is your family

Question

In your opinion, is your family [economically]

Frequencies

label	value	n	%	v. %
Poor	1	13	2.9	3.0
Rather poor	2	54	12.2	12.6
Do not know	3	100	22.6	23.4
Average	4	196	44.3	45.9
Wealthy	5	64	14.5	15.0
System missing (SYSMIS)	.	15	3.4	–
		442	100.0	100.0

[Q9_1] How old were you when you first had sexual intercourse?

Question

How old were you when you first had sexual intercourse?

Frequencies

label	value	n	%	v. %
Have never had intercourse	1	54	12.2	13.1
Has had intercourse	2	357	80.8	86.9
System missing (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

Post-question text

If you answered no, move on to question 19

[Q9_2] How old were you when you first had sexual intercourse? Has had intercourse

Question

How old were you when you first had sexual intercourse?

Descriptive statistics

statistic	value
number of valid cases	357
minimum	10.00
maximum	40.00
mean	15.74
standard deviation	2.06

[Q10] How old was your first partner?

Question

How old was your first partner?

Descriptive statistics

statistic	value
number of valid cases	351
minimum	10.00
maximum	34.00
mean	17.08
standard deviation	2.69

[Q11] Did you use any contraception method to prevent pregnancy during your first act of intercourse?

Question

Did you use any contraception method to prevent pregnancy during your first act of intercourse?

Frequencies

label	value	n	%	v. %
None	1	122	27.6	35.0
Coitus interruptus	2	13	2.9	3.7
Condom	3	193	43.7	55.3
Contraceptive pill	4	4	0.9	1.1
Other methods	5	4	0.9	1.1
Can't remember	6	13	2.9	3.7
System missing (SYSMIS)	.	93	21.0	—
		442	100.0	100.0

[Q12_1] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

I/we do not use/need any contraception

Frequencies

label	value	n	%	v. %
Not mentioned	0	283	64.0	80.2
Mentioned	1	70	15.8	19.8
System missing (SYSMIS)	.	89	20.1	—
		442	100.0	100.0

[Q12_2] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Contraceptive pills

Frequencies

label	value	n	%	v. %
Not mentioned	0	310	70.1	87.8
Mentioned	1	43	9.7	12.2
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_3] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD)

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Intrauterine device (IUD)

Frequencies

label	value	n	%	v. %
Not mentioned	0	347	78.5	98.3
Mentioned	1	6	1.4	1.7
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_4] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Condom

Frequencies

label	value	n	%	v. %
Not mentioned	0	91	20.6	25.8
Mentioned	1	262	59.3	74.2
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_5] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Diaphragm

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Diaphragm

Frequencies

label	value	n	%	v. %
Not mentioned	0	352	79.6	99.7
Mentioned	1	1	0.2	0.3
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_6] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Contraceptive capsule

Frequencies

label	value	n	%	v. %
Not mentioned	0	352	79.6	99.7
Mentioned	1	1	0.2	0.3
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_7] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days)

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Rhythm method (calculating safe days)

Frequencies

label	value	n	%	v. %
Not mentioned	0	336	76.0	95.2
Mentioned	1	17	3.8	4.8
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_8] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Coitus interruptus

Frequencies

label	value	n	%	v. %
Not mentioned	0	316	71.5	89.5
Mentioned	1	37	8.4	10.5
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_9] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Rinsing

Frequencies

label	value	n	%	v. %
Not mentioned	0	340	76.9	96.3
Mentioned	1	13	2.9	3.7
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_10] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills'

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

'Morning after pills'

Frequencies

label	value	n	%	v. %
Not mentioned	0	350	79.2	99.2
Mentioned	1	3	0.7	0.8
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q12_11] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what?

Variable group pre-text

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

Question

Other, what?

Frequencies

label	value	n	%	v. %
Not mentioned	0	347	78.5	98.3
Suppository	1	6	1.4	1.7
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q13] Who decided on using contraception when you last had intercourse?**Question**

Who decided on using contraception in your latest intercourse?

Frequencies

label	value	n	%	v. %
I did	1	102	23.1	30.1
The partner did	2	34	7.7	10.0
Decided together	3	158	35.7	46.6
Someone else	4	3	0.7	0.9
Can't remember	5	42	9.5	12.4
System missing (SYSMIS)	.	103	23.3	–
		442	100.0	100.0

[Q14] How satisfied are you with the contraceptive method you are currently using?**Question**

How satisfied are you with the current method of contraception?

Frequencies

label	value	n	%	v. %
Very satisfied	1	133	30.1	38.7
Fairly satisfied	2	126	28.5	36.6
Fairly dissatisfied	3	50	11.3	14.5
Very dissatisfied	4	13	2.9	3.8
I don't currently use contraception	5	22	5.0	6.4
System missing (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q15_1] Why did you use a condom when you last had intercourse? My partner wanted to**Variable group pre-text**

Why did you use condom in latest intercourse? (several reasons are possible)

Question

My partner wanted to

Frequencies

label	value	n	%	v. %
Not mentioned	0	288	65.2	82.8
Mentioned	1	60	13.6	17.2
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_2] Why did you use a condom when you last had intercourse? Out of curiosity

Variable group pre-text

Why did you use condom in latest intercourse? (several reasons are possible)

Question

Out of curiosity

Frequencies

label	value	n	%	v. %
Not mentioned	0	330	74.7	94.8
Mentioned	1	18	4.1	5.2
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_3] Why did you use a condom when you last had intercourse? My friends use condoms as well

Variable group pre-text

Why did you use condom in latest intercourse? (several reasons are possible)

Question

My friends use condoms as well

2. Variables

Frequencies

label	value	n	%	v. %
Not mentioned	0	344	77.8	98.9
Mentioned	1	4	0.9	1.1
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_4] Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs

Variable group pre-text

Why did you use condom in latest intercourse? (several reasons are possible)

Question

I have heard that a condom protects against STDs

Frequencies

label	value	n	%	v. %
Not mentioned	0	203	45.9	58.3
Mentioned	1	145	32.8	41.7
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_5] Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy

Variable group pre-text

Why did you use condom in latest intercourse? (several reasons are possible)

Question

I wanted to prevent unwanted pregnancy

Frequencies

label	value	n	%	v. %
Not mentioned	0	170	38.5	48.9
Mentioned	1	178	40.3	51.1
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_6] Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well

Variable group pre-text

Why did you use condom in latest intercourse? (several reasons are possible)

Question

I wanted to protect myself because I did not know my partner well

Frequencies

label	value	n	%	v. %
Not mentioned	0	289	65.4	83.0
Mentioned	1	59	13.3	17.0
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q15_7] Why did you use a condom when you last had intercourse? I did not use a condom

Variable group pre-text

Why did you use condom in latest intercourse? (several reasons are possible)

Question

I did not use a condom

Frequencies

label	value	n	%	v. %
Not mentioned	0	310	70.1	89.1
Mentioned	1	38	8.6	10.9

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

[Q16_1] If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

I don't have information about contraceptive methods

Frequencies

label	value	n	%	v. %
Not mentioned	0	182	41.2	86.3
Mentioned	1	29	6.6	13.7
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_2] If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

Price of contraceptives or other difficulties in obtaining them

Frequencies

label	value	n	%	v. %
Not mentioned	0	198	44.8	93.8
Mentioned	1	13	2.9	6.2
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_3] If you did not use any contraception when you last had intercourse, why not? My own preference

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

My own preference

Frequencies

label	value	n	%	v. %
Not mentioned	0	110	24.9	52.1
Mentioned	1	101	22.9	47.9
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_4] If you did not use any contraception when you last had intercourse, why not? My partner's preference

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

My partner's preference

Frequencies

2. Variables

label	value	n	%	v. %
Not mentioned	0	158	35.7	74.9
Mentioned	1	53	12.0	25.1
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_5] If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

We wouldn't mind if my partner got pregnant

Frequencies

label	value	n	%	v. %
Not mentioned	0	192	43.4	91.0
Mentioned	1	19	4.3	9.0
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_6] If you did not use any contraception when you last had intercourse, why not? Religious reasons

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

Religious reasons

Frequencies

label	value	n	%	v. %
Not mentioned	0	207	46.8	98.1
Mentioned	1	4	0.9	1.9
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_7] If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

My spouse/partner is pregnant or breast-feeding

Frequencies

label	value	n	%	v. %
Not mentioned	0	205	46.4	97.2
Mentioned	1	6	1.4	2.8
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_8] If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

No need, because I/my partner cannot have children

Frequencies

2. Variables

label	value	n	%	v. %
Not mentioned	0	208	47.1	98.6
Mentioned	1	3	0.7	1.4
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q16_9] If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse

Variable group pre-text

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

Question

No need, because there has been no intercourse

Frequencies

label	value	n	%	v. %
Not mentioned	0	177	40.0	83.9
Mentioned	1	34	7.7	16.1
System missing (SYSMIS)	.	231	52.3	–
		442	100.0	100.0

[Q17] Have you ever consulted a physician or nurse in issues related to contraception?

Question

Have you ever consulted a physician or nurse in issues related to contraception?

Frequencies

label	value	n	%	v. %
No	1	298	67.4	84.2
Yes	2	44	10.0	12.4
Can't say, can't remember	3	12	2.7	3.4
System missing (SYSMIS)	.	88	19.9	–
		442	100.0	100.0

[Q18] Have you discussed contraceptive methods and the use of contraception with your spouse/partner in the last year?

Question

Have you discussed with your partner the use and means of contraception during last year?

Frequencies

label	value	n	%	v. %
Yes	1	142	32.1	40.8
No	2	164	37.1	47.1
Can't remember	3	37	8.4	10.6
I haven't had a spouse/partner	4	5	1.1	1.4
System missing (SYSMIS)	.	94	21.3	–
		442	100.0	100.0

Post-question text

The following questions are intended for all the respondents

[Q19] In your opinion, who is responsible for contraception?

Question

In your opinion, who is responsible for contraception?

Frequencies

label	value	n	%	v. %
Mainly women	1	41	9.3	9.7
Men and women equally	2	273	61.8	64.5
Mainly men	3	71	16.1	16.8
Can't say	4	38	8.6	9.0
System missing (SYSMIS)	.	19	4.3	–
		442	100.0	100.0

[Q20] Would you like to take part in contraceptive decision making

Question

Would you like to take part in decision making about the use of contraceptive methods?

Frequencies

label	value	n	%	v. %
More than now	1	36	8.1	8.5
I'm taking part enough at the moment	2	174	39.4	41.2
Less than now	3	22	5.0	5.2
I have never taken part and the idea of doing so seems strange	4	44	10.0	10.4
Can't say	5	146	33.0	34.6
System missing (SYSMIS)	.	20	4.5	—
		442	100.0	100.0

[Q21] What do you think about the advice given by parents or other older relatives when you are planning to have children? Is this advice**Question**

What do you think about the advice from parents or other older relatives while planning having children? Are these advices ?

Frequencies

label	value	n	%	v. %
Always desirable	1	149	33.7	34.8
Sometimes desirable	2	185	41.9	43.2
Harmful	3	6	1.4	1.4
Unnecessary	4	50	11.3	11.7
Can't say	5	38	8.6	8.9
System missing (SYSMIS)	.	14	3.2	—
		442	100.0	100.0

[Q22] Did you receive sex education in your childhood home?**Question**

Did you receive sex education in your family?

Frequencies

label	value	n	%	v. %
Yes, too much	1	9	2.0	2.1
Yes, sufficiently	2	122	27.6	28.5

(continued on next page)

(cont. from previous page)

label	value	n	%	v. %
Yes, but too little	3	58	13.1	13.6
No, but I would have wanted to	4	29	6.6	6.8
No, and would not have wanted to	5	210	47.5	49.1
System missing (SYSMIS)	.	14	3.2	–
		442	100.0	100.0

[Q23] Did you receive sex education in school?

Question

Have you received sex education at school?

Frequencies

label	value	n	%	v. %
Yes, too much	1	14	3.2	3.3
Yes, sufficiently	2	112	25.3	26.2
Yes, but too little	3	102	23.1	23.9
No, but I would have wanted to	4	103	23.3	24.1
No, and would not have wanted to	5	96	21.7	22.5
System missing (SYSMIS)	.	15	3.4	–
		442	100.0	100.0

[Q24] Have you been afraid that your steady or casual partner got unexpectedly pregnant?

Question

Have you been afraid that your partner would get pregnant unplanned?

Frequencies

label	value	n	%	v. %
No	1	183	41.4	44.0
Yes	2	192	43.4	46.2
Can't remember	3	41	9.3	9.9
System missing (SYSMIS)	.	26	5.9	–
		442	100.0	100.0

[Q25] Has your wife or partner ever had an abortion resulting from sexual intercourse with you?

Question

Has your wife or partner ever had an abortion resulting from sexual intercourse with you?

Frequencies

label	value	n	%	v. %
No	1	344	77.8	85.1
Yes	2	36	8.1	8.9
Not sure, don't know	3	24	5.4	5.9
System missing (SYSMIS)	.	38	8.6	–
		442	100.0	100.0

Post-question text

If you answered no or not sure, move on to question 28

**[Q26_1] If your partner has had an abortion, what were the reasons for it?
We were not ready to take responsibility for raising a small child**

Variable group pre-text

What were the reasons for making of abortion?

Question

We were not ready to take responsibility for raising a small child

Frequencies

label	value	n	%	v. %
Not mentioned	0	19	4.3	57.6
Mentioned	1	14	3.2	42.4
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_2] If your partner has had an abortion, what were the reasons for it?
Unstable or problematic couple relationship**

Variable group pre-text

What were the reasons for making of abortion?

Question

Unstable or problematic couple relationship

Frequencies

label	value	n	%	v. %
Not mentioned	0	28	6.3	84.8
Mentioned	1	5	1.1	15.2
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_3] If your partner has had an abortion, what were the reasons for it?
Pressure from parents or partner's parents**

Variable group pre-text

What were the reasons for making of abortion?

Question

Pressure from parents or partner's parents

Frequencies

label	value	n	%	v. %
Not mentioned	0	31	7.0	93.9
Mentioned	1	2	0.5	6.1
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_4] If your partner has had an abortion, what were the reasons for it?**Financial reasons****Variable group pre-text***What were the reasons for making of abortion?***Question***Financial reasons***Frequencies**

label	value	n	%	v. %
Not mentioned	0	27	6.1	81.8
Mentioned	1	6	1.4	18.2
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_5] If your partner has had an abortion, what were the reasons for it?**Unfinished studies****Variable group pre-text***What were the reasons for making of abortion?***Question***Unfinished studies***Frequencies**

label	value	n	%	v. %
Not mentioned	0	26	5.9	78.8
Mentioned	1	7	1.6	21.2
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_6] If your partner has had an abortion, what were the reasons for it?**Work situation****Variable group pre-text***What were the reasons for making of abortion?***Question***Work situation***Frequencies**

label	value	n	%	v. %
Not mentioned	0	32	7.2	97.0
Mentioned	1	1	0.2	3.0
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_7] If your partner has had an abortion, what were the reasons for it?**We were too young****Variable group pre-text***What were the reasons for making of abortion?***Question***We were too young***Frequencies**

label	value	n	%	v. %
Not mentioned	0	25	5.7	75.8
Mentioned	1	8	1.8	24.2
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_8] If your partner has had an abortion, what were the reasons for it?
There was no one who could have helped us with child care**

Variable group pre-text

What were the reasons for making of abortion?

Question

There was no one who could have helped us with child care

Frequencies

label	value	n	%	v. %
Not mentioned	0	33	7.5	100.0
Mentioned	1	0	0.0	0.0
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

**[Q26_9] If your partner has had an abortion, what were the reasons for it?
I didn't have time to take care of a child**

Variable group pre-text

What were the reasons for making of abortion?

Question

I didn't have time to take care of a child

Frequencies

label	value	n	%	v. %
Not mentioned	0	32	7.2	97.0
Mentioned	1	1	0.2	3.0
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_10] If your partner has had an abortion, what were the reasons for it? My partner decided on the issue

Variable group pre-text

What were the reasons for making of abortion?

Question

My partner decided on the issue

Frequencies

label	value	n	%	v. %
Not mentioned	0	26	5.9	78.8
Mentioned	1	7	1.6	21.2
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q26_11] If your partner has had an abortion, what were the reasons for it? Other reasons

Variable group pre-text

What were the reasons for making of abortion?

Question

Other reasons

Frequencies

label	value	n	%	v. %
Not mentioned	0	32	7.2	97.0
Mentioned	1	1	0.2	3.0
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

[Q27] If your partner has had an abortion, did you discuss it with your partner?

Question

Did you discuss the abortion decision with your partner?

Frequencies

label	value	n	%	v. %
She told me about the abortion before it was done	1	7	1.6	21.2
She told me about the abortion after it was done	2	5	1.1	15.2
I heard about the abortion from someone else	3	4	0.9	12.1
We decided on the abortion together	4	8	1.8	24.2
The abortion was done largely because I wanted to	5	6	1.4	18.2
Other, what? We did not discuss the abortion at all	6	3	0.7	9.1
System missing (SYSMIS)	.	409	92.5	–
		442	100.0	100.0

Post-question text

The following questions are intended for all the respondents

[Q28] Do you currently have a steady female sexual partner?

Question

Do you have a stable sexual partner now?

Frequencies

label	value	n	%	v. %
Yes	1	195	44.1	46.2
No	2	227	51.4	53.8
System missing (SYSMIS)	.	20	4.5	–
		442	100.0	100.0

[Q29_1] How old were you when you first had a steady relationship?

Question

How old were you, when you first started dating? (If you cannot remember exactly, please give your best estimate)

Frequencies

label	value	n	%	v. %
___ years old	1	352	79.6	88.4
Have never been in a steady relationship	2	46	10.4	11.6
System missing (SYSMIS)	.	44	10.0	–
		442	100.0	100.0

[Q29_2] How old were you when you first had a steady relationship? Age, years**Question**

How old were you, when you first started dating? (If you cannot remember exactly, please give your best estimate) Age, years

Descriptive statistics

statistic	value
number of valid cases	374
minimum	1.00
maximum	40.00
mean	15.66
standard deviation	2.91

[Q30_1] Altogether, with how many partners have you had sexual intercourse in your life so far?**Question**

Altogether, with how many partners have you had sexual intercourse in your life so far?

Frequencies

label	value	n	%	v. %
Has had intercourse	1	318	71.9	80.3
Has never had intercourse	2	54	12.2	13.6
Can't remember, can't say	3	24	5.4	6.1
System missing (SYSMIS)	.	46	10.4	–
		442	100.0	100.0

Post-question text

If you have never had intercourse, move on to question 35

[Q30_2] Altogether, with how many partners have you had sexual intercourse in your life so far? Has had intercourse

Question

Altogether, with how many partners have you had sexual intercourse in your lifetime? Has had intercourse

Descriptive statistics

statistic	value
number of valid cases	357
minimum	1.00
maximum	100.00
mean	8.14
standard deviation	13.02

[Q31] Altogether, with how many partners did you have sexual intercourse last year?

Question

Altogether, in the last year, with how many partners have you had sexual intercourse?

Descriptive statistics

statistic	value
number of valid cases	295
minimum	0.00
maximum	100.00
mean	4.64
standard deviation	8.96

[Q32] When did you last have sexual intercourse?

Question

When was the last time when you had sexual intercourse?

Frequencies

label	value	n	%	v. %
In the last 24 hours	1	50	11.3	14.5
1-2 days ago	2	53	12.0	15.4
3-4 days ago	3	45	10.2	13.1
5-7 days ago	4	24	5.4	7.0
1-2 weeks ago	5	41	9.3	11.9
3-4 weeks ago	6	27	6.1	7.8
1-3 months ago	7	58	13.1	16.9
4-12 months ago	8	33	7.5	9.6
1-2 years ago	9	13	2.9	3.8
Over 3 years ago	10	0	0.0	0.0
System missing (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q33] Who was your last sexual partner?

Question

Who was your latest sexual partner?

Frequencies

label	value	n	%	v. %
Own spouse or steady partner	1	132	29.9	38.3
Spouse or partner of someone else	2	12	2.7	3.5
Acquaintance who was not in a relationship	3	133	30.1	38.6
Stranger who was not in a relationship	4	35	7.9	10.1
Prostitute or other paid partner	5	5	1.1	1.4
Someone else	6	20	4.5	5.8
Can't say	7	8	1.8	2.3
System missing (SYSMIS)	.	97	21.9	–
		442	100.0	100.0

[Q34] Did you consume any alcohol before you last had intercourse?

Question

Had you consumed any alcohol before your latest intercourse? (% of people who have had sexual intercourse)

Frequencies

2. Variables

label	value	n	%	v. %
Not at all	1	151	34.2	43.6
Yes, a little	2	124	28.1	35.8
Yes, moderately	3	37	8.4	10.7
Yes, a lot	4	14	3.2	4.0
Can't remember	5	20	4.5	5.8
System missing (SYSMIS)	.	96	21.7	–
		442	100.0	100.0

Post-question text

The following questions are intended for all the respondents

[Q35] Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested

Question

Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested in [gender]

Frequencies

label	value	n	%	v. %
Exclusively in the male sex	1	13	2.9	3.1
Mainly in the male sex	2	7	1.6	1.7
In both sexes equally	3	2	0.5	0.5
Mainly in the female sex	4	29	6.6	7.0
Exclusively in the female sex	5	362	81.9	87.7
System missing (SYSMIS)	.	29	6.6	–
		442	100.0	100.0

[Q36] Have you ever been propositioned to have intercourse with someone by offering money or other rewards of similar types?

Question

Have you ever been propositioned to intercourse by offering money or similar economic advantages?

Frequencies

label	value	n	%	v. %
No	1	364	82.4	87.9
Yes, but I said no	2	40	9.0	9.7
Yes, and I consented once	3	6	1.4	1.4
Yes, and I have consented several times	4	4	0.9	1.0
System missing (SYSMIS)	.	28	6.3	–
		442	100.0	100.0

[Q37] Have you ever propositioned someone to have intercourse with you by offering them money or other rewards of similar types?

Question

Have you ever propositioned money or similar economic advantages to somebody on purpose to have intercourse?

Frequencies

label	value	n	%	v. %
No	1	372	84.2	90.1
Yes, but they refused	2	6	1.4	1.5
Yes, and one person consented	3	16	3.6	3.9
Yes, and several people have consented	4	19	4.3	4.6
System missing (SYSMIS)	.	29	6.6	–
		442	100.0	100.0

[Q38_1] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently

Variable group pre-text

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Question

She has recently given birth

Frequencies

2. Variables

label	value	n	%	v. %
Yes	1	253	57.2	73.5
No	2	23	5.2	6.7
I don't know	3	68	15.4	19.8
System missing (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q38_2] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS)

Variable group pre-text

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Question

She knows or suspects that her partner/husband has a STI including HIV/AIDS

Frequencies

label	value	n	%	v. %
Yes	1	310	70.1	90.1
No	2	15	3.4	4.4
I don't know	3	19	4.3	5.5
System missing (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q38_3] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her

Variable group pre-text

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Question

Partner/husband beats her

Frequencies

label	value	n	%	v. %
Yes	1	278	62.9	82.0
No	2	23	5.2	6.8
I don't know	3	38	8.6	11.2
System missing (SYSMIS)	.	103	23.3	–
		442	100.0	100.0

[Q38_4] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk

Variable group pre-text

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Question

Partner/husband is drunk

Frequencies

label	value	n	%	v. %
Yes	1	234	52.9	68.8
No	2	46	10.4	13.5
I don't know	3	60	13.6	17.6
System missing (SYSMIS)	.	102	23.1	–
		442	100.0	100.0

[Q38_5] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person

Variable group pre-text

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Question

Partner has a sexual relationship with another person

Frequencies

2. Variables

label	value	n	%	v. %
Yes	1	209	47.3	63.0
No	2	52	11.8	15.7
I don't know	3	71	16.1	21.4
System missing (SYSMIS)	.	110	24.9	–
		442	100.0	100.0

[Q38_6] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse

Variable group pre-text

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Question

She is tired and does not want to have sex

Frequencies

label	value	n	%	v. %
Yes	1	244	55.2	70.9
No	2	51	11.5	14.8
I don't know	3	49	11.1	14.2
System missing (SYSMIS)	.	98	22.2	–
		442	100.0	100.0

[Q38_7] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception

Variable group pre-text

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

Question

Partner/husband does not want to use contraception

Frequencies

label	value	n	%	v. %
Yes	1	190	43.0	57.6
No	2	75	17.0	22.7
I don't know	3	65	14.7	19.7
System missing (SYSMIS)	.	112	25.3	–
		442	100.0	100.0

[Q39] In many countries, there is no free abortion available like there is in Russia. Do you agree that a woman should not have an abortion for free?

Question

In many countries, unlike in Russia, there is no free abortion (termination of pregnancy) available. Do you agree that a woman should not have an abortion for free?

Frequencies

label	value	n	%	v. %
Strongly agree	1	72	16.3	17.5
Agree to some extent	2	55	12.4	13.4
Can't say	3	144	32.6	35.0
Disagree to some extent	4	30	6.8	7.3
Strongly disagree	5	110	24.9	26.8
System missing (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

[Q40_1] If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family?

Variable group pre-text

If you don't think about your own situation but the situation in general:

Question

What do you consider as the ideal number of children in Russian families in general?

[Q40_2] If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years)

Variable group pre-text

If you don't think about your own situation but the situation in general:

Question

What do you consider to be the ideal interval (years) between childbearing?

[Q40_3A] If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child?

Variable group pre-text

If you don't think about your own situation but the situation in general:

Question

What is the ideal age for a woman of having the first child?

[Q40_3B] If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child?

Variable group pre-text

If you don't think about your own situation but the situation in general:

Question

What is the ideal age for a man of having the first child?

[Q41] In your opinion, what is the most suitable number of children for your family?

Question

What would be the most suitable number of children for you?

Descriptive statistics

statistic	value
number of valid cases	403
minimum	0.00
maximum	25.00
mean	1.89
standard deviation	1.33

[Q42] Do you have children?**Question**

Have you got own children?

Frequencies

label	value	n	%	v. %
No children	1	365	82.6	94.6
Has one child	2	11	2.5	2.8
More than one children	3	10	2.3	2.6
System missing (SYSMIS)	.	56	12.7	–
		442	100.0	100.0

[Q44] If your partner gave birth to a child now, would you like to be present at birth?**Question**

If your partner would give birth to a child now, would you like to be present at birth?

Frequencies

label	value	n	%	v. %
No	1	110	24.9	26.7
Yes	2	158	35.7	38.3
Can't say	3	144	32.6	35.0
System missing (SYSMIS)	.	30	6.8	–
		442	100.0	100.0

[Q45] When you were a small child, who mainly took care of you during the day?**Question**

Who mainly took care of you during the daytime when you were a small child?

Frequencies

2. Variables

label	value	n	%	v. %
Mother at home	1	191	43.2	46.4
Father at home	2	10	2.3	2.4
Grandparents	3	73	16.5	17.7
Other relatives	4	10	2.3	2.4
State nursery	5	122	27.6	29.6
Other	6	3	0.7	0.7
Don't remember	7	3	0.7	0.7
System missing (SYSMIS)	.	30	6.8	—
		442	100.0	100.0

[Q46] How would you rate your quality of life?

Question

How would you rate the quality of your life?

Frequencies

label	value	n	%	v. %
Very good	1	55	12.4	13.3
Good	2	167	37.8	40.4
Average	3	161	36.4	39.0
Bad	4	24	5.4	5.8
Very bad	5	6	1.4	1.5
System missing (SYSMIS)	.	29	6.6	—
		442	100.0	100.0

[Q47] How satisfied are you with your health?

Question

How satisfied are you with your health condition?

Frequencies

label	value	n	%	v. %
Very satisfied	1	111	25.1	26.9
Fairly satisfied	2	166	37.6	40.2
Neither satisfied nor unsatisfied	3	78	17.6	18.9
Fairly dissatisfied	4	45	10.2	10.9
Very dissatisfied	5	13	2.9	3.1

(continued on next page)

(cont. from previous page)

label	value	n	%	v. %
System missing (SYSMIS)	.	29	6.6	–
		442	100.0	100.0

[Q48] Do you have a chronic disease for which you regularly use prescribed medication?

Question

Do you have any chronic illnesses for which you need continued medication?

Frequencies

label	value	n	%	v. %
No	1	325	73.5	83.5
Yes	2	64	14.5	16.5
System missing (SYSMIS)	.	53	12.0	–
		442	100.0	100.0

[Q49] Do you have any permanent or chronic illness or any defect, trouble or injury, which reduces your working capacity or functional ability?

Question

Do you have any chronic disease, pain or trauma reducing your capacity for work in general?

Frequencies

label	value	n	%	v. %
No	1	235	53.2	79.4
Yes	2	61	13.8	20.6
System missing (SYSMIS)	.	146	33.0	–
		442	100.0	100.0

[Q50_1] Have you had any of the following infections? Genital herpes

Variable group pre-text

Have you had any of the following infections?

2. Variables

Question

Genital herpes

Frequencies

label	value	n	%	v. %
No	1	344	77.8	96.4
Yes	2	5	1.1	1.4
Don't know	3	8	1.8	2.2
System missing (SYSMIS)	.	85	19.2	—
		442	100.0	100.0

[Q50_2] Have you had any of the following infections? Condyloma

Variable group pre-text

Have you had any of the following infections?

Question

Condyloma

Frequencies

label	value	n	%	v. %
No	1	339	76.7	95.5
Yes	2	7	1.6	2.0
Don't know	3	9	2.0	2.5
System missing (SYSMIS)	.	87	19.7	—
		442	100.0	100.0

[Q50_3] Have you had any of the following infections? Chlamydia

Variable group pre-text

Have you had any of the following infections?

Question

Chlamydia

Frequencies

label	value	n	%	v. %
No	1	337	76.2	93.9
Yes	2	11	2.5	3.1
Don't know	3	11	2.5	3.1
System missing (SYSMIS)	.	83	18.8	–
		442	100.0	100.0

[Q50_4] Have you had any of the following infections? Yeast infection in the genital area

Variable group pre-text

Have you had any of the following infections?

Question

Yeast infection in genital area

Frequencies

label	value	n	%	v. %
No	1	341	77.1	96.6
Yes	2	3	0.7	0.8
Don't know	3	9	2.0	2.5
System missing (SYSMIS)	.	89	20.1	–
		442	100.0	100.0

[Q50_5] Have you had any of the following infections? Gonorrhoea

Variable group pre-text

Have you had any of the following infections?

Question

Gonorrhoea

Frequencies

label	value	n	%	v. %
No	1	343	77.6	94.5

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
Yes	2	12	2.7	3.3
Don't know	3	8	1.8	2.2
System missing (SYSMIS)	.	79	17.9	–
		442	100.0	100.0

[Q50_6] Have you had any of the following infections? Syphilis

Variable group pre-text

Have you had any of the following infections?

Question

Syphilis

Frequencies

label	value	n	%	v. %
No	1	348	78.7	98.0
Yes	2	3	0.7	0.8
Don't know	3	4	0.9	1.1
System missing (SYSMIS)	.	87	19.7	–
		442	100.0	100.0

[Q50_7] Have you had any of the following infections? HIV/AIDS

Variable group pre-text

Have you had any of the following infections?

Question

HIV/AIDS

Frequencies

label	value	n	%	v. %
No	1	348	78.7	98.3

(continued on next page)

(cont. from previous page)

label	value	n	%	v. %
Yes	2	1	0.2	0.3
Don't know	3	5	1.1	1.4
System missing (SYSMIS)	.	88	19.9	–
		442	100.0	100.0

[Q50_8] Have you had any of the following infections? Inflammation of the prostate (prostatitis)

Variable group pre-text

Have you had any of the following infections?

Question

Prostata inflammation

Frequencies

label	value	n	%	v. %
No	1	346	78.3	97.5
Yes	2	2	0.5	0.6
Don't know	3	7	1.6	2.0
System missing (SYSMIS)	.	87	19.7	–
		442	100.0	100.0

[Q50_9] Have you had any of the following infections? Inflammation of the testicles (orchitis)

Variable group pre-text

Have you had any of the following infections?

Question

Testicular inflammation

Frequencies

2. Variables

label	value	n	%	v. %
No	1	341	77.1	96.9
Yes	2	1	0.2	0.3
Don't know	3	10	2.3	2.8
System missing (SYSMIS)	.	90	20.4	–
		442	100.0	100.0

[Q50_10] Have you had any of the following infections? Some other infection

Variable group pre-text

Have you had any of the following infections?

Question

Some other infection

Frequencies

label	value	n	%	v. %
No	1	313	70.8	94.8
Yes	2	8	1.8	2.4
Don't know	3	9	2.0	2.7
System missing (SYSMIS)	.	112	25.3	–
		442	100.0	100.0

[Q51_1] If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Wait and hope that everything turns out all right

Frequencies

label	value	n	%	v. %
Not mentioned	0	361	81.7	95.3
Mentioned	1	18	4.1	4.7
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_2] If you suspected that you have contracted an STD, what would you do? Try self treatment

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Try self treatment

Frequencies

label	value	n	%	v. %
Not mentioned	0	370	83.7	97.6
Mentioned	1	9	2.0	2.4
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_3] If you suspected that you have contracted an STD, what would you do? Ask friends for advice

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Ask friends for advice

Frequencies

label	value	n	%	v. %
Not mentioned	0	365	82.6	96.3
Mentioned	1	14	3.2	3.7

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_4] If you suspected that you have contracted an STD, what would you do? Ask parents for advice

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Ask parents for advice

Frequencies

label	value	n	%	v. %
Not mentioned	0	346	78.3	91.3
Mentioned	1	33	7.5	8.7
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_5] If you suspected that you have contracted an STD, what would you do? Visit a private physician/clinic

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Visit a private physician/clinic

Frequencies

label	value	n	%	v. %
Not mentioned	0	294	66.5	77.6
Mentioned	1	85	19.2	22.4

(continued on next page)

(cont. from previous page)

label	value	n	%	v. %
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_6] If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Visit a specialized sexual health clinic

Frequencies

label	value	n	%	v. %
Not mentioned	0	259	58.6	68.3
Mentioned	1	120	27.1	31.7
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_7] If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Visit a clinic specializing in dermatology and venereology

Frequencies

label	value	n	%	v. %
Not mentioned	0	237	53.6	62.5
Mentioned	1	142	32.1	37.5

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q51_8] If you suspected that you have contracted an STD, what would you do? Visit a public health centre

Variable group pre-text

What action would you take if you would suspect that you have a sexually transmitted infection?

Question

Visit a public health centre

Frequencies

label	value	n	%	v. %
Not mentioned	0	371	83.9	97.9
Mentioned	1	8	1.8	2.1
System missing (SYSMIS)	.	63	14.3	–
		442	100.0	100.0

[Q52] Have you ever been tested for HIV on your own initiative?

Question

Have you ever had an HIV-test on your own initiative?

Frequencies

label	value	n	%	v. %
Never	1	310	70.1	75.6
Yes, once	2	68	15.4	16.6
Yes, several times	3	32	7.2	7.8
System missing (SYSMIS)	.	32	7.2	–
		442	100.0	100.0

[Q53] If you wanted to have an HIV-test, where would you go?**Question**

If you would like to take an HIV-test, where would you go?

Frequencies

label	value	n	%	v. %
Public health centre	1	126	28.5	32.9
Private health centre	2	94	21.3	24.5
AIDS/HIV clinic	3	110	24.9	28.7
Somewhere else	4	6	1.4	1.6
I don't know where I would go	5	47	10.6	12.3
Specialized health centre	6	0	0.0	0.0
System missing (SYSMIS)	.	59	13.3	—
		442	100.0	100.0

[Q54] Would you get tested even if it wasn't anonymous?**Question**

Would you take this HIV-test even if it would not be anonymous?

Frequencies

label	value	n	%	v. %
Yes	1	288	65.2	70.8
No	2	41	9.3	10.1
I don't know	3	78	17.6	19.2
System missing (SYSMIS)	.	35	7.9	—
		442	100.0	100.0

[Q55] Have you ever smoked regularly, i.e. smoked at least one cigarette, cigar or pipeful a day for at least one year?**Question**

Have you smoked during your lifetime? Do you smoke constantly? Have you ever smoked a cigarette every day of the year?

Frequencies

2. Variables

label	value	n	%	v. %
Never	1	97	21.9	23.7
I used to smoke, but I don't anymore	2	48	10.9	11.7
I smoke daily	3	217	49.1	53.1
I smoke occasionally	4	47	10.6	11.5
System missing (SYSMIS)	.	33	7.5	–
		442	100.0	100.0

[Q56] Overall, how often do you use alcohol? (Take also into account those times when you only use very small amounts, for instance half a bottle of beer or a drop of wine)

Question

How often do you consume alcohol?

Frequencies

label	value	n	%	v. %
Daily	1	21	4.8	5.1
A couple of times a week	2	123	27.8	29.9
Once a week	3	90	20.4	21.8
A couple of times a month	4	75	17.0	18.2
About once a month	5	31	7.0	7.5
About once every two months	6	27	6.1	6.6
3-4 times a year	7	11	2.5	2.7
Once a year or less frequently	8	14	3.2	3.4
Never	9	20	4.5	4.9
System missing (SYSMIS)	.	30	6.8	–
		442	100.0	100.0

[Q57] Have you ever taken any drugs (including marijuana)?

Question

Have you ever taken any drugs (including marijuana)?

Frequencies

label	value	n	%	v. %
Yes	1	192	43.4	46.7
No	2	219	49.5	53.3

(continued on next page)

(cont. from previous page)

label	value	n	%	v. %
System missing (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

[Q58_1] Have you ever tried the following substances? Hasish or marijuana

Variable group pre-text

Have you ever tried the following substances?

Question

Hasish or marijuana

Frequencies

label	value	n	%	v. %
Never	1	209	47.3	54.9
Yes, 1-2 times	2	73	16.5	19.2
Yes, but less than 6 times	3	25	5.7	6.6
Yes, more than 6 times	4	74	16.7	19.4
System missing (SYSMIS)	.	61	13.8	–
		442	100.0	100.0

[Q58_2] Have you ever tried the following substances? Ecstasy

Variable group pre-text

Have you ever tried the following substances?

Question

Ecstasy

Frequencies

label	value	n	%	v. %
Never	1	305	69.0	89.4
Yes, 1-2 times	2	13	2.9	3.8

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
Yes, but less than 6 times	3	9	2.0	2.6
Yes, more than 6 times	4	14	3.2	4.1
System missing (SYSMIS)	.	101	22.9	–
		442	100.0	100.0

[Q58_3] Have you ever tried the following substances? Amphetamine or metamphetamine

Variable group pre-text

Have you ever tried the following substances?

Question

Amphetamine or metamphetamine

Frequencies

label	value	n	%	v. %
Never	1	307	69.5	91.1
Yes, 1-2 times	2	12	2.7	3.6
Yes, but less than 6 times	3	6	1.4	1.8
Yes, more than 6 times	4	12	2.7	3.6
System missing (SYSMIS)	.	105	23.8	–
		442	100.0	100.0

[Q58_4] Have you ever tried the following substances? Cocaine, crack

Variable group pre-text

Have you ever tried the following substances?

Question

Cocaine, crack

Frequencies

label	value	n	%	v. %
Never	1	313	70.8	94.3
Yes, 1-2 times	2	8	1.8	2.4
Yes, but less than 6 times	3	2	0.5	0.6
Yes, more than 6 times	4	9	2.0	2.7
System missing (SYSMIS)	.	110	24.9	–
		442	100.0	100.0

[Q58_5] Have you ever tried the following substances? Heroin or morphine

Variable group pre-text

Have you ever tried the following substances?

Question

Heroin or morphine

Frequencies

label	value	n	%	v. %
Never	1	307	69.5	92.2
Yes, 1-2 times	2	7	1.6	2.1
Yes, but less than 6 times	3	2	0.5	0.6
Yes, more than 6 times	4	17	3.8	5.1
System missing (SYSMIS)	.	109	24.7	–
		442	100.0	100.0

[Q58_6] Have you ever tried the following substances? LSD or other hallucinogens

Variable group pre-text

Have you ever tried the following substances?

Question

LSD or other hallucinogens

Frequencies

2. Variables

label	value	n	%	v. %
Never	1	286	64.7	83.4
Yes, 1-2 times	2	31	7.0	9.0
Yes, but less than 6 times	3	8	1.8	2.3
Yes, more than 6 times	4	18	4.1	5.2
System missing (SYSMIS)	.	99	22.4	–
		442	100.0	100.0

[Q58_7] Have you ever tried the following substances? Psychedelic mushrooms

Variable group pre-text

Have you ever tried the following substances?

Question

Intoxicating mushrooms

Frequencies

label	value	n	%	v. %
Never	1	275	62.2	81.4
Yes, 1-2 times	2	36	8.1	10.7
Yes, but less than 6 times	3	6	1.4	1.8
Yes, more than 6 times	4	21	4.8	6.2
System missing (SYSMIS)	.	104	23.5	–
		442	100.0	100.0

[Q58_8] Have you ever tried the following substances? Medicine and pills

Variable group pre-text

Have you ever tried the following substances?

Question

Medicine and pills

Frequencies

label	value	n	%	v. %
Never	1	292	66.1	87.7
Yes, 1-2 times	2	18	4.1	5.4
Yes, but less than 6 times	3	7	1.6	2.1
Yes, more than 6 times	4	16	3.6	4.8
System missing (SYSMIS)	.	109	24.7	–
		442	100.0	100.0

[Q58_9] Have you ever tried the following substances? Thinner, glue, other solvents

Variable group pre-text

Have you ever tried the following substances?

Question

Thinner, glue and other technical solutions

Frequencies

label	value	n	%	v. %
Never	1	317	71.7	95.8
Yes, 1-2 times	2	4	0.9	1.2
Yes, but less than 6 times	3	3	0.7	0.9
Yes, more than 6 times	4	7	1.6	2.1
System missing (SYSMIS)	.	111	25.1	–
		442	100.0	100.0

[Q58_10] Have you ever tried the following substances? Other unknown substance

Variable group pre-text

Have you ever tried the following substances?

Question

Other substance not known to me

Frequencies

2. Variables

label	value	n	%	v. %
Never	1	313	70.8	95.4
Yes, 1-2 times	2	6	1.4	1.8
Yes, but less than 6 times	3	1	0.2	0.3
Yes, more than 6 times	4	8	1.8	2.4
System missing (SYSMIS)	.	114	25.8	—
		442	100.0	100.0

[Q58_11] Have you ever tried the following substances? Some substances intravenously

Variable group pre-text

Have you ever tried the following substances?

Question

Some substances intravenously

Frequencies

label	value	n	%	v. %
Never	1	315	71.3	94.6
Yes, 1-2 times	2	3	0.7	0.9
Yes, but less than 6 times	3	3	0.7	0.9
Yes, more than 6 times	4	12	2.7	3.6
System missing (SYSMIS)	.	109	24.7	—
		442	100.0	100.0

[Q59_1] For what reason do you think you could try drugs? Because of loneliness

Variable group pre-text

For what reasons could you try drugs?

Question

Because of loneliness

Frequencies

label	value	n	%	v. %
Not mentioned	0	331	74.9	92.5
Mentioned	1	27	6.1	7.5
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_2] For what reason do you think you could try drugs? Because they are easy to get

Variable group pre-text

For what reasons could you try drugs?

Question

Because they are easy to get

Frequencies

label	value	n	%	v. %
Not mentioned	0	347	78.5	96.9
Mentioned	1	11	2.5	3.1
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_3] For what reason do you think you could try drugs? To show courage

Variable group pre-text

For what reasons could you try drugs?

Question

To show courage

Frequencies

label	value	n	%	v. %
Not mentioned	0	355	80.3	99.2
Mentioned	1	3	0.7	0.8
System missing (SYSMIS)	.	84	19.0	–

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
		442	100.0	100.0

[Q59_4] For what reason do you think you could try drugs? Because of problems or difficulties, to relax

Variable group pre-text

For what reasons could you try drugs?

Question

Because of problems or difficulties, to relax

Frequencies

label	value	n	%	v. %
Not mentioned	0	274	62.0	76.5
Mentioned	1	84	19.0	23.5
System missing (SYSMIS)	.	84	19.0	—
		442	100.0	100.0

[Q59_5] For what reason do you think you could try drugs? It is fashionable

Variable group pre-text

For what reasons could you try drugs?

Question

It is fashionable

Frequencies

label	value	n	%	v. %
Not mentioned	0	350	79.2	97.8
Mentioned	1	8	1.8	2.2
System missing (SYSMIS)	.	84	19.0	—
		442	100.0	100.0

[Q59_6] For what reason do you think you could try drugs? To get new experiences, information, sensations

Variable group pre-text

For what reasons could you try drugs?

Question

To get new experiences, information, sensations

Frequencies

label	value	n	%	v. %
Not mentioned	0	265	60.0	74.0
Mentioned	1	93	21.0	26.0
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_7] For what reason do you think you could try drugs? To be like my friends

Variable group pre-text

For what reasons could you try drugs?

Question

To be like my friends

Frequencies

label	value	n	%	v. %
Not mentioned	0	355	80.3	99.2
Mentioned	1	3	0.7	0.8
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_8] For what reason do you think you could try drugs? Out of curiosity

Variable group pre-text

For what reasons could you try drugs?

2. Variables

Question

Out of curiosity

Frequencies

label	value	n	%	v. %
Not mentioned	0	256	57.9	71.5
Mentioned	1	102	23.1	28.5
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_9] For what reason do you think you could try drugs? As a sign of protest

Variable group pre-text

For what reasons could you try drugs?

Question

As a sign of protest

Frequencies

label	value	n	%	v. %
Not mentioned	0	343	77.6	95.8
Mentioned	1	15	3.4	4.2
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_10] For what reason do you think you could try drugs? Because of problems in the family or with parents

Variable group pre-text

For what reasons could you try drugs?

Question

Because of problems in the family or with parents

Frequencies

label	value	n	%	v. %
Not mentioned	0	336	76.0	93.9
Mentioned	1	22	5.0	6.1
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_11] For what reason do you think you could try drugs? Other reason**Variable group pre-text**

For what reasons could you try drugs?

Question

Other reason

Frequencies

label	value	n	%	v. %
Not mentioned	0	280	63.3	78.2
Mentioned	1	78	17.6	21.8
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q59_12] For what reason do you think you could try drugs? Other reason, what?**Variable group pre-text**

For what reasons could you try drugs?

Question

Other reason, what?

Frequencies

label	value	n	%	v. %
No reason available	1	30	6.8	38.5

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
Never will try	2	27	6.1	34.6
Relax	3	4	0.9	5.1
Family drug addiction	4	1	0.2	1.3
Idleness	5	1	0.2	1.3
Fun	6	8	1.8	10.3
Do not know	8	1	0.2	1.3
Suicide	9	2	0.5	2.6
Dope for creation	10	1	0.2	1.3
Force	11	1	0.2	1.3
Accidentally/idleness	12	2	0.5	2.6
System missing (SYSMIS)	.	364	82.4	–
		442	100.0	100.0

[Q60] Do you have friends or acquaintances that take drugs?

Question

Have you friends or acquaintances that have taken drugs?

Frequencies

label	value	n	%	v. %
Yes	1	216	48.9	52.6
No	2	134	30.3	32.6
Can't say	3	61	13.8	14.8
System missing (SYSMIS)	.	31	7.0	–
		442	100.0	100.0

[Q61] Would your attitude towards an acquaintance change, if you learnt that he/she takes drugs?

Question

Will your attitude to an acquaintance change if you learn that he/she takes drugs?

Frequencies

label	value	n	%	v. %
Would not change at all	1	74	16.7	18.2

(continued on next page)

(cont. from previous page)

label	value	n	%	v. %
Would probably not change	2	86	19.5	21.1
Would probably change	3	111	25.1	27.3
Would definitely change	4	92	20.8	22.6
Can't say	5	44	10.0	10.8
System missing (SYSMIS)	.	35	7.9	—
		442	100.0	100.0

[Q62_1] If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change?

Question

If your attitude changes, how will it change?

Frequencies

label	value	n	%	v. %
I would cut all contact with him/her	1	19	4.3	5.7
I would keep contact with him/her to a minimum	2	98	22.2	29.5
I would try to help	3	188	42.5	56.6
Other	4	27	6.1	8.1
System missing (SYSMIS)	.	110	24.9	—
		442	100.0	100.0

[Q62_2] If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? Other

Question

If your attitude changes, how will it change? Other

Frequencies

label	value	n	%	v. %
Would not change	1	18	4.1	66.7
I would start taking drugs with him/her	2	3	0.7	11.1
Don't know	3	5	1.1	18.5
Depends on the drug he/she is using	4	1	0.2	3.7
System missing (SYSMIS)	.	415	93.9	—

(continued on next page)

2. Variables

(cont. from previous page)

label	value	n	%	v. %
		442	100.0	100.0

**[Q63] How many times you have visited a physician in the last 12 months?
Please include all visits to a physician (illness, medical examination etc.)**

Question

How many times have you visited a physician during the past 12 months? Please, include all visits to physicians (illness, medical examination, etc).

Descriptive statistics

statistic	value
number of valid cases	385
minimum	0.00
maximum	100.00
mean	4.35
standard deviation	8.08

**[Q64] How many times in the last 12 months have you been as an inpatient
in a hospital?**

Question

How many times have you been treated in a hospital during the past 12 months?

Descriptive statistics

statistic	value
number of valid cases	377
minimum	0.00
maximum	9.00
mean	0.32
standard deviation	0.75

[Q65_1] Are you doing something to maintain your health? I'm on a diet

Variable group pre-text

Are you doing something to support your health?

Question*Following diet***Frequencies**

label	value	n	%	v. %
Yes, regularly	1	28	6.3	10.4
Yes, from time to time	2	32	7.2	11.9
No	3	208	47.1	77.6
System missing (SYSMIS)	.	174	39.4	–
		442	100.0	100.0

[Q65_2] Are you doing something to maintain your health? I exercise/do sport**Variable group pre-text***Are you doing something to support your health?***Question***Fitness exercises and sport***Frequencies**

label	value	n	%	v. %
Yes, regularly	1	163	36.9	45.5
Yes, from time to time	2	135	30.5	37.7
No	3	60	13.6	16.8
System missing (SYSMIS)	.	84	19.0	–
		442	100.0	100.0

[Q65_3] Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns**Variable group pre-text***Are you doing something to support your health?***Question***Taking care of getting enough rest and sleep*

Frequencies

label	value	n	%	v. %
Yes, regularly	1	48	10.9	16.8
Yes, from time to time	2	89	20.1	31.2
No	3	148	33.5	51.9
System missing (SYSMIS)	.	157	35.5	–
		442	100.0	100.0

[Q65_4] Are you doing something to maintain your health? I avoid unhealthy habits**Variable group pre-text**

Are you doing something to support your health?

Question

Avoiding unhealthy habits

Frequencies

label	value	n	%	v. %
Yes, regularly	1	91	20.6	30.4
Yes, from time to time	2	84	19.0	28.1
No	3	124	28.1	41.5
System missing (SYSMIS)	.	143	32.4	–
		442	100.0	100.0

[Q65_5] Are you doing something to maintain your health? I visit a physician as a preventive measure**Variable group pre-text**

Are you doing something to support your health?

Question

Visiting physicians as a preventive measure

Frequencies

label	value	n	%	v. %
Yes, regularly	1	23	5.2	8.3
Yes, from time to time	2	64	14.5	23.2
No	3	189	42.8	68.5
System missing (SYSMIS)	.	166	37.6	–
		442	100.0	100.0

[Q66] How tall are you? (cm)

Question

How tall are you? (cm)

Descriptive statistics

statistic	value
number of valid cases	385
minimum	108.00
maximum	200.00
mean	178.54
standard deviation	8.91

[Q67] How much do you weigh? (kg)

Question

How much do you weigh? (kg)

Descriptive statistics

statistic	value
number of valid cases	382
minimum	23.00
maximum	112.00
mean	70.12
standard deviation	10.49

Chapter 3

Indexes

3.1 Variables in the order of occurrence

FSD study number [FSD_NO]	7
FSD edition number [FSD_VR]	7
FSD case id [FSD_ID]	8
Study district [BV2]	8
Percentage of the questionnaire completed [BV3]	8
The respondent's age [Q1]	8
How many people are you living with (how many persons belong to the same household including yourself)? [Q2]	9
List the people with whom you live: Your wife [Q3_1]	9
List the people with whom you live: Cohabiting partner [Q3_2]	10
List the people with whom you live: Children (under 18) [Q3_3]	10
List the people with whom you live: Your parents [Q3_4]	10
List the people with whom you live: Your spouse's/partner's parents [Q3_5]	11
List the people with whom you live: Brothers, sisters [Q3_6]	11
List the people with whom you live: Other relatives [Q3_7]	12
List the people with whom you live: Friends [Q3_8]	12
List the people with whom you live: Some other people [Q3_9]	13
The respondent's education [Q4]	13
The respondent's employment status [Q5]	14
The respondent's primary occupation (if working) [Q6_1]	14
The respondent's occupation in Finnish (open-ended question) [Q6_2]	14
Mother's occupation [categorised] [Q7_1_1]	14
Mother's economic activity [categorised] [Q7_1_2]	15

3. Indexes

Mother's occupation in Finnish (open-ended question) [Q7_1_3]	16
Father's occupation [categorised] [Q7_2_1]	16
Father's economic activity [categorised] [Q7_2_2]	17
Father's occupation in Finnish (open-ended question) [Q7_2_3]	18
In your opinion, is your family [Q8]	18
How old were you when you first had sexual intercourse? [Q9_1]	18
How old were you when you first had sexual intercourse? Has had intercourse [Q9_2]	19
How old was your first partner? [Q10]	19
Did you use any contraception method to prevent pregnancy during your first act of intercourse? [Q11]	20
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception [Q12_1]	20
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills [Q12_2]	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD) [Q12_3]	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom [Q12_4]	22
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Diaphragm [Q12_5]	22
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule [Q12_6]	23
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days) [Q12_7]	23
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus [Q12_8]	24
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing [Q12_9]	24
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills' [Q12_10]	25
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what? [Q12_11]	25
Who decided on using contraception when you last had intercourse? [Q13]	26
How satisfied are you with the contraceptive method you are currently using? [Q14]	26
Why did you use a condom when you last had intercourse? My partner wanted to [Q15_1]	26
Why did you use a condom when you last had intercourse? Out of curiosity [Q15_2]	27
Why did you use a condom when you last had intercourse? My friends use condoms as well [Q15_3]	27

Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs [Q15_4]	28
Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy [Q15_5]	28
Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well [Q15_6]	29
Why did you use a condom when you last had intercourse? I did not use a condom [Q15_7]	29
If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods [Q16_1]	30
If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them [Q16_2]	30
If you did not use any contraception when you last had intercourse, why not? My own preference [Q16_3]	31
If you did not use any contraception when you last had intercourse, why not? My partner's preference [Q16_4]	31
If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant [Q16_5]	32
If you did not use any contraception when you last had intercourse, why not? Religious reasons [Q16_6]	32
If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding [Q16_7]	33
If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children [Q16_8]	33
If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse [Q16_9]	34
Have you ever consulted a physician or nurse in issues related to contraception? [Q17]	34
Have you discussed contraceptive methods and the use of contraception with your spouse/partner in the last year? [Q18]	35
In your opinion, who is responsible for contraception? [Q19]	35
Would you like to take part in contraceptive decision making [Q20]	35
What do you think about the advice given by parents or other older relatives when you are planning to have children? Is this advice [Q21]	36
Did you receive sex education in your childhood home? [Q22]	36
Did you receive sex education in school? [Q23]	37
Have you been afraid that your steady or casual partner got unexpectedly pregnant? [Q24] .	37
Has your wife or partner ever had an abortion resulting from sexual intercourse with you? [Q25]	38
If your partner has had an abortion, what were the reasons for it? We were not ready to take responsibility for raising a small child [Q26_1]	38

3. Indexes

If your partner has had an abortion, what were the reasons for it? Unstable or problematic couple relationship [Q26_2]	39
If your partner has had an abortion, what were the reasons for it? Pressure from parents or partner's parents [Q26_3]	39
If your partner has had an abortion, what were the reasons for it? Financial reasons [Q26_4]	40
If your partner has had an abortion, what were the reasons for it? Unfinished studies [Q26_5]	40
If your partner has had an abortion, what were the reasons for it? Work situation [Q26_6] ..	41
If your partner has had an abortion, what were the reasons for it? We were too young [Q26_7]	41
If your partner has had an abortion, what were the reasons for it? There was no one who could have helped us with child care [Q26_8]	42
If your partner has had an abortion, what were the reasons for it? I didn't have time to take care of a child [Q26_9]	42
If your partner has had an abortion, what were the reasons for it? My partner decided on the issue [Q26_10]	43
If your partner has had an abortion, what were the reasons for it? Other reasons [Q26_11] .	43
If your partner has had an abortion, did you discuss it with your partner? [Q27]	44
Do you currently have a steady female sexual partner? [Q28]	44
How old were you when you first had a steady relationship? [Q29_1]	44
How old were you when you first had a steady relationship? Age, years [Q29_2]	45
Altogether, with how many partners have you had sexual intercourse in your life so far? [Q30_1]	45
Altogether, with how many partners have you had sexual intercourse in your life so far? Has had intercourse [Q30_2]	46
Altogether, with how many partners did you have sexual intercourse last year? [Q31]	46
When did you last have sexual intercourse? [Q32]	46
Who was your last sexual partner? [Q33]	47
Did you consume any alcohol before you last had intercourse? [Q34]	47
Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested [Q35]	48
Have you ever been propositioned to have intercourse with someone by offering money or other rewards of similar types? [Q36]	48
Have you ever propositioned someone to have intercourse with you by offering them money or other rewards of similar types? [Q37]	49
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently [Q38_1]	49
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the	

following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS) [Q38_2]	50
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her [Q38_3]	50
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk [Q38_4]	51
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person [Q38_5]	51
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse [Q38_6]	52
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception [Q38_7]	52
In many countries, there is no free abortion available like there is in Russia. Do you agree that a woman should not have an abortion for free? [Q39]	53
If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family? [Q40_1]	53
If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years) [Q40_2]	53
If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child? [Q40_3A]	54
If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child? [Q40_3B]	54
In your opinion, what is the most suitable number of children for your family? [Q41]	54
Do you have children? [Q42]	55
If your partner gave birth to a child now, would you like to be present at birth? [Q44]	55
When you were a small child, who mainly took care of you during the day? [Q45]	55
How would you rate your quality of life? [Q46]	56
How satisfied are you with your health? [Q47]	56
Do you have a chronic disease for which you regularly use prescribed medication? [Q48] ..	57
Do you have any permanent or chronic illness or any defect, trouble or injury, which reduces your working capacity or functional ability? [Q49]	57
Have you had any of the following infections? Genital herpes [Q50_1]	57
Have you had any of the following infections? Condyloma [Q50_2]	58
Have you had any of the following infections? Chlamydia [Q50_3]	58
Have you had any of the following infections? Yeast infection in the genital area [Q50_4] ..	59
Have you had any of the following infections? Gonorrhea [Q50_5]	59
Have you had any of the following infections? Syphilis [Q50_6]	60

3. Indexes

Have you had any of the following infections? HIV/AIDS [Q50_7]	60
Have you had any of the following infections? Inflammation of the prostate (prostatitis) [Q50_8]	61
Have you had any of the following infections? Inflammation of the testicles (orchitis) [Q50_9]	61
Have you had any of the following infections? Some other infection [Q50_10]	62
If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right [Q51_1]	62
If you suspected that you have contracted an STD, what would you do? Try self treatment [Q51_2]	63
If you suspected that you have contracted an STD, what would you do? Ask friends for advice [Q51_3]	63
If you suspected that you have contracted an STD, what would you do? Ask parents for advice [Q51_4]	64
If you suspected that you have contracted an STD, what would you do? Visit a private physician/clinic [Q51_5]	64
If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic [Q51_6]	65
If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology [Q51_7]	65
If you suspected that you have contracted an STD, what would you do? Visit a public health centre [Q51_8]	66
Have you ever been tested for HIV on your own initiative? [Q52]	66
If you wanted to have an HIV-test, where would you go? [Q53]	67
Would you get tested even if it wasn't anonymous? [Q54]	67
Have you ever smoked regularly, i.e. smoked at least one cigarette, cigar or pipeful a day for at least one year? [Q55]	67
Overall, how often do you use alcohol? (Take also into account those times when you only use very small amounts, for instance half a bottle of beer or a drop of wine) [Q56]	68
Have you ever taken any drugs (including marijuana)? [Q57]	68
Have you ever tried the following substances? Hasish or marijuana [Q58_1]	69
Have you ever tried the following substances? Ecstasy [Q58_2]	69
Have you ever tried the following substances? Amphetamine or metamphetamine [Q58_3] .	70
Have you ever tried the following substances? Cocaine, crack [Q58_4]	70
Have you ever tried the following substances? Heroin or morphine [Q58_5]	71
Have you ever tried the following substances? LSD or other hallucinogens [Q58_6]	71
Have you ever tried the following substances? Psychedelic mushrooms [Q58_7]	72
Have you ever tried the following substances? Medicine and pills [Q58_8]	72

Have you ever tried the following substances? Thinner, glue, other solvents [Q58_9]	73
Have you ever tried the following substances? Other unknown substance [Q58_10]	73
Have you ever tried the following substances? Some substances intravenously [Q58_11] ...	74
For what reason do you think you could try drugs? Because of loneliness [Q59_1]	74
For what reason do you think you could try drugs? Because they are easy to get [Q59_2] ..	75
For what reason do you think you could try drugs? To show courage [Q59_3]	75
For what reason do you think you could try drugs? Because of problems or difficulties, to relax [Q59_4]	76
For what reason do you think you could try drugs? It is fashionable [Q59_5]	76
For what reason do you think you could try drugs? To get new experiences, information, sensations [Q59_6]	77
For what reason do you think you could try drugs? To be like my friends [Q59_7]	77
For what reason do you think you could try drugs? Out of curiosity [Q59_8]	77
For what reason do you think you could try drugs? As a sign of protest [Q59_9]	78
For what reason do you think you could try drugs? Because of problems in the family or with parents [Q59_10]	78
For what reason do you think you could try drugs? Other reason [Q59_11]	79
For what reason do you think you could try drugs? Other reason, what? [Q59_12]	79
Do you have friends or acquaintances that take drugs? [Q60]	80
Would your attitude towards an acquaintance change, if you learnt that he/she takes drugs? [Q61]	80
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? [Q62_1]	81
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? Other [Q62_2]	81
How many times you have visited a physician in the last 12 months? Please include all visits to a physician (illness, medical examination etc.) [Q63]	82
How many times in the last 12 months have you been as an inpatient in a hospital? [Q64] ..	82
Are you doing something to maintain your health? I'm on a diet [Q65_1]	82
Are you doing something to maintain your health? I exercise/do sport [Q65_2]	83
Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns [Q65_3]	83
Are you doing something to maintain your health? I avoid unhealthy habits [Q65_4]	84
Are you doing something to maintain your health? I visit a physician as a preventive measure [Q65_5]	84
How tall are you? (cm) [Q66]	85
How much do you weigh? (kg) [Q67]	85

3.2 Variables in alphabetical order

Altogether, with how many partners did you have sexual intercourse last year?	46
Altogether, with how many partners have you had sexual intercourse in your life so far? ...	45
Altogether, with how many partners have you had sexual intercourse in your life so far? Has had intercourse	46
Are you doing something to maintain your health? I avoid unhealthy habits	84
Are you doing something to maintain your health? I exercise/do sport	83
Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns	83
Are you doing something to maintain your health? I visit a physician as a preventive measure	84
Are you doing something to maintain your health? I'm on a diet	82
Besides being sexually interested in the opposite sex, people are sometimes also interested in the same sex. Are you sexually interested	48
Did you consume any alcohol before you last had intercourse?	47
Did you receive sex education in school?	37
Did you receive sex education in your childhood home?	36
Did you use any contraception method to prevent pregnancy during your first act of intercourse?	20
Do you currently have a steady female sexual partner?	44
Do you have a chronic disease for which you regularly use prescribed medication?	57
Do you have any permanent or chronic illness or any defect, trouble or injury, which reduces your working capacity or functional ability?	57
Do you have children?	55
Do you have friends or acquaintances that take drugs?	80
Father's economic activity [categorised]	17
Father's occupation [categorised]	16
Father's occupation in Finnish (open-ended question)	18
For what reason do you think you could try drugs? As a sign of protest	78
For what reason do you think you could try drugs? Because of loneliness	74
For what reason do you think you could try drugs? Because of problems in the family or with parents	78
For what reason do you think you could try drugs? Because of problems or difficulties, to relax	76
For what reason do you think you could try drugs? Because they are easy to get	75
For what reason do you think you could try drugs? It is fashionable	76

For what reason do you think you could try drugs? Other reason	79
For what reason do you think you could try drugs? Other reason, what?	79
For what reason do you think you could try drugs? Out of curiosity	77
For what reason do you think you could try drugs? To be like my friends	77
For what reason do you think you could try drugs? To get new experiences, information, sensations	77
For what reason do you think you could try drugs? To show courage	75
FSD case id	8
FSD edition number	7
FSD study number	7
Has your wife or partner ever had an abortion resulting from sexual intercourse with you? .	38
Have you been afraid that your steady or casual partner got unexpectedly pregnant?	37
Have you discussed contraceptive methods and the use of contraception with your spouse/partner in the last year?	35
Have you ever been propositioned to have intercourse with someone by offering money or other rewards of similar types?	48
Have you ever been tested for HIV on your own initiative?	66
Have you ever consulted a physician or nurse in issues related to contraception?	34
Have you ever propositioned someone to have intercourse with you by offering them money or other rewards of similar types?	49
Have you ever smoked regularly, i.e. smoked at least one cigarette, cigar or pipeful a day for at least one year?	67
Have you ever taken any drugs (including marijuana)?	68
Have you ever tried the following substances? Amphetamine or metamphetamine	70
Have you ever tried the following substances? Cocaine, crack	70
Have you ever tried the following substances? Ecstasy	69
Have you ever tried the following substances? Hashish or marijuana	69
Have you ever tried the following substances? Heroin or morphine	71
Have you ever tried the following substances? LSD or other hallucinogens	71
Have you ever tried the following substances? Medicine and pills	72
Have you ever tried the following substances? Other unknown substance	73
Have you ever tried the following substances? Psychedelic mushrooms	72
Have you ever tried the following substances? Some substances intravenously	74
Have you ever tried the following substances? Thinner, glue, other solvents	73
Have you had any of the following infections? Chlamydia	58
Have you had any of the following infections? Condyloma	58

3. Indexes

Have you had any of the following infections? Genital herpes	57
Have you had any of the following infections? Gonorrhea	59
Have you had any of the following infections? HIV/AIDS	60
Have you had any of the following infections? Inflammation of the prostate (prostatitis) ...	61
Have you had any of the following infections? Inflammation of the testicles (orchitis)	61
Have you had any of the following infections? Some other infection	62
Have you had any of the following infections? Syphilis	60
Have you had any of the following infections? Yeast infection in the genital area	59
How many people are you living with (how many persons belong to the same household including yourself)?	9
How many times in the last 12 months have you been as an inpatient in a hospital?	82
How many times you have visited a physician in the last 12 months? Please include all visits to a physician (illness, medical examination etc.)	82
How much do you weigh? (kg)	85
How old was your first partner?	19
How old were you when you first had a steady relationship?	44
How old were you when you first had a steady relationship? Age, years	45
How old were you when you first had sexual intercourse?	18
How old were you when you first had sexual intercourse? Has had intercourse	19
How satisfied are you with the contraceptive method you are currently using?	26
How satisfied are you with your health?	56
How tall are you? (cm)	85
How would you rate your quality of life?	56
If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods	30
If you did not use any contraception when you last had intercourse, why not? My own preference	31
If you did not use any contraception when you last had intercourse, why not? My partner's preference	31
If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding	33
If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children	33
If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse	34
If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them	30

If you did not use any contraception when you last had intercourse, why not? Religious reasons	32
If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant	32
If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years)	53
If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child?	54
If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child?	54
If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family?	53
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change?	81
If you found out that your friend/acquaintance was using drugs, how would your attitude towards them change? Other	81
If you suspected that you have contracted an STD, what would you do? Ask friends for advice	63
If you suspected that you have contracted an STD, what would you do? Ask parents for advice	64
If you suspected that you have contracted an STD, what would you do? Try self treatment	63
If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology	65
If you suspected that you have contracted an STD, what would you do? Visit a private physician/clinic	64
If you suspected that you have contracted an STD, what would you do? Visit a public health centre	66
If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic	65
If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right	62
If you wanted to have an HIV-test, where would you go?	67
If your partner gave birth to a child now, would you like to be present at birth?	55
If your partner has had an abortion, did you discuss it with your partner?	44
If your partner has had an abortion, what were the reasons for it? Financial reasons	40
If your partner has had an abortion, what were the reasons for it? I didn't have time to take care of a child	42
If your partner has had an abortion, what were the reasons for it? My partner decided on the issue	43

3. Indexes

If your partner has had an abortion, what were the reasons for it? Other reasons	43
If your partner has had an abortion, what were the reasons for it? Pressure from parents or partner's parents	39
If your partner has had an abortion, what were the reasons for it? There was no one who could have helped us with child care	42
If your partner has had an abortion, what were the reasons for it? Unfinished studies	40
If your partner has had an abortion, what were the reasons for it? Unstable or problematic couple relationship	39
If your partner has had an abortion, what were the reasons for it? We were not ready to take responsibility for raising a small child	38
If your partner has had an abortion, what were the reasons for it? We were too young	41
If your partner has had an abortion, what were the reasons for it? Work situation	41
In many countries, there is no free abortion available like there is in Russia. Do you agree that a woman should not have an abortion for free?	53
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently	49
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse	52
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS)	50
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her	50
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person	51
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk	51
In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception	52
In your opinion, is your family	18
In your opinion, what is the most suitable number of children for your family?	54
In your opinion, who is responsible for contraception?	35
List the people with whom you live: Brothers, sisters	11
List the people with whom you live: Children (under 18)	10
List the people with whom you live: Cohabiting partner	10
List the people with whom you live: Friends	12
List the people with whom you live: Other relatives	12
List the people with whom you live: Some other people	13

List the people with whom you live: Your spouse's/partner's parents	11
List the people with whom you live: Your wife	9
Mother's economic activity [categorised]	15
Mother's occupation [categorised]	14
Mother's occupation in Finnish (open-ended question)	16
Overall, how often do you use alcohol? (Take also into account those times when you only use very small amounts, for instance half a bottle of beer or a drop of wine)	68
Percentage of the questionnaire completed	8
Study district	8
The respondent's age	8
The respondent's education	13
The respondent's employment status	14
The respondent's occupation in Finnish (open-ended question)	14
The respondent's primary occupation (if working)	14
What do you think about the advice given by parents or other older relatives when you are planning to have children? Is this advice	36
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus	24
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom	22
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule	23
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Diaphragm	22
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD)	21
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception	20
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills'	25
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what?	25
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days)	23
What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing	24

3. Indexes

When did you last have sexual intercourse?	46
When you were a small child, who mainly took care of you during the day?	55
Who decided on using contraception when you last had intercourse?	26
Who was your last sexual partner?	47
Why did you use a condom when you last had intercourse? I did not use a condom	29
Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs	28
Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy	28
Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well	29
Why did you use a condom when you last had intercourse? My friends use condoms as well	27
Why did you use a condom when you last had intercourse? My partner wanted to	26
Why did you use a condom when you last had intercourse? Out of curiosity	27
Would you get tested even if it wasn't anonymous?	67
Would you like to take part in contraceptive decision making	35
Would your attitude towards an acquaintance change, if you learnt that he/she takes drugs?	80
List the people with whom you live: Your parents	10

3.3 Variable groups

Variable group

Who are these people (circle those who belong to the household)?

[Q3_1] List the people with whom you live: Your wife	9
[Q3_2] List the people with whom you live: Cohabiting partner	10
[Q3_3] List the people with whom you live: Children (under 18)	10
[Q3_4] List the people with whom you live: Your parents	10
[Q3_5] List the people with whom you live: Your spouse's/partner's parents	11
[Q3_6] List the people with whom you live: Brothers, sisters	11
[Q3_7] List the people with whom you live: Other relatives	12
[Q3_8] List the people with whom you live: Friends	12
[Q3_9] List the people with whom you live: Some other people	13

Variable group

What are the occupations of your parents?

[Q7_1_1] Mother's occupation [categorised]	14
[Q7_1_2] Mother's economic activity [categorised]	15
[Q7_1_3] Mother's occupation in Finnish (open-ended question)	16
[Q7_2_1] Father's occupation [categorised]	16
[Q7_2_2] Father's economic activity [categorised]	17
[Q7_2_3] Father's occupation in Finnish (open-ended question)	18

Variable group

What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? (you can choose several alternatives)

[Q12_1] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? I/we do not use/need any contraception	20
[Q12_2] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive pills	21
[Q12_3] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Intrauterine device (IUD)	21
[Q12_4] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Condom	22
[Q12_5] What methods are you currently using or have lately used with your spouse/partner to	

prevent pregnancy? Diaphragm	22
[Q12_6] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Contraceptive capsule	23
[Q12_7] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rhythm method (calculating safe days)	23
[Q12_8] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Coitus interruptus	24
[Q12_9] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Rinsing	24
[Q12_10] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? 'Morning after pills'	25
[Q12_11] What methods are you currently using or have lately used with your spouse/partner to prevent pregnancy? Other, what?	25

Variable group

Why did you use condom in latest intercourse? (several reasons are possible)

[Q15_1] Why did you use a condom when you last had intercourse? My partner wanted to .	26
[Q15_2] Why did you use a condom when you last had intercourse? Out of curiosity.....	27
[Q15_3] Why did you use a condom when you last had intercourse? My friends use condoms as well	27
[Q15_4] Why did you use a condom when you last had intercourse? I have heard that a condom protects against STDs.....	28
[Q15_5] Why did you use a condom when you last had intercourse? I wanted to prevent unwanted pregnancy	28
[Q15_6] Why did you use a condom when you last had intercourse? I wanted to protect myself because I did not know my partner well	29
[Q15_7] Why did you use a condom when you last had intercourse? I did not use a condom	29

Variable group

If you did not use any contraception in the latest intercourse, why it was so? (one can choose at most three alternatives)

[Q16_1] If you did not use any contraception when you last had intercourse, why not? I don't have information about contraceptive methods	30
[Q16_2] If you did not use any contraception when you last had intercourse, why not? Price of contraceptives or other difficulties in obtaining them.....	30
[Q16_3] If you did not use any contraception when you last had intercourse, why not? My own preference	31
[Q16_4] If you did not use any contraception when you last had intercourse, why not? My	

partner's preference	31
[Q16_5] If you did not use any contraception when you last had intercourse, why not? We wouldn't mind if my partner got pregnant	32
[Q16_6] If you did not use any contraception when you last had intercourse, why not? Religious reasons	32
[Q16_7] If you did not use any contraception when you last had intercourse, why not? My spouse/partner is pregnant or breast-feeding	33
[Q16_8] If you did not use any contraception when you last had intercourse, why not? No need, because I/my partner cannot have children	33
[Q16_9] If you did not use any contraception when you last had intercourse, why not? No need, because there has been no intercourse	34

Variable group

What were the reasons for making of abortion?

[Q26_1] If your partner has had an abortion, what were the reasons for it? We were not ready to take responsibility for raising a small child	38
[Q26_2] If your partner has had an abortion, what were the reasons for it? Unstable or problematic couple relationship	39
[Q26_3] If your partner has had an abortion, what were the reasons for it? Pressure from parents or partner's parents	39
[Q26_4] If your partner has had an abortion, what were the reasons for it? Financial reasons	40
[Q26_5] If your partner has had an abortion, what were the reasons for it? Unfinished studies	40
[Q26_6] If your partner has had an abortion, what were the reasons for it? Work situation ..	41
[Q26_7] If your partner has had an abortion, what were the reasons for it? We were too young	41
[Q26_8] If your partner has had an abortion, what were the reasons for it? There was no one who could have helped us with child care	42
[Q26_9] If your partner has had an abortion, what were the reasons for it? I didn't have time to take care of a child	42
[Q26_10] If your partner has had an abortion, what were the reasons for it? My partner decided on the issue	43
[Q26_11] If your partner has had an abortion, what were the reasons for it? Other reasons ..	43

Variable group

In your opinion, can a woman refuse sexual intercourse with her husband/partner in the following situations?

[Q38_1] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She has given birth recently	49
--	----

[Q38_2] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She knows or doubts that her spouse/partner has an STD (incl. HIV/AIDS).....	50
[Q38_3] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner beats her	50
[Q38_4] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is drunk	51
[Q38_5] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner has a sexual relationship with another person	51
[Q38_6] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: She is tired and does not want to have intercourse	52
[Q38_7] In your opinion, can a woman refuse to have sexual intercourse with her spouse/partner in the following situations: The spouse/partner is not willing to use contraception.....	52

Variable group

If you don't think about your own situation but the situation in general:

[Q40_1] If you don't think about your own situation but the situation in general: What is the ideal number of children in a Russian family?.....	53
[Q40_2] If you don't think about your own situation but the situation in general: What is a suitable interval between pregnancies? (in years)	53
[Q40_3A] If you don't think about your own situation but the situation in general: What is the ideal age for a woman to have her first child?	54
[Q40_3B] If you don't think about your own situation but the situation in general: What is the ideal age for a man to have his first child?	54

Variable group

Have you had any of the following infections?

[Q50_1] Have you had any of the following infections? Genital herpes	57
[Q50_2] Have you had any of the following infections? Condyloma	58
[Q50_3] Have you had any of the following infections? Chlamydia.....	58
[Q50_4] Have you had any of the following infections? Yeast infection in the genital area ..	59
[Q50_5] Have you had any of the following infections? Gonorrhoea	59
[Q50_6] Have you had any of the following infections? Syphilis	60
[Q50_7] Have you had any of the following infections? HIV/AIDS.....	60
[Q50_8] Have you had any of the following infections? Inflammation of the prostate (prostatitis)	61
[Q50_9] Have you had any of the following infections? Inflammation of the testicles (orchitis)	

61

[Q50_10] Have you had any of the following infections? Some other infection 62

Variable group

What action would you take if you would suspect that you have a sexually transmitted infection?

[Q51_1] If you suspected that you have contracted an STD, what would you do? Wait and hope that everything turns out all right. 62

[Q51_2] If you suspected that you have contracted an STD, what would you do? Try self treatment. 63

[Q51_3] If you suspected that you have contracted an STD, what would you do? Ask friends for advice 63

[Q51_4] If you suspected that you have contracted an STD, what would you do? Ask parents for advice 64

[Q51_5] If you suspected that you have contracted an STD, what would you do? Visit a private physician/clinic 64

[Q51_6] If you suspected that you have contracted an STD, what would you do? Visit a specialized sexual health clinic. 65

[Q51_7] If you suspected that you have contracted an STD, what would you do? Visit a clinic specializing in dermatology and venereology. 65

[Q51_8] If you suspected that you have contracted an STD, what would you do? Visit a public health centre. 66

Variable group

Have you ever tried the following substances?

[Q58_1] Have you ever tried the following substances? Hashish or marijuana 69

[Q58_2] Have you ever tried the following substances? Ecstasy 69

[Q58_3] Have you ever tried the following substances? Amphetamine or metamphetamine . 70

[Q58_4] Have you ever tried the following substances? Cocaine, crack 70

[Q58_5] Have you ever tried the following substances? Heroin or morphine 71

[Q58_6] Have you ever tried the following substances? LSD or other hallucinogens. 71

[Q58_7] Have you ever tried the following substances? Psychedelic mushrooms 72

[Q58_8] Have you ever tried the following substances? Medicine and pills 72

[Q58_9] Have you ever tried the following substances? Thinner, glue, other solvents 73

[Q58_10] Have you ever tried the following substances? Other unknown substance 73

[Q58_11] Have you ever tried the following substances? Some substances intravenously ... 74

Variable group

For what reasons could you try drugs?

[Q59_1] For what reason do you think you could try drugs? Because of loneliness	74
[Q59_2] For what reason do you think you could try drugs? Because they are easy to get . . .	75
[Q59_3] For what reason do you think you could try drugs? To show courage	75
[Q59_4] For what reason do you think you could try drugs? Because of problems or difficulties, to relax	76
[Q59_5] For what reason do you think you could try drugs? It is fashionable	76
[Q59_6] For what reason do you think you could try drugs? To get new experiences, information, sensations	77
[Q59_7] For what reason do you think you could try drugs? To be like my friends	77
[Q59_8] For what reason do you think you could try drugs? Out of curiosity	77
[Q59_9] For what reason do you think you could try drugs? As a sign of protest	78
[Q59_10] For what reason do you think you could try drugs? Because of problems in the family or with parents	78
[Q59_11] For what reason do you think you could try drugs? Other reason	79
[Q59_12] For what reason do you think you could try drugs? Other reason, what?	79

Variable group

Are you doing something to support your health?

[Q65_1] Are you doing something to maintain your health? I'm on a diet	82
[Q65_2] Are you doing something to maintain your health? I exercise/do sport	83
[Q65_3] Are you doing something to maintain your health? I pay attention to regular rest and sleeping patterns	83
[Q65_4] Are you doing something to maintain your health? I avoid unhealthy habits	84
[Q65_5] Are you doing something to maintain your health? I visit a physician as a preventive measure	84

Appendix A

Questionnaire in Finnish

KYSELYLOMAKE

Tämä kyselylomake on osa Yhteiskuntatieteelliseen tietoaarkistoon arkistoitua tutkimusaineistoa

FSD2417 Lisääntymisterveys Pietarissa : miehet 2003

Kyselylomaketta hyödyntävien tulee viitata siihen asianmukaisesti lähdeviitteellä.

Lisätiedot: <http://www.fsd.uta.fi/>

QUESTIONNAIRE

This questionnaire is part of the following dataset, archived at the Finnish Social Science Data Archive:

FSD2417 Reproductive Health in St. Petersburg : Men 2003

If this questionnaire is used or referred to in any publication, the source must be acknowledged by means of an appropriate bibliographic citation.

More information: <http://www.fsd.uta.fi/>

1. Taustatiedot

1. Kuinka vanha olette?

_____ vuotta

2. Kuinka monen henkilön kanssa asutte (kuinka monta henkilöä kuuluu samaan talouteen, mukaan lukien Te itse)?

3. Keitä nämä henkilöt ovat (ympyröikää ne, joita kuuluu talouteen)?

1. aviopuoliso

2. avopuoliso

3. lapsia (alle 18-vuotiaita)

4. omat vanhemmat

5. puolison vanhemmat

6. sisaruksia

7. muita sukulaisia

8. ystäviä, tuttaviam

9. muita, ketä? _____

4. Koulutuksenne

1. perus

2. keskeneräinen keskiasteen

3. keskiasteen yleinen (lukio)

4. ammattikoulu

5. tekninen oppilaitos

6. keskeneräinen korkeakoulututkinto

7. korkeakouluopiskelija

8. korkeakoulu

5. Oletteko tällä hetkellä

1. työssä

2. opiskelette

3. työtön

6. Kysytään työssä käyviltä: Mikä on tällä hetkellä varsinainen ammattinne (ammatti, jota pidätte pääasiallisena, työpaikan nimi)?

7. Mitkä ovat vanhempienne ammatit?

äidin ammatti _____

isän ammatti _____

8. Onko perheenne mielestänne

1. hyvin köyhä

2. heikompisainen

3. en osaa sanoa

4. keskituloinen

5. hyvin toimeentuleva

2. Raskauden ehkäisyyn liittyvät kysymykset

9. Minkä ikäisenä olitte sukupuoliyhdyntässä ensimmäisen kerran?

1. en ole koskaan ollut yhdynnässä. → **siirtykää kysymykseen 19**

2. _____-vuotiaana

10. Minkä ikäinen oli partnerinne?

_____ -vuotias

11. Käyttittekö ensimmäisessä yhdynnässänne mitään ehkäisymenetelmää raskauden estämiseksi?

1. ei käytetty mitään

2. keskeytettyä yhdyntää

3. kondomia

4. ehkäisytabletteja

5. käytettiin muuta menetelmää, mitä? _____

6. en muista

12. Mitä menetelmää käytätte nykyisin tai olette käyttäneet viime aikoina puolisonne/kumppaninne kanssa raskauden ehkäisyyn (voi valita useita vaihtoehtoja)?

1. en/emme käytä/tarvitse mitään ehkäisyä

2. ehkäisytabletteja

3. kierukka

4. kondomi

5. pessaari

6. ehkäisykapseli

7. rytmimenetelmä (varmojen päivien laskeminen)

8. keskeytetty yhdyntä

9. huuhtelu

10. jälkiehkäisy ("katumuspillereit")

11 jokin muu, mikä? _____

13. Kuka viimeisessä yhdynnässänne päätti ehkäisyvälineiden käytöstä?

1. sinä

2. kumppanisi

3. molemmat yhdessä

4. joku muu, kuka? _____

5. en osaa sanoa, en muista

14. Oletteko tällä hetkellä käyttämäänne ehkäisymenetelmään

1. erittäin tyytyväinen

2. melko tyytyväinen

3. melko tyytymätön

4. erittäin tyytymätön

5. en käytä ehkäisyä tällä hetkellä

15. Miksi käytitte kondomia yhdynnässä? (Useat vastaukset mahdollisia)

1. partnerini halusi
2. uteliaisuudesta
3. koska kaverinikin käyttävät
4. koska olen kuullut, että kondomi suojaa sukupuolitauteja/seksitauteja vastaan
5. halusin estää ei-toivotun raskauden
6. halusin suojella itseäni, koska en tuntenut partneriani niin hyvin
7. en käyttänyt kondomia

16. Mikäli ette viimeisessä yhdynnässä käyttäneet mitään ehkäisymenetelmää, niin mistä syystä? (voi valita korkeintaan kolme vaihtoehtoa)

1. minulla ei ole tietoa ehkäisymenetelmistä
2. ehkäisyvälineiden hinta tai muut vaikeudet hankkia niitä
3. omasta mieltymyksestäni
4. partnerini mieltymyksestä
5. raskaus voi puolestamme alkaa milloin vain
6. emme käytä raskauden ehkäisyä uskonnollisista syistä
7. puolisoni/kumppanini on raskaana tai imettää
8. en tarvitse, koska en voi / puolisoni ei voi saada lapsia
9. en tarvitse, koska ei ole sukupuoliyhdyntöjä

17. Oletteko koskaan käynyt lääkärin tai terveydenhoitajan luona raskauden ehkäisyyn liittyvien kysymysten takia?

1. en
2. kyllä
3. en osaa sanoa, en muista

18. Oletteko viimeisen vuoden aikana keskustellut partnerisi/puolisoasi kanssa ehkäisyn käytöstä ja ehkäisymenetelmistä?

1. kyllä
2. en
3. en muista
4. minulla ei ollut puolisoa/partneria

Seuraavat kysymykset esitetään kaikille

19. Kenelle mielestänne vastuu raskauden ehkäisystä kuuluu?

1. pääasiassa naiselle
2. tasaveroisesti miehelle ja naiselle
3. pääasiassa miehelle
4. en osaa sanoa

20. Haluaisitteko osallistua raskauden ehkäisyä koskeviin päätöksiin

1. nykyistä enemmän
2. osallistun nyt sopivasti
3. nykyistä vähemmän
4. en ole koskaan osallistunut ehkäisyä koskeviin päätöksiin ja ajatus osallistumiselta tuntuu vieraalta
5. en osaa sanoa

21. Entä mitä mieltä olette vanhempien tai muiden vanhempien sukulaisten antamista neuvoista harkittaessa lasten saantia? Ovatko ne

1. aina toivottavia
2. joskus toivottavia
3. haitallisia
4. mielestäni niitä ei tarvitse
5. en osaa sanoa

22. Saitteko lapsuudenkodissanne tietoja sukupuolielämään liittyvistä asioista?

1. kyllä, liikaakin
2. kyllä, riittävästi
3. kyllä, mutta liian vähän
4. en, mutta olisin halunnut
5. en, enkä olisi halunnutkaan

23. Oletteko saanut sukupuolikasvatusta koulussa?

1. kyllä, liikaakin
2. kyllä, riittävästi
3. kyllä, mutta liian vähän
4. en, mutta olisin halunnut
5. en, enkä olisi halunnutkaan

24. Oletteko pelännyt, että vakituinen tai satunnainen kumppaninne tulisi suunnittelematta raskaaksi?

1. en
2. kyllä
3. en muista

25. Onko puolisolenne tai muulle kumppanillenne koskaan tehty raskauden keskeytystä eli aborttia?

1. ei → **siirtykää kysymykseen 28**
2. kyllä
3. en ole varma, en tiedä → **siirtykää kysymykseen 28**

26. Jos kumppanillenne on tehty raskauden keskeytys: mitkä seuraavista vaihtoehdoista sopivat kuvaamaan niitä syitä, joiden vuoksi päädyitte raskauden keskeytykseen? (voi valita korkeintaan kolme vaihtoehtoa)

1. emme olleet valmiita vastaamaan pienen lapsen kasvatuksesta
2. epävarma parisuhde tai ongelmat parisuhteessa
3. vanhempien tai kumppanin vanhempien painostus
4. taloudelliset syyt
5. opiskelut kesken
6. työtilanteen takia
7. olimme liian nuoria
8. ei ollut ketään, joka olisi voinut auttaa meitä lapsen hoidossa
9. minulla ei ollut aikaa huolehtia lapsesta
10. kumppanini päätti asiasta
11. muut syyt, mitkä ? _____

27. Keskustelitteko kumppaninne kanssa abortista?
1. hän kertoi minulle abortista ennen sen tekemistä
 2. hän kertoi minulle abortista vasta jälkeenpäin
 3. kuulin abortista joltain muulta
 4. päätimme yhdessä abortista
 5. abortti tehtiin ensi sijassa minun tahdostani
 6. muuta, mitä? _____

3. Parisuhteet, seksuaalisuus ja lastensaanti

Seuraavat kysymykset esitetään kaikille

28. Onko teillä tällä hetkellä vakituinen seksuaalikumppani (femin.)?

1. kyllä
2. ei

29. Minkä ikäinen olitte, kun ensimmäisen kerran seurustelitte vakituisesti?

(Ellette muista tarkkaan, ilmoittakaa arvio.)

1. Olin ____-vuotias
2. en ole koskaan seurustellut vakituisesti

30. Kuinka monen henkilön kanssa olette olleet sukupuoliyhteydessä elämänne aikana?(vaikkakin vain kerran)

1. _____
2. en ole koskaan ollut sukupuoliyhteydessä → **siirtykää kysymykseen 35**

31. Kuinka monen henkilön kanssa olette olleet sukupuoliyhteydessä (sukupuolihdyntä, oraaliseksi, anaalihdyntä, kumppanin kiihottaminen käsin) viimeisen vuoden aikana? (vaikkakin vain kerran)

_____ henkilön kanssa

32. Milloin viimeksi olitte sukupuoliyhdyntässä

1. viimeksi kuluneen vuorokauden aikana
2. 1-2 vrk sitten
3. 3-4 vrk sitten
4. 5-7 vrk sitten
5. 1-2 viikkoa sitten
6. 3-4 viikkoa sitten
7. 1-3 kk sitten
8. 4-12 kk sitten
9. 1-2 vuotta sitten
10. yli 3 vuotta sitten

33. Oliko viimeisin yhdyntäkumppaninne

1. oma puoliso tai vakituinen kumppani
2. jonkun toisen puoliso tai vakituinen kumppani
3. vapaa (naimaton, eronnut), ennestään tuttu henkilö
4. vapaa (naimaton, eronnut), ennestään tuntematon henkilö
5. prostituoitu tai muu maksullinen kumppani
6. joku muu
7. en osaa sanoa

34. Olitteko nauttinut alkoholia ennen viimeistä yhdyntäänne?

1. en lainkaan
2. kyllä, hiukan
3. kyllä, kohtalaisesti
4. kyllä, runsaasti
5. en muista

Seuraavat kysymykset esitetään kaikille

35. Ihmiset tuntevat joskus sukupuolista kiinnostusta paitsi toiseen, myös omaan sukupuoleensa. Kohdistuuko sukupuolinen kiinnostuksenne tällä hetkellä

1. yksinomaan miessukupuoleen
2. voittopuoleisesti miessukupuoleen
3. yhtä paljon molempiin sukupuoliin
4. voittopuolisesti naissukupuoleen
5. yksinomaan naissukupuoleen

36. Onko Teitä joskus suostuteltu sukupuoliyhteyteen tarjoamalla rahaa tai vastaavia taloudellisia etuuksia?

1. ei
2. kyllä, mutta olen kieltäytynyt
3. kyllä, ja olen suostunut kerran
4. kyllä, ja olen suostunut useampia kertoja

37. Oletteko joskus itse tarjonnut rahaa tai vastaavia taloudellisia etuuksia sukupuoliyhteydestä?

1. en
2. kyllä, mutta kohteet (tai kohde) eivät suostuneet
3. kyllä, ja yksi kohde on suostunut
4. kyllä, ja useampi kohde on suostunut

38. Voiko nainen mielestänne kieltäytyä sukupuoliyhteydestä puolisonsa/partnerinsa kanssa seuraavissa tilanteissa:

	kyllä	ei	en tiedä
1. nainen on hiljattain synnyttänyt	1	2	3
2. epäilee tai tietää, että puoliso/partnerilla on sukupuolitauti tai AIDS	1	2	3
3. puoliso/partneri lyö häntä	1	2	3
4. puoliso/partneri on humalassa	1	2	3
5. puoliso/partnerilla on sukupuolisuhte toisen henkilön kanssa	1	2	3
6. on väsynyt eikä ole haluja sukupuoliyhteyteen	1	2	3
7. puoliso/partneri ei ole halukas käyttämään ehkäisyä	1	2	3

39. Monissa maissa aborttia ei voi tehdä yhtä vapaasti kuin Venäjällä. Oletteko sitä mieltä, että nainen ei saisi vapaasti tehdä aborttia?

1. täysin samaa mieltä
2. melko samaa mieltä
3. en osaa sanoa
4. melko eri mieltä
5. täysin eri mieltä

40. Kun etäännytte omasta tilanteestanne, ja ajattelette asiaa yleisellä tasolla

1. Mikä on mielestänne nykyisin ihanteellinen lapsiluku venäläisessä perheessä? _____ lasta
2. Kuinka monta vuotta on mielestänne sopiva lasten syntymäväli? _____ vuotta
3. Minkä ikäisenä mielestänne naisen/miehen on ihanteellista hankkia ensimmäinen lapsensa?
 - a. Naisen olisi mielestäni ihanteellisinta hankkia ensimmäinen lapsensa _____ -vuotiaana
 - b. Miehen olisi mielestäni ihanteellisinta hankkia ensimmäinen lapsensa _____ -vuotiaana

41. Mikä olisi mielestänne Teille sopivin lasten lukumäärä? _____

42. Onko Teillä lapsia?

1. ei
2. kyllä, _____ lasta

43. Aiotteko hankkia lapsen tulevaisuudessa?

1. En
2. En tiedä, en ole varma
3. Kyllä; aion hankkia vielä _____ lasta.
4. Kumppanini on raskaana; sen jälkeen aion hankkia vielä _____ lasta

44. Jos kumppaninne synnyttäisi nyt, haluaisitteko olla mukana synnytyksessä?

1. en
2. kyllä
3. en osaa sanoa

45. Kuka pääasiallisesti hoiti Teitä työaikana kun olitte pieni?

1. äiti hoiti kotona
2. isä hoiti kotona
3. isovanhemmat
4. muut sukulaiset
5. valtion lastentarhassa
6. muu vaihtoehto, mikä? _____

4. Kysymyksiä yleisestä terveydentilastanne

46. Millainen on elämänlaatunne?

1. erittäin hyvä
2. hyvä
3. kohtalainen
4. huono
5. erittäin huono

47. Miten tyytyväinen olette terveyteenne?

1. erittäin tyytyväinen
2. tyytyväinen
3. en tyytyväinen enkä tyytymätön
4. tyytymätön
5. erittäin tyytymätön

48. Onko Teillä joitain kroonisia sairauksia, joihin tarvitsette jatkuvan lääkityksen?

1. ei
 2. kyllä, mitä?
-

49. Onko Teillä jokin pysyvä tai pitkäaikainen sairaus, tai jokin vika, vaiva tai vamma, joka vähentää työ- tai toimintakykyänne?

1. ei
 2. kyllä → Mikä tai millainen tämä sairaus tai vamma on?
-

50. Onko Teillä ollut seuraavia infektioitauteja?

	ei	kyllä	en tiedä
1. herpesvirus sukupuolielinten alueella	1	2	3
2. visvasyyvät eli kondyloomat	1	2	3
3. klamydia	1	2	3
4. hiivatulehdus sukupuolielinten alueella	1	2	3
5. tippuri	1	2	3
6. syfilis	1	2	3
7. HIV/AIDS	1	2	3
8. eturauhastulehdus	1	2	3
9. kivistulehdus	1	2	3
10. muu mikä _____			

51. Kuvitelkaa käytöstänne, jos heräisi epäily, että olette saanut sukupuolitaudin. Mihin toimenpiteisiin ryhtyisitte?

1. Annan ajan kuluu toivoen, että kaikki menee ohi.
2. Hoidan itse itseäni.
3. Kysyn neuvoa ystäviltä.
4. Kysyn neuvoa vanhemmiltani.
5. Menen yksityiselle lääkärille tai yksityiseen (ei valtion) hoitolaitokseen.
6. Menen sukupuolitautilien yksilölliseen ehkäisykseen.
7. Menen iho- ja sukupuolitautilien hoitoyksikköön.
8. Menen muuhun valtion hoitolaitokseen, mihin? _____

52. Oletteko joskus käynyt omasta aloitteestanne HIV-testissä?

1. en koskaan
2. kyllä, kerran
3. kyllä, useampia kertoja

53. Jos haluaisitte käydä HIV-testissä, minne menisitte?

1. julkiseen terveyskeskukseen
2. yksityiselle lääkäriasemalle
3. AIDS-keskukseen
4. muualle, minne? _____
5. en tiedä minne menisin

54. Menisittekö testiin myös jos sitä ei tehtäisi anonymisti?

1. kyllä
2. en
3. en tiedä

55. Oletteko koskaan tupakoinut säännöllisesti, eli polttanut ainakin yhden savukkeen, sikarin tai piipullisen päivässä vuoden ajan?

1. en koskaan
2. aikaisemmin, mutta en nykyisin
3. tupakoin nykyisin päivittäin
4. tupakoin nykyisin satunnaisesti

56. Kuinka usein kaiken kaikkiaan käytätte alkoholia? (Valitkaa lähinnä oikea vaihtoehto. Koettakaa ottaa mukaan nekin kerrat, jolloin nautitte hyvin pieniä määriä alkoholia, vaikkapa vain puoli pulloa keskiolutta tai tilkan viiniä.)

1. päivittäin
2. pari kertaa viikossa
3. kerran viikossa
4. pari kertaa kuukaudessa
5. noin kerran kuukaudessa
6. noin kerran kahdessa kuukaudessa
7. 3-4 kertaa vuodessa
8. kerran vuodessa tai harvemmin
9. en lainkaan

57. Oletteko itse koskaan elämäenne aikana kokeillut tai käyttänyt jotakin huumetta (esimerkiksi marihuanaa)?

1 kyllä

2 ei →

58. Oletteko kokeillut tai käyttänyt seuraavia aineita koskaan elämäenne aikana?

en koskaan	kyllä, yhteensä 1-2 kertaa	kyllä, vähemmän kuin 6 kertaa	kyllä, enemmän kuin 6 kertaa
------------	-------------------------------	----------------------------------	---------------------------------

1. hasis tai marihuana
2. ekstaasi
3. amfetamiini tai metafetamiini
4. kokaiini, crack
5. heroiini tai morfiini
6. LSD tai muu harha-
aistimuksia aiheuttava aine
7. huumaavat sienet
8. lääkeaineet ja pillerit
9. tinneri, liima ym. tekniset liuottimet
10. jotain minulle tuntematonta ainetta
11. jotain ainetta ruiskun avulla

59. Mistä syystä voisitte kokeilla huumeita (valitkaa vain yksi)?

1. yksinäisyydestä
2. koska niitä on helppo saada
3. näyttääkseni rohkeuteni
4. ongelmien, vaikeuksien, ahdistuksen takia
5. se muodissa
6. saadakseni uusia kokemuksia, tietoa
7. ollakseni samanlainen kuin ystäväni
8. uteliaisuudesta
9. protestin merkinä
10. perheongelmien tai ongelmien vanhempien kanssa takia
11. muu syy, mikä? _____

60. Onko Teillä ystäviä tai tuttavvia, jotka käyttävät huumeita?

1. kyllä
2. ei
3. en osaa sanoa

61. Muuttuuko asenteenne tuttavaa kohtaan, jos saatte kuulla tämän käyttävän huumeita?

1. Ei muutu mitenkään
2. Todennäköisesti ei muutu
3. Todennäköisesti muuttuu
4. Kyllä, aivan varmasti muuttuu
5. en osaa sanoa

62. Jos asenteenne muuttuu, niin miten?

1. Katkaisen kaikki suhteet häneen
2. Pysin olemaan hänen kanssaan tekemisissä mahdollisimman vähän
3. Yritän auttaa häntä
4. Jotenkin muuten, miten? _____

63. Kuinka monta kertaa olette viimeisen 12 kuukauden aikana käynyt lääkärintarkastuksessa?
(Ottakaa mukaan kaikki lääkärissä käynnit: sairauden vuoksi, terveystarkastuksessa jne.)

_____ kertaa

64. Kuinka monta kertaa olette olleet hoidettavana vuodepotilaana (sairaalassa) viimeisen 12 kuukauden aikana?

_____ kertaa

65. Harrastatteko jotakin terveyttenne ylläpitämiseksi?

	kyllä, säännöllisesti	kyllä, silloin tällöin	ei
1. Noudatan erityisruokavaliota	1	2	3
2. Harrastan urheilua	1	2	3
3. Huolehdin riittävästä unesta ja levosta	1	2	3
4. Vältän haitallisia tottumuksia	1	2	3
5. Käyn lääkärissä ennaltaehkäisyn takia	1	2	3

66. Mikä on pituutenne?

_____ cm

67. Mikä on painonne?

_____ kg

Appendix B

Questionnaire in Russian

KYSELYLOMAKE

Tämä kyselylomake on osa Yhteiskuntatieteelliseen tietoaarkistoon arkistoitua tutkimusaineistoa

FSD2417 Lisääntymisterveys Pietarissa: miehet 2003

Kyselylomaketta hyödyntävien tulee viitata siihen asianmukaisesti lähdeviitteellä.

Lisätiedot: <http://www.fsd.uta.fi/>

QUESTIONNAIRE

This questionnaire is part of the following dataset, archived at the Finnish Social Science Data Archive:

FSD2417 Reproductive health in St. Petersburg: Men 2003

If this questionnaire is used or referred to in any publication, the source must be acknowledged by means of an appropriate bibliographic citation.

More information: <http://www.fsd.uta.fi/>

Анкета:

Репродуктивное здоровье молодежи и отношения между полами.

ДОРОГОЙ ДРУГ!

Эта анкета составлена для того, чтобы узнать непосредственные мнения молодежи о сексуальном поведении и репродуктивном здоровье. Информация, которую Вы нам предоставите, будет очень полезна для планирования просветительской работы с молодым поколением, касающейся здорового стиля жизни и профилактики ВИЧ-инфекции.

Эта анкета является абсолютно анонимной. Имя заполнявшего анкету останется неизвестным. Это сделано для того, чтобы помочь Вам свободно выражать Ваше мнение.

На эти вопросы нет "правильных" или "неправильных" ответов. Отвечая на вопросы, просто напишите, что Вы сами думаете или считаете правильным.

Пожалуйста, уделите время заполнению анкеты и заполните ее как можно более тщательно. В случаях, когда мы просим Вас дать подробный ответ, пожалуйста, постарайтесь предоставить максимально полную информацию.

Пожалуйста, обведите в кружок выбранный вариант ответа или напишите ответы в отведенных местах

Пожалуйста, записывайте ответы печатными буквами!

Если после какого-либо вопроса написано, что можно пропустить определенные вопросы, то Вам не нужно отвечать на эти вопросы, а сразу перейти к тому, на который указывает стрелочка.

Заполнение анкеты займет у Вас около 30 минут.

Спасибо за помощь.

1. ОБЩИЕ СВЕДЕНИЯ

1. **Сколько Вам лет?**

_____ лет

2. **Сколько человек проживает вместе с Вами?** (число лиц, ведущих общее хозяйство, включая Вас)

_____ человек

3. **Кем приходятся Вам проживающие вместе с Вами?** (отметьте тех, кто имеется)

1. жена по зарегистрированному браку
2. жена по фактическому (гражданскому) браку
3. дети (до 18 лет)
4. мои родители
5. родители супруги
6. сестры, братья
7. другие родственники
8. друзья, знакомые
9. другие, кто? _____

4. **Какое у Вас образование?**

1. начальное
2. неполное среднее
3. общее среднее
4. ПТУ, училище
5. техникум
6. неоконченное высшее
7. студент
8. высшее

5. **Чем Вы сейчас, в основном, занимаетесь?**

1. работаю
2. учусь
3. безработный
4. другое _____

6. **Вопрос для работающих: Кем Вы сейчас фактически работаете?** (профессия, которую считаете основной, название рабочего места)

7. Укажите, пожалуйста, профессию Ваших родителей

профессия матери _____

профессия отца _____

8. На Ваш взгляд, Ваша семья

1. определенно бедная
2. скорее, малообеспеченная
3. трудно сказать
4. относится к среднеобеспеченным семьям
5. обеспеченная

2. ПРОБЛЕМЫ ПРЕДОХРАНЕНИЯ ОТ БЕРЕМЕННОСТИ

9. В каком возрасте у Вас был первый сексуальный контакт?

1. У меня никогда не было половых отношений [™] **перейдите к вопросу 19**
2. В возрасте _____ лет

10. Сколько лет было тогда Вашей партнерше/Вашему партнеру?

_____ лет

11. Использовали ли Вы какие-либо противозачаточные средства во время Вашего первого сексуального контакта?

1. не использовали ничего
2. прерванное сношение
3. презерватив
4. таблетки
5. иное средство, какое? _____
6. не помню

12. Какие противозачаточные средства Вы со своей подругой/супругой/партнершей используете или использовали последнее время, чтобы предохраняться от беременности? (Можно выбрать несколько вариантов ответа)

1. не использовал/и / не нужно ничего
2. таблетки
3. спираль
4. презерватив
5. диафрагма
6. подкожный имплантант
7. календарный метод
8. прерванное сношение
9. душ
10. гормональная таблетка после полового акта
11. иное, какое? _____

13. Кто при последнем половом контакте принимал решение об использовании/не использовании противозачаточных средств?

1. Вы
2. Ваша подруга/партнерша
3. Вы вместе с Вашей партнершей
4. Кто-то другой, кто? _____
5. Не знаю, не помню

14. Насколько Вы удовлетворены использованным методом?

1. совершенно удовлетворен
2. скорее удовлетворен
3. скорее не удовлетворен
4. совершенно не удовлетворен
5. я не пользуюсь противозачаточными средствами

15. Почему Вы пользовались презервативом? (Можно выбрать несколько вариантов ответа)

1. моя партнерша хотела
2. из-за любопытства
3. потому что мои друзья пользуются им
4. потому что я слышал, что презерватив предохраняет от заболеваний, передающихся половым путем
5. я хотел предохраниться от нежелательной беременности
6. я хотел предохранить себя, так как я не знал хорошо свою партнершу
7. я не пользовался презервативом

16. Если Вы во время последнего сексуального контакта не пользовались никакими противозачаточными средствами, то почему? (Можно выбрать не более 3-х вариантов ответа)

1. у меня нет информации о противозачаточных средствах
2. противозачаточные средства слишком дорогие, или есть иные трудности приобрести их
3. я не желаю
4. моя партнерша не желает
5. мы не против забеременеть
6. мы не пользуемся противозачаточными средствами из-за религиозных причин
7. моя супруга/партнерша беременна или кормит грудью
8. нам не нужно, так как я или моя партнерша не можем иметь детей
9. они не нужны мне, так как у меня нет сейчас половых контактов

17. Посещали ли Вы когда-нибудь врача (медицинского работника или медсестру) для консультации по поводу контрацепции?

1. нет
2. да
3. не знаю, не помню

18. В течение последнего года, обсуждали ли Вы со своей подружкой/супругой/партнершей использование и методы контрацепции?

1. да
2. нет
3. не помню
4. у меня не было супруги / партнерши

Далее вопросы для всех

19. Кто, по Вашему мнению, несет ответственность за использование противозачаточных средств?

1. в основном, женщина
2. женщина и мужчина вместе
3. в основном, мужчина
4. не знаю

20. Хотели ли бы Вы участвовать в принятии решений об использовании противозачаточных средств?

1. да, больше, чем сейчас
2. я участвую в этом вопросе и так достаточно
3. меньше, чем сейчас
4. я никогда не участвовал в принятии решений об использовании противозачаточных средств, и все это кажется мне странным
5. затрудняюсь ответить

21. Как Вы считаете, стоит ли прислушиваться к советам родителей или других старших родственников, когда речь идет о планировании рождения ребенка? Эти советы:

1. всегда желательны
2. иногда желательны
3. вредны
4. не нужны
5. не знаю

22. Получали ли Вы какие-то сведения о сексуальной жизни в своей родительской семье?

1. да, даже слишком много
2. да, достаточно
3. да, но слишком мало
4. нет, но я хотел бы
5. нет, и не хотел бы

23. Получили ли Вы сведения о сексуальной жизни (половое воспитание) в системе школьного образования?

1. да, даже слишком много
2. да, достаточно
3. да, но слишком мало
4. нет, но я хотел бы
5. нет, и не хотел бы

24. Испытывали ли Вы когда-нибудь страх из-за того, что Ваша постоянная или случайная партнерша забеременеет непреднамеренно?

1. нет
2. да
3. не помню

25. Делала ли Ваша партнерша когда-либо аборт (прерывала ли когда-либо беременность, которая началась от Вашего сексуального контакта)?

1. нет [™] **перейдите к вопросу 28**
2. да
3. я не уверен, не знаю
[™] **перейдите к вопросу 28**

26. В случае, если у Вашей партнерши был опыт аборта: какие из перечисленных ниже причин повлияли на решение делать аборт (Можно выбрать не более 3-х вариантов ответа)

1. мы были не готовы принять на себя ответственность за воспитание маленького ребенка
2. нестабильные и проблематичные отношения между нами
3. давление родителей (ее или моих)
4. материальные затруднения
5. нам было необходимо закончить обучение
6. ситуация с работой не позволяла
7. мы еще слишком молоды
8. нет никого, кто бы мог помочь нам в уходе за ребенком
9. у меня не было времени заниматься ребенком
10. моя партнерша приняла такое решение самостоятельно
11. другие причины, какие? _____

27. Обсуждали ли Вы со своей партнершей решение об аборте?

1. она рассказала мне об аборте до того, как сделала его
2. она рассказала мне об аборте после того, как сделала его
3. я узнал об аборте от кого-то другого
4. мы приняли решение об аборте вместе
5. аборт сделали, в основном, потому, что я хотел так
6. иное, что? _____

3. ОТНОШЕНИЯ МЕЖДУ ПОЛАМИ, СЕКСУАЛЬНАЯ ЖИЗНЬ И РЕПРОДУКТИВНЫЕ УСТАНОВКИ

Далее вопросы для всех

28. У Вас есть сейчас постоянная сексуальная партнерша?

1. да
2. нет

29. Сколько Вам было лет, когда Вы начали с кем-то регулярно встречаться? (Если точно не помните, то скажите примерно.)

1. Мне было _____ лет
2. Я никогда ни с кем не встречался

30. С каким количеством людей у Вас были сексуальные отношения в течение жизни? (хотя бы один раз)

1. _____ (человек)
2. у меня никогда не было сексуальных отношений [™] **перейдите к вопросу 35**

31. С каким количеством людей у Вас был сексуальный контакт (сексуальный контакт в виде: половое сношение, оральный секс, анальное сношение, возбуждение партнерши/партнера руками) **во время последнего года?** (хотя бы один раз)

_____ (раз)

32. Когда у Вас был сексуальный контакт последний раз?

1. в течение последних суток
2. 1-2 дня назад
3. 3-4 дня назад
4. 5-7 суток назад
5. 1-2 недели назад
6. 3-4 недели назад
7. 1-3 месяца назад
8. 4-12 месяца назад
9. 1-2 года назад
10. более 3-х лет назад

33. В Вашем последнем половом контакте Ваша партнерша была

1. Ваша супруга или постоянная партнерша
2. супруга или постоянная партнерша кого-нибудь другого
3. свободная (не замужем, разведена), заранее Вам знакомая
4. свободная (не замужем, разведена), заранее Вам не знакома
5. проститутка или иная партнерша, которой Вы заплатили за половое сношение
6. кто-нибудь другой
7. не знаю

34. Принимали ли Вы алкоголь перед последним сексуальным контактом?

1. совсем нет
2. да, немного
3. да, достаточно
4. да, много
5. не помню

Далее вопросы для всех

35. Люди иногда чувствуют, что кроме представителей противоположного пола, их сексуально привлекают и представители своего пола. Привлекают ли Вас сейчас:

1. исключительно представители мужского пола
2. в основном, представители мужского пола
3. лица и мужского, и женского пола в равной мере
4. в основном, женщины
5. исключительно женщины

36. Предлагали ли Вам когда-либо деньги или другое материальное вознаграждение за сексуальный контакт?

1. нет
2. да, но я отказался
3. да, и я однажды согласился
4. да, и я несколько раз согласился

37. Предлагали ли Вы когда-либо деньги или другое материальное вознаграждение за половое сношение?

1. нет
2. да, но он/она/они отказались
3. да, и один/одна согласился/согласилась
4. да, и многие согласились

38. По Вашему мнению, может ли женщина отказаться от полового контакта со своим супругом/партнером в следующих ситуациях?

	да	нет	не знаю
1. она недавно родила	1	2	3
2. она подозревает или знает, что у него есть заболевание, передающееся половым путем или СПИД	1	2	3
3. он бьет ее	1	2	3
4. он пьян	1	2	3
5. у него есть сексуальная связь с другим человеком	1	2	3
6. она устала и не хочет полового сношения	1	2	3
7. он не хочет употреблять противозачаточные средства	1	2	3

39. В многих странах нельзя свободно делать аборты, как в России. Согласны ли Вы с тем, что женщина не может свободно делать аборты?

1. полностью согласен
2. согласен в значительной степени
3. трудно сказать
4. согласен в незначительной степени
5. абсолютно не согласен

40. Если Вы отвлечетесь от своей личной ситуации и попытаете посмотреть на ситуацию в целом в обществе,

1. какое по Вашему мнению идеальное количество детей в русской семье?

_____ ребенка

2. какой по Вашему мнению подходящий интервал между рождением детей?

_____ года/лет

3. в каком возрасте Вы считаете идеально мужчинам и женщинам иметь первого ребенка?
- идеальный возраст женщины для рождения первого ребенка _____ лет
 - идеальный возраст мужчины при рождении первого ребенка _____ лет

41. **Какое количество детей Вы считаете наиболее подходящим для себя?**

_____ ребенка

42. **Есть ли у Вас дети?**

- нет
- да, _____ детей

43. **Вы планируете иметь ребенка в будущем?**

- нет
- не знаю, не уверен
- да; планирую иметь еще

_____ ребенка/детей.

- Моя супруга/партнерша беременна; после этого планирую иметь еще

_____ ребенка/детей.

44. **Если бы Ваша супруга/партнерша родила ребенка, хотели бы Вы присутствовать при родах?**

- нет
- да
- затрудняюсь ответить

45. **Кто, в основном, ухаживал за Вами в дневное время, когда Вы были маленьким?**

- мама дома
- папа дома
- бабушка или дедушка
- иные родственники
- в государственном детском саду
- другое, что именно? _____

4. ВОПРОСЫ О СОСТОЯНИИ ВАШЕГО ЗДОРОВЬЯ

46. **Как Вы оцениваете качество своей жизни?**

1. очень хорошее
2. хорошее
3. среднее
4. плохое
5. очень плохое

47. **Насколько Вы удовлетворены состоянием своего здоровья?**

1. совершенно удовлетворен
2. скорее удовлетворен
3. не то, ни се
4. скорее не удовлетворен
5. совершенно не удовлетворен

48. **Есть ли у Вас хронические заболевания, по поводу которых Вы постоянно лечитесь?**

1. нет
 2. да, какие?
-

49. **Есть ли у Вас какое-нибудь хроническое или долговременное заболевание, или какой-нибудь физический недостаток, боль или травма, который снижает Вашу общую работоспособность?**

1. нет
 2. да TM Каким или какого характера является это заболевание или травма?
-

50. **Были ли у Вас какие-нибудь из следующих инфекций?**

	нет	да	не знаю
1. генитальный герпес	1	2	3
2. кондилома	1	2	3
3. хламидиоз	1	2	3
4. генитальный кандидоз	1	2	3
5. гоноррея	1	2	3
6. сифилис	1	2	3
7. ВИЧ/СПИД	1	2	3
8. простатит	1	2	3
9. орхит	1	2	3
10. иное, _____	1	2	3

51. Представьте, что бы Вы стали делать, если у Вас вдруг возникли опасения относительно заражения заболеванием, передающимся половым путем. Укажите, что бы Вы предприняли?

1. выжду, надеясь что "все обойдется"
 2. начну лечиться самостоятельно
 3. обращусь за советом к друзьям
 4. обращусь за советом к родителям
 5. обращусь к частнопрактикующему врачу или в частное (негосударственное) лечебное учреждение
 6. обращусь в пункт индивидуальной профилактики заболеваний, передающихся половым путем
 7. обращусь в кожно-венерологический диспансер
 8. обращусь в другое государственное лечебное учреждение, какое?
-

52. Обращались ли Вы когда-либо самостоятельно в лечебное учреждение для анализа на ВИЧ-инфекцию?

1. никогда
2. да, один раз
3. да, несколько раз

53. Если Вы хотели бы сделать анализы на ВИЧ, куда Вы обращались бы?

1. в государственное лечебное учреждение
2. в частное лечебное учреждение
3. центр СПИДа
4. какое-нибудь другое место, какое? _____
5. не знаю куда обращаться

54. Сделали ли бы Вы анализы и в том случае, если их не делают анонимно?

1. да
2. нет
3. не знаю

55. Курили ли Вы когда-нибудь регулярно, то есть, курили хотя бы одну сигарету, сигару или трубку в день в течение одного года?

1. никогда не курил
2. раньше курил, но теперь уже нет
3. курю ежедневно
4. курю иногда

56. **Как часто Вы употребляете алкогольные напитки?** (Выберите наиболее подходящий ответ, при этом включая и случаи употребления маленького объема алкоголя, например пол-бутылки пива или немножко вина.)

1. ежедневно
2. несколько раз в неделю
3. раз в неделю
4. несколько раз в месяц
5. приблизительно один раз в месяц
6. приблизительно один раз в два месяца
7. 3-4 раза в год
8. один раз в год или реже
9. никогда

57. **Пробовали ли Вы когда-нибудь какие-нибудь наркотики (например, марихуану)?**

1. да
2. нет

58. **Пробовали ли Вы во время своей жизни следующие наркотические средства?**

	никогда	да, 1-2 раза	да, но менее 6 раз	да, более 6 раз
1. гашиш или марихуана	1	2	3	4
2. экстази	1	2	3	4
3. амфетамин или метафетамин	1	2	3	4
4. кокаин, крэк	1	2	3	4
5. героин, морфин	1	2	3	4
6. ЛСД, иные галлюциногены	1	2	3	4
7. грибы, действующие наркотически	1	2	3	4
8. лекарства	1	2	3	4
9. разбавитель, иные технические растворители	1	2	3	4
10. какое-нибудь незнакомое средство	1	2	3	4
11. какое-нибудь средство при помощи иголки	1	2	3	4

59. **По какой причине Вы могли бы попробовать наркотики?** (отметьте только одну-две причины)

1. от одиночества
2. потому, что их легко достать
3. чтобы продемонстрировать свою смелость,
4. из-за проблем, трудностей, чтобы снять внутреннее напряжение
5. это модно
6. чтобы получить новый опыт, знания, ощущения
7. чтобы не отставать от друзей
8. от любопытства
9. чтобы выразить протест
10. из-за проблем в семье, с родителями
11. другое, что именно? _____

60. **Есть ли у Вас друзья или знакомые, употребляющие наркотики?**

1. Да
2. Нет
3. Трудно сказать

61. **Изменится ли Ваше отношение к знакомому, если Вы узнаете, что он употребляет наркотики?**

1. Нет, абсолютно не изменится
2. Скорее не изменится
3. Скорее изменится
4. Да, совершенно точно изменится,
5. Трудно сказать

62. **Если Ваше отношение изменится, то каким образом?**

1. Прерву с ним всякие отношения
2. Постараюсь свести общение до минимума
3. Постараюсь ему помочь
4. Другое, что именно? _____

63. **Сколько примерно раз Вы были у врача в течение последних 12 месяцев?** (Включите все посещения врача: из-за болезни, медицинские осмотры и.т.д.)

_____ раз

64. **Сколько раз Вы находились на лечении в стационаре (больнице) в течение последних 12 месяцев?**

_____ раз

65. **Делаете ли Вы что-либо для поддержания Вашего здоровья ?**

	Да, регулярно	Да, время от времени	Нет
1. Придерживаюсь диеты	1	2	3
2. Занимаюсь спортом	1	2	3
3. Забочусь о режиме сна и отдыха	1	2	3
4. Избегаю вредных привычек	1	2	3
5. Посещаю врача с профилактической целью	1	2	3

66. **Какой у Вас рост?**

_____ см

67. **Какой у Вас вес?**

_____ кг

Спасибо за Участие!!!